



## HD 4.2/20 ST Eh B

These electric powered cold water pressure washer cabinets really take the heat, accepting heated water up to 180°F.

## HD 4.2/20 ST Eh B


### Technical data

|                  |             |              |
|------------------|-------------|--------------|
| Order no.        |             | 1.575-305.0  |
| Current type     | Ph / V / Hz | 3 / 208 / 60 |
| Working pressure | PSI         | 2000         |

### Equipment

|                         |   |
|-------------------------|---|
| Servo Control           | - |
| Anti-twist system (AVS) | - |

# HD 4.2/20 ST EH B 1.575-305.0



|                                                                                 |   | Order no.   | ID   | Max. working pressure | Length | Price | Description                                                                                                                                              |   |
|---------------------------------------------------------------------------------|---|-------------|------|-----------------------|--------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---|
| <b>Standard with unions on both sides</b>                                       |   |             |      |                       |        |       |                                                                                                                                                          |   |
| High-pressure hose, 10 m, ID 8, 315 bar, extension                              | 1 | 6.391-342.0 | ID 8 | 315 bar               | 10 m   |       | To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.                                                       | ▲ |
| <b>Longlife 400 with unions on both sides</b>                                   |   |             |      |                       |        |       |                                                                                                                                                          |   |
| High-pressure hose Longlife 400, 10 m, ID 8, extension                          | 2 | 6.391-354.0 | ID 8 | 400 bar               | 10 m   |       | To extend the operating radius with the high-pressure cleaner. Connection on both sides M22 x 1.5.                                                       | ▲ |
| <b>Longlife food design with screw connections at both ends</b>                 |   |             |      |                       |        |       |                                                                                                                                                          |   |
| High pressure hose food ID 8, 10 m                                              | 3 | 6.391-864.0 | ID 8 | 400 bar               | 10 m   |       | Longlife HP hose for use in the food industry. Außen-decke## animal-grease-resistant, non-colour-bleeding material. With rotary coupling, 2 x M 22 x 1,5 | ▲ |
| High-pressure hose food industry 400 bar, 20 m, ID 8, including rotary coupling | 4 | 6.391-887.0 | ID 8 | 400 bar               | 20 m   |       |                                                                                                                                                          | ▲ |

▲ Extension hose.