

**SECTION 1: Identification****1.1. Identification**

Product form : Mixture  
Trade name : Sealed Wood Cleaner RM 534

**1.2. Recommended use and restrictions on use**

Use of the substance/mixture : Floor cleaning (liquids)  
Recommended use : Detergent

**1.3. Supplier****Manufacturer/Supplier**

Alfred Kärcher SE & Co. KG  
Alfred-Kärcher-Str. 28-40  
P.O. Box 160  
Winnenden, 71364  
GERMANY  
T +49-7195-14-0 - F +49-7195-14-2212  
[www.karcher.com](http://www.karcher.com)

**Email competent person**

sds@kft.de

**Importer**

Kärcher North America, Inc  
6398 N Kärcher Way  
Aurora, CO 80019  
USA  
Corporate Main Phone 303-738-2400

**1.4. Emergency telephone number**

Emergency number : For Hazardous Materials [or Dangerous Goods] Incidents  
Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night  
Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS US classification**

|                                              |      |                               |
|----------------------------------------------|------|-------------------------------|
| Flammable liquids Category 4                 | H227 | Combustible liquid            |
| Serious eye damage/eye irritation Category 2 | H319 | Causes serious eye irritation |
| Full text of H statements : see section 16   |      |                               |

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning  
Hazard statements (GHS US) : H227 - Combustible liquid  
H319 - Causes serious eye irritation

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames. - No smoking.  
P264 - Wash hands thoroughly after handling.  
P280 - Wear eye protection, face protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                       | Product identifier  | %                | GHS US classification                         |
|----------------------------|---------------------|------------------|-----------------------------------------------|
| Ethanol                    | CAS-No.: 64-17-5    | $\geq 1 - < 2.5$ | Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319     |
| Isotridecanol, ethoxylated | CAS-No.: 69011-36-5 | $\geq 1 - < 2.5$ | Acute Tox. 4 (Oral), H302<br>Eye Dam. 1, H318 |

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : In all cases of doubt, or when symptoms persist, seek medical attention.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing.  
First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.  
First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after eye contact : Eye irritation.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- |                                |                                                                                                            |
|--------------------------------|------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media   | : Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : Strong water jet.                                                                                        |

#### 5.2. Specific hazards arising from the chemical

- |                                                  |                                                                                                 |
|--------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Fire hazard                                      | : Flammable liquid and vapor.                                                                   |
| Explosion hazard                                 | : Explosive vapor/air mixtures may be formed.                                                   |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Silicon oxide. Nitrogen oxides. |

#### 5.3. Special protective equipment and precautions for fire-fighters

- |                                |                                                                                                                                          |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |
| Other information              | : Do not allow run-off from fire fighting to enter drains or water courses. Disposal must be done according to official regulations.     |

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- |                      |                                                                                                         |
|----------------------|---------------------------------------------------------------------------------------------------------|
| Protective equipment | : Concerning personal protective equipment to use, see section 8.                                       |
| Emergency procedures | : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. |

##### 6.1.2. For emergency responders

- |                      |                                                                                                                                                             |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Protective equipment | : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 6.2. Environmental precautions

No additional information available

#### 6.3. Methods and material for containment and cleaning up

- |                         |                                                                                                                                                                                                          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods for cleaning up | : Take up liquid spill into absorbent material. Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Notify authorities if product enters sewers or public waters. |
| Other information       | : Shovel into suitable and closed container for disposal. Disposal must be done according to official regulations.                                                                                       |

#### 6.4. Reference to other sections

Information for safe handling. See section 7. Concerning personal protective equipment to use, see section 8. For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- |                                   |                                                 |
|-----------------------------------|-------------------------------------------------|
| Additional hazards when processed | : In use, may form flammable vapor-air mixture. |
|-----------------------------------|-------------------------------------------------|

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

|                               |                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Precautions for safe handling | : Ensure good ventilation of the work station. Wear personal protective equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Avoid contact with skin and eyes. |
| Hygiene measures              | : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.                                                                                                                                                                                                                                                                                                                                    |

### 7.2. Conditions for safe storage, including any incompatibilities

|                                                          |                                                                                                                                           |
|----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures                                       | : Ground/bond container and receiving equipment.                                                                                          |
| Storage conditions                                       | : Store in a well-ventilated place. Keep cool. Keep container tightly closed.                                                             |
| Maximum storage period                                   | : 4 year(s)                                                                                                                               |
| Storage temperature                                      | : 39 – 86 °F                                                                                                                              |
| Heat-ignition                                            | : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat and direct sunlight. |
| Information about storage in one common storage facility | : Keep away from food, drink and animal feeding stuffs.                                                                                   |

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

|                                                   |                                                                                                   |
|---------------------------------------------------|---------------------------------------------------------------------------------------------------|
| <b>Sealed Wood Cleaner RM 534</b>                 |                                                                                                   |
| No additional information available               |                                                                                                   |
| <b>Ethanol (64-17-5)</b>                          |                                                                                                   |
| <b>USA - ACGIH - Occupational Exposure Limits</b> |                                                                                                   |
| Local name                                        | Ethanol                                                                                           |
| ACGIH OEL STEL [ppm]                              | 1000 ppm                                                                                          |
| Remark (ACGIH)                                    | TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans) |
| Regulatory reference                              | ACGIH 2022                                                                                        |
| <b>USA - OSHA - Occupational Exposure Limits</b>  |                                                                                                   |
| Local name                                        | Ethyl alcohol (Ethanol)                                                                           |
| OSHA PEL (TWA) [1]                                | 1900 mg/m³                                                                                        |
| OSHA PEL (TWA) [2]                                | 1000 ppm                                                                                          |
| Regulatory reference (US-OSHA)                    | OSHA Annotated Table Z-1                                                                          |
| <b>Isotridecanol, ethoxylated (69011-36-5)</b>    |                                                                                                   |
| No additional information available               |                                                                                                   |

### 8.2. Appropriate engineering controls

|                                  |                                                |
|----------------------------------|------------------------------------------------|
| Appropriate engineering controls | : Ensure good ventilation of the work station. |
| Environmental exposure controls  | : Avoid release to the environment.            |

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

In case of repeated or prolonged contact wear gloves. Chemically resistant protective gloves. Nitrile rubber. EN 374. Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Gloves must be replaced after each use and whenever signs of wear or perforation appear

#### Eye protection:

Wear closed safety glasses. EN 166

#### Skin and body protection:

Wear suitable protective clothing. EN 340. EN 13034

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Short term exposure. breathing apparatus with filter. Filter type. P2. Breathing equipment is only to be used in order to handle the residual risk of short term jobs if all other risk minimizing measures have been carried out e.g. retention and/or local exhaust. EN 143

#### Other information:

The above mentioned instructions regarding the protective equipment refer to the industrial use of larger quantities. Do not eat, drink or smoke when using this product. Avoid contact with skin and eyes. Always wash hands after handling the product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                                 |                                                                         |
|-------------------------------------------------|-------------------------------------------------------------------------|
| Physical state                                  | : Liquid                                                                |
| Appearance                                      | : clear.                                                                |
| Color                                           | : milky white                                                           |
| Odor                                            | : lemon odor                                                            |
| Odor threshold                                  | : No data available                                                     |
| pH                                              | : 7.2                                                                   |
| pH solution                                     | : ≈ 7.4 (1% Aqueous solution)                                           |
| Melting point                                   | : No data available                                                     |
| Freezing point                                  | : 0 °C                                                                  |
| Boiling point                                   | : No data available                                                     |
| Flash point                                     | : 185 °F (DIN 51755/51758)                                              |
| Relative evaporation rate (butyl acetate=1)     | : No data available                                                     |
| Flammability (solid, gas)                       | : No data available                                                     |
| Vapor pressure                                  | : No data available                                                     |
| Relative vapor density at 20 °C                 | : No data available                                                     |
| Relative density                                | : No data available                                                     |
| Density                                         | : 1.001 g/cm <sup>3</sup> (DIN 51757)                                   |
| Solubility                                      | : Water: g/l completely miscible                                        |
| Partition coefficient n-octanol/water (Log Pow) | : No data available                                                     |
| Auto-ignition temperature                       | : No data available                                                     |
| Decomposition temperature                       | : No data available                                                     |
| Viscosity, kinematic                            | : No data available                                                     |
| Viscosity, dynamic                              | : No data available                                                     |
| Explosion limits                                | : No data available                                                     |
| Explosive properties                            | : Product is not explosive. Explosive vapor/air mixtures may be formed. |
| Oxidizing properties                            | : Non oxidizing material.                                               |

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

### 9.2. Other information

Refractive index : 1.3404

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport. Flammable liquid and vapor.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under normal use. Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

### 10.5. Incompatible materials

No additional information available.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)  
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

#### Sealed Wood Cleaner RM 534

|                     |                          |
|---------------------|--------------------------|
| ATE US (oral)       | > 2000 mg/kg body weight |
| ATE US (dermal)     | > 2000 mg/kg body weight |
| ATE US (dust, mist) | > 5 mg/l/4h              |

#### Isotridecanol, ethoxylated (69011-36-5)

|               |                              |
|---------------|------------------------------|
| LD50 oral rat | 300 – 2000 mg/kg body weight |
|---------------|------------------------------|

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)  
pH: 7.2  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: 7.2  
Respiratory or skin sensitization : Not classified (Based on available data, the classification criteria are not met)  
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)  
Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

#### Ethanol (64-17-5)

|            |                            |
|------------|----------------------------|
| IARC group | 1 - Carcinogenic to humans |
|------------|----------------------------|

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)  
STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

|                                    |                                                                                        |
|------------------------------------|----------------------------------------------------------------------------------------|
| STOT-repeated exposure             | : Not classified (Based on available data, the classification criteria are not met)    |
| Aspiration hazard                  | : Not classified<br>(Based on available data, the classification criteria are not met) |
| Viscosity, kinematic               | : No data available                                                                    |
| Symptoms/effects after eye contact | : Eye irritation.                                                                      |

## SECTION 12: Ecological information

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

#### Sealed Wood Cleaner RM 534

|                               |                                                                    |
|-------------------------------|--------------------------------------------------------------------|
| Persistence and degradability | Inherently biodegradable. Contained surfactants are biodegradable. |
|-------------------------------|--------------------------------------------------------------------|

#### Ethanol (64-17-5)

|                               |                        |
|-------------------------------|------------------------|
| Persistence and degradability | Readily biodegradable. |
| Biodegradation                | 84 % (20 d)            |

#### Isotridecanol, ethoxylated (69011-36-5)

|                |                           |
|----------------|---------------------------|
| Biodegradation | > 70 % (OECD 301A method) |
|----------------|---------------------------|

### 12.3. Bioaccumulative potential

#### Sealed Wood Cleaner RM 534

|                           |                                  |
|---------------------------|----------------------------------|
| Bioaccumulative potential | The product has not been tested. |
|---------------------------|----------------------------------|

#### Ethanol (64-17-5)

|                                                 |                           |
|-------------------------------------------------|---------------------------|
| Partition coefficient n-octanol/water (Log Kow) | -0.35 (20 °C)             |
| Bioaccumulative potential                       | Bioaccumulation unlikely. |

### 12.4. Mobility in soil

#### Sealed Wood Cleaner RM 534

|                |                                  |
|----------------|----------------------------------|
| Ecology - soil | The product has not been tested. |
|----------------|----------------------------------|

#### Ethanol (64-17-5)

|                 |                    |
|-----------------|--------------------|
| Surface tension | 22.31 mN/m (20 °C) |
|-----------------|--------------------|

### 12.5. Other adverse effects

|                   |                                                                        |
|-------------------|------------------------------------------------------------------------|
| Other information | : Do not allow uncontrolled discharge of product into the environment. |
|-------------------|------------------------------------------------------------------------|

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

|                                            |                                                                                                                                                                                                        |
|--------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste treatment methods                    | : Ensure all national/local regulations are observed. Disposal must be done according to official regulations. Do not dispose of with domestic waste. Do not discharge into drains or the environment. |
| Product/Packaging disposal recommendations | : Recycle or dispose of in compliance with current legislation.                                                                                                                                        |

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Additional information : Flammable vapors may accumulate in the container.

### SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

#### 14.1. UN number

Not regulated for transport

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable

#### 14.3. Transport hazard class(es)

**DOT**  
Transport hazard class(es) (DOT) : Not applicable

**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

**IATA**  
Transport hazard class(es) (IATA) : Not applicable

#### 14.4. Packing group

Packing group (DOT) : Not applicable  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

**DOT**  
No data available

**IMDG**  
No data available

**IATA**  
No data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm.

| Component        | State or local regulations                                                                                                                                                                                              |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ethanol(64-17-5) | U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations;<br>U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List |

## SECTION 16: Other information

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

Revision date : 03/10/2022

Data sources : Information provided by the manufacturer. Annex VI. European Chemicals Agency, <http://echa.europa.eu/>.

Department issuing data specification sheet: : KFT Chemieservice GmbH  
Im Leuschnerpark 3  
D-64347 Griesheim

Phone: +49 6155-8981-400

Fax: +49 6155 8981-500

SDS Service: +49 6155 8981-522

Contact person : Christian Rank

| Full text of H-phrases |                                   |
|------------------------|-----------------------------------|
| H225                   | Highly flammable liquid and vapor |
| H227                   | Combustible liquid                |
| H302                   | Harmful if swallowed              |
| H318                   | Causes serious eye damage         |
| H319                   | Causes serious eye irritation     |

| Abbreviations and acronyms |                                                                                                 |
|----------------------------|-------------------------------------------------------------------------------------------------|
| ADN                        | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                        | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                        | Acute Toxicity Estimate                                                                         |
| BCF                        | Bioconcentration factor                                                                         |
| CLP                        | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |

# Sealed Wood Cleaner RM 534

## Safety Data Sheet

according to US OSHA Hazard Communication Standard (HCS 2012); 29 CFR Part 1910.1200

| Abbreviations and acronyms |                                                                                                   |
|----------------------------|---------------------------------------------------------------------------------------------------|
| DMEL                       | Derived Minimal Effect level                                                                      |
| DNEL                       | Derived-No Effect Level                                                                           |
| EC50                       | Median effective concentration                                                                    |
| IARC                       | International Agency for Research on Cancer                                                       |
| IATA                       | International Air Transport Association                                                           |
| IMDG                       | International Maritime Dangerous Goods                                                            |
| LC50                       | Median lethal concentration                                                                       |
| LD50                       | Median lethal dose                                                                                |
| LOAEL                      | Lowest Observed Adverse Effect Level                                                              |
| NOAEC                      | No-Observed Adverse Effect Concentration                                                          |
| NOAEL                      | No-Observed Adverse Effect Level                                                                  |
| NOEC                       | No-Observed Effect Concentration                                                                  |
| OECD                       | Organisation for Economic Co-operation and Development                                            |
| PBT                        | Persistent Bioaccumulative Toxic                                                                  |
| PNEC                       | Predicted No-Effect Concentration                                                                 |
| REACH                      | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID                        | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| SDS                        | Safety Data Sheet                                                                                 |
| STP                        | Sewage treatment plant                                                                            |
| TLM                        | Median Tolerance Limit                                                                            |
| vPvB                       | Very Persistent and Very Bioaccumulative                                                          |

| Indication of changes: |                                  |          |          |
|------------------------|----------------------------------|----------|----------|
| General revision.      |                                  |          |          |
| Section                | Changed item                     | Change   | Comments |
| 1                      | Trade name                       | Modified |          |
| 1                      | Supplier's details               | Modified |          |
| 2                      | GHS US classification            | Modified |          |
| 2.2                    | GHS US Label                     | Modified |          |
| 3                      | Composition                      | Modified |          |
| 9                      | Physical and chemical properties | Modified |          |
| 14                     | Dangerous Goods Identification   | Modified |          |

KFT SDS US 09

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.