

ATHENS

EFFECTIVE JANUARY, 2026



WHOLEGOODS PRICE LIST

Priced in U.S. funds



5808 Hwy #9, Harriston, Ontario, N0G 1Z0
519-338-2923, sales@harcoag.ca
www.harcoag.ca

ATHENS PLOW COMPANY, INC.
P.O. BOX 609
ATHENS, TENNESSEE 37371-0609
TELEPHONE 423-744-PLOW (7569)
WATS 1-800-535-3852
FAX 1-423-744-7218

WWW.ATHENSPLOW.COM

TERMS AND DISCOUNTS FOR WHOLEGOODS ATHENS PLOW COMPANY, INC.

Eligible Items:

Items eligible for Wholegoods Discounts are serial-numbered units and extra equipment accessories ordered with or for that unit.

Trade Discount for Eligible Wholegoods Items:

- Regular Open Account – 25%
- Preseason (90 days) – 25%

Cash Discounts:

- A. Regular Open Account - 5% if paid 30 days from date of invoice. Net 31.
- B. Regular Preseason - 10% if paid 30 days from date of invoice. Net 31.
- C. Volume Discount:
 - a) 5% extra cash discount for orders more than \$100,000 (open account) @ list, if paid 30 days from date of invoice.
 - b) 5% extra cash discount for additional wholegoods for the remainder of the calendar year.
- D. No discount will be allowed on current invoices if any invoices are past due.
- E. Government Agency Discount applies to all units. Government Agency Discount is an additional 5% (Maximum discount of 5% Cash and Government). Government discount applies if paid 30 days from date of invoice. A copy of the Government Purchase Order must accompany the dealer remittance to earn the special discount. Eligible agencies include any department of Federal, State, County or City Government, Soil Conservation, Fish and/or Wildlife, Drainage and Water Districts.

GENERAL STATEMENTS AS TO TERMS AND DISCOUNTS

No cash discount is allowed on warranty pending items.

Payment is due immediately for retailed units: units that have been removed from dealer's main place of business, items that have been used or not adequately protected against devaluation, or due date of invoice, whichever is earlier.

Past due invoices are subject to a 1.5% per month interest charge or the maximum allowable per law, whichever is less.

It is the dealer's responsibility to see that discounted payments reach our office on or before the due dates specified to receive discounts.

All prices are F.O.B. Athens Plow Company.

RETURNED GOODS

WHOLEGOODS

Returns must be approved by Athens Plow Co., Inc. When approved for return, the dealer must prepay shipping costs. Credit will be issued at original invoice amount less applicable cash discount. There will be a restocking charge of 20%.

MERCHANDISE RECEIPT

Any variation between items ordered and shipped and actual items received must be reported to Athens Plow as soon as the variation is recognized and no later than 30 days after receipt of shipment.

All shipments are made F.O.B. our Shipping Dock. All claims regarding the errors, shortages, and/or damages in shipment are the responsibility of the consignee and should be filed with the delivering carrier.

WARRANTY POLICY GUIDE ATHENS PLOW COMPANY, INC.

A. The Purpose of Warranty

Warranty assures the purchaser that should a defect in material or workmanship occur during the warranty period, Athens Plow Company, Inc. will assume specific repair responsibilities, as listed in the warranty statement. The warranty statement is to be provided to each purchaser of each piece of new equipment. Warranty begins on the date the product is delivered to the original purchaser of the product. Once the warranty period has begun, it cannot be stopped or interrupted.

B. Dealer Responsibilities

The following responsibilities are to be performed when the dealer delivers a product to the purchaser or otherwise places it into warranty service:

1. Complete the Warranty Registration Form and forward to Athens Plow Company, Inc. within 30 days of the sale of the product. Warranty reimbursement is contingent upon product registration.
2. Review warranty statement, operator's manual, and complete delivery report with purchaser to assure understanding of purchaser's responsibilities as related to warranty, service, and the proper and safe operation of the product. The purchaser should be advised to have failed parts repaired or replaced immediately upon failure and that continued use will result in additional damage and excessive wear.
3. Contact the manufacturer prior to beginning repair or replacement of failed parts to make certain that the cost of repairs are consistent with the value of the product when sold. Warranty requests for units in dealer's inventory may be submitted to Athens Plow Company, Inc. when defects are noted in the product prior to the retail sale of that unit.
4. Provide warranty and service repairs as directed by Athens Plow Company, Inc. instructions.
5. All warranty work must be completed within 30 days of failure. Notify Athens Plow Company, Inc. if repairs will require more than 30 days after failure for an extension. No claim will be accepted for warranties that exceed this 30-day period.
6. No warranty will be allowed on units delivered to the retail customer prior to the full payment of that unit to the manufacturer by the dealer.
7. If diagnostic time is required, contact Athens Plow Company, Inc. prior to beginning the warranty repair for approval. Travel time reimbursement must be approved by Athens Plow Company, Inc. prior to beginning the warranty repair.

C. Athens Plow Company's Responsibilities

1. Reimbursement for parts used in warranty repair will be credited only when the parts are purchased from Athens Plow Company, Inc. Parts will be credited at dealer's net cost. No warranty will be allowed on parts that are past due.
2. Dealer should use parts from their parts inventory first. In the event that parts must be shipped from Athens Plow Company, Inc., freight will be paid for by Athens Plow Company, Inc. and will be shipped by the most economical means to arrive in the shortest possible time. Air, Next Day Air, Priority, and other special shipment methods requested by the dealer will be at the customer's expense.
3. Warranty Labor Reimbursement for labor expense to the dealer is made by payment of \$50.00 per shop hour. Repair times will be reviewed by Athens Plow Company, Inc. and may be adjusted to average repair time required by other dealers to make similar repairs.
4. Reimbursements for repairs made by outside sources (not dealer personal) will be made for those services deemed necessary for the resolution of the warranty by Athens Plow Company, Inc. Outside repair invoices must have approval from Athens Plow Company, Inc. and must be attached to the warranty claim after approval.

D. Other Warranty Provisions

The following guidelines are to be followed when performing warranty repairs:

1. In all cases, the most economical repair should be performed unless otherwise directed. Credit will not be allowed for assemblies if it is practical to make the repair with individual parts. In some cases, the assembly price may be less than the total of the parts and labor required to complete the repair. In those cases, an assembly may be used.
2. Only those parts provided by Athens Plow Company, Inc. are covered under warranty. The use of parts from other sources will not be eligible for warranty consideration.
3. All parts removed during warranty repair should be held for a period of 60 days after the warranty claim has been submitted to Athens Plow Company, Inc. These parts can be discarded if the return request has not been made during this period. Parts that are returned upon request to Athens Plow Company, Inc. for which credit has not been issued can be returned upon dealer request within 30 days of claim disposition. These parts will be discarded after the 30-day period.
4. Athens Plow Company, Inc. reserves the right to deny or reverse all warranty claims for parts, labor, or miscellaneous charges when errors are found, warranty provisions are abused, or fraudulent claims are submitted.

5. Warranty reimbursement is not possible:
 - a. If parts returned are not cleaned and properly identified, or if they are damaged in return shipment due to poor packaging.
 - b. When failure falls under the "limitations" as identified in the Warranty Statement.
 - c. When Athens Plow Company, Inc. has requested the return of certain parts, assemblies, or information and has not received material within 30 days of date posted on return request.
 - d. On claims due to damage or shortage that are obviously the responsibility of the dealer or the delivering carrier.
 - e. On the entire claim when the warranty policy and provisions are not followed.

All dealers will warranty their technician's work to the purchaser and will indemnify Athens Plow Company Inc. from all such claims.

E. Use of Photos

Pictures should be attached to the dealer's claim when their inclusion will help identify the condition of the part being repaired or replaced, and thus assisting in the approval of the claim. In some cases, the use of photos may eliminate the need to return parts for evaluation. Photos will not be returned unless specifically requested.

F. Delayed Warranty Repairs

Warranty repairs should be scheduled and performed as soon as possible after notification to dealer and Athens Plow Company, Inc. There may be circumstances that require the use of the product for a short period of time by the retail customer or the availability of repair parts necessary to complete the repairs will require the work to extend past the 30-day period. In those cases, the dealer must notify Athens Plow Company, Inc. of the extenuating circumstance and advise that the continued use of the product will not enlarge the warranty claim. These claims will then be processed as if the product is still within the warranty period.

G. Denied Claims

Dealers will be notified of a denied claim that will state the reason for the denial. The dealer has the right to appeal this claim and must do so within 30 days of notification of denial. If there has been no appeal within the 30-day period, the Claim will be considered closed.

LIMITED WARRANTY STATEMENT

Athens Plow Company, Inc. warrants each new Athens Plow Company, Inc. product to be free from defects in material and Workmanship. This warranty is applicable only for the normal service life expectancy of the product or components, not to exceed twelve consecutive months from the date of delivery of the new Athens Plow Company, Inc. product to the original purchaser. Athens Plow Company, Inc. reserves the right to make improvements in design or changes in specifications at any time, without incurring any obligation to owners of units previously sold.

Our obligation under this warranty shall be limited to repairing or replacing, free of charge to the original purchaser, any part that, in our judgment, shall show evidence of such defect, provided further that such part shall be returned within thirty (30) days from date of failure to Athens Plow Company, Inc., routed through the dealer from whom the purchase was made, transportation charges prepaid.

This warranty shall not be interpreted to render Athens Plow Company, Inc. liable for injury or damages of any kind or nature to person or property. This warranty does not extend to the loss of crops, loss because of delay in harvesting, or any expense or loss incurred for labor, substitute machinery, rental or for any other reason. Except as set forth above, Athens Plow Company, Inc. shall have no obligation or liability of any kind on account of any of its equipment and shall not be liable for special or consequential damages. Athens Plow Company, Inc. makes no other warranty, expressed or implied, and, specifically, Athens Plow Company, Inc. disclaims any implied warranty or merchantability or fitness for a particular purpose. Some states or provinces do not permit limitations or exclusions of implied warranties or incidental or consequential damages, so the limitations or exclusions in this warranty may not apply.


This warranty is subject to any existing conditions of supply which may directly affect our ability to obtain materials or manufacture replacement parts.

No one is authorized to alter, modify, or enlarge this warranty nor the exclusion, limitations, and reservations.

TABLE OF CONTENTS

MODEL NUMBER	PAGE
LIFT TYPE DISK HARROWS	
MODEL BBD5	1
MODEL 37	2
MODEL 47	3
MODEL 52	5
MODEL 55	7
MODEL 65	10
MODEL 66	12
PULL TYPE DISK HARROWS	
Tandem	
MODEL 62	15
MODEL 93	26
MODEL 153	29
Double Offsets	
MODEL 76	19
MODEL 77	23
MODEL 116	30
MODEL 119	33
Offsets	
MODEL 97	35
MODEL 107	37
MODEL 127	38
MODEL 167	41
MODEL 137	44
MODEL 187	46
MODEL 287	48
CHISEL PLOW	
MODEL 156	49
LEVEE PLOW	
MODEL 220	52

ATHENS BBD5/BBD6 LIFT-TYPE DISK HARROW




SPECIFICATIONS:

Cutting Width – 5' 0" & 6' 6"
 Disc Spacing – 9"
 Disc Diameter – 22" C/O Tapered
 Cat. II Free Link or Quick Coupler
 Relube Ball Bearings
 Rigid or Spring Bearing Hangers
 1 1/4" Cold Rolled Square Gang Axle
 with Gang Wrench
 Adjustable Angle of Cut 15° and 18°
 Heavy Duty Scrapers
 Balk Buster

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>	<u>DISC THICK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>5' 0" WIDE</u>								
BBD5-0827-65T	22" Tap	C/O	.197	8	9"	4	985	\$6,027
<u>6' 6" WIDE</u>								
BBD6-1027-65T	22" Tap	C/O	.197	10	9"	4	1017	\$6,418

ATHENS 37 LIFT-TYPE DISK HARROW



SPECIFICATIONS:

Cutting Width – 5' 2" to 6' 5"

Disc Spacing – 7", 9", or 9"F & 7"R

Discs – 18" Diameter, C/O or SM

STANDARD EQUIPMENT:

Category I Hitch

Adjustable Angle of Cut


1" High Carbon Steel Square Axles

Factory Assembled Gangs

Triple-Lip Sealed Ball Bearings

MODEL NUMBER	DISC DIAM	TYPE OF DISC		DISC THCK	# OF DISC	DISC SPACING		# OF BRGS	APX WT	SUGST PRICE
		FRNT	REAR			FRNT	REAR			
5' 2" WIDE										
037-1611-010	18"	C.O.	C.O.	.118	16	7"	7"	8	624	\$2,814
037-1611-110	18"	SM.	SM.	.118	16	7"	7"	8	640	\$2,805
037-1611-410	18"	C.O.	SM.	.118	16	7"	7"	8	632	\$2,793
6' 3" WIDE										
037-1621-010	18"	C.O.	C.O.	.118	16	9"	9"	8	654	\$2,869
037-1621-110	18"	SM.	SM.	.118	16	9"	9"	8	670	\$2,850
037-1621-410	18"	C.O.	SM.	.118	16	9"	9"	8	662	\$2,843
6' 5" WIDE										
037-1831-010	18"	C.O.	C.O.	.118	18	9"	7"	8	680	\$2,992
037-1831-110	18"	SM.	SM.	.118	18	9"	7"	8	698	\$2,942
037-1831-410	18"	C.O.	SM.	.118	18	9"	7"	8	690	\$2,968
037-2011-010	18"	C.O.	C.O.	.118	20	7"	7"	8	702	\$3,117
037-2011-110	18"	SM.	SM.	.118	20	7"	7"	8	722	\$3,070
037-2011-410	18"	C.O.	SM.	.118	20	7"	7"	8	712	\$3,090

ATHENS 47 LIFT-TYPE DISK HARROW



SPECIFICATIONS:

Cutting Width – 6' 3" to 7' 9"
Disc Spacing – 7", 9", or 9"F & 7"R
Discs - 18" or 20" – C/O or SM

STANDARD EQUIPMENT:

Category I Hitch
Adjustable Angle of Cut
1" High Carbon Square Axles
Factory Assembled Gangs
Triple Lip Sealed Ball Bearings

MODEL NUMBER	DISC DIAM	TYPE OF DISC		DISC THCK	# OF DISC	DISC SPACING		# OF BRGS	APX WT	SUGST PRICE
		FRNT	REAR			FRNT	REAR			
<u>6' 3" WIDE</u>										
047-1621-010	18"	C.O.	C.O.	.118	16	9"	9"	8	664	\$2,868
047-1621-020	20"	C.O.	C.O.	.138	16	9"	9"	8	712	\$3,098
047-1621-110	18"	SM.	SM.	.118	16	9"	9"	8	680	\$2,771
047-1621-120	20"	SM.	SM.	.118	16	9"	9"	8	712	\$3,014
047-1621-410	18"	C.O.	SM.	.118	16	9"	9"	8	672	\$2,814
047-1621-420	20"	C.O.	SM.	.138	16	9"	9"	8	712	\$3,057
<u>6' 5" WIDE</u>										
047-1831-010	18"	C.O.	C.O.	.118	18	9"	7"	8	690	\$3,003
047-1831-020	20"	C.O.	C.O.	.138	18	9"	7"	8	744	\$3,283
047-1831-110	18"	SM.	SM.	.118	18	9"	7"	8	708	\$2,833
047-1831-120	20"	SM.	SM.	.118	18	9"	7"	8	744	\$3,017
047-1831-410	18"	C.O.	SM.	.118	18	9"	7"	8	700	\$2,919
047-1831-420	20"	C.O.	SM.	.138	18	9"	7"	8	744	\$3,162
047-2011-010	18"	C.O.	C.O.	.118	20	7"	7"	8	712	\$3,094
047-2011-020	20"	C.O.	C.O.	.138	20	7"	7"	8	772	\$3,451
047-2011-110	18"	SM.	SM.	.118	20	7"	7"	8	732	\$2,964
047-2011-120	20"	SM.	SM.	.118	20	7"	7"	8	772	\$3,160
047-2011-410	18"	C.O.	SM.	.118	20	7"	7"	8	722	\$3,028
047-2011-420	20"	C.O.	SM.	.138	20	7"	7"	8	772	\$3,308

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		<u>FRNT</u>	<u>REAR</u>			<u>FRNT</u>	<u>REAR</u>			
<u>7' 6" WIDE</u>										
047-2231-010	18"	C.O.	C.O.	.118	22	9"	7"	8	762	\$3,333
047-2231-020	20"	C.O.	C.O.	.138	22	9"	7"	8	828	\$3,664
047-2231-110	18"	SM.	SM.	.118	22	9"	7"	8	784	\$3,132
047-2231-120	20"	SM.	SM.	.118	22	9"	7"	8	828	\$3,346
047-2231-410	18"	C.O.	SM.	.118	22	9"	7"	8	773	\$3,220
047-2231-420	20"	C.O.	SM.	.138	22	9"	7"	8	828	\$3,379
047-2411-010	18"	C.O.	C.O.	.118	24	7"	7"	8	782	\$3,447
047-2411-020	20"	C.O.	C.O.	.138	24	7"	7"	8	854	\$3,808
047-2411-110	18"	SM.	SM.	.118	24	7"	7"	8	806	\$3,223
047-2411-120	20"	SM.	SM.	.118	24	7"	7"	8	854	\$3,454
047-2411-410	18"	C.O.	SM.	.118	24	7"	7"	8	794	\$3,334
047-2411-420	20"	C.O.	SM.	.138	24	7"	7"	8	854	\$3,630
<u>7' 9" WIDE</u>										
047-2021-010	18"	C.O.	C.O.	.118	20	9"	9"	8	737	\$3,094
047-2021-020	20"	C.O.	C.O.	.138	20	9"	9"	8	797	\$3,399
047-2021-110	18"	SM.	SM.	.118	20	9"	9"	8	757	\$2,914
047-2021-120	20"	SM.	SM.	.118	20	9"	9"	8	797	\$3,107
047-2021-410	18"	C.O.	SM.	.118	20	9"	9"	8	747	\$3,002
047-2021-420	20"	C.O.	SM.	.138	20	9"	9"	8	797	\$3,258

ATHENS 52 LIFT-TYPE DISK HARROW



SPECIFICATIONS:

Cutting Width 6' 6", 7' 0", 7' 11", and 8' 2"

Disc Spacing 7 1/2", 9", or 9" F & 7 1/2" R

Disc Diameter 18" or 20" C/O or SM

Cat. I Free Link

Relube Ball Bearings

Flangette Bearing Hangers

1 1/8" Cold Rolled Square Gang Axle
with Gang Wrench

Adjustable Angle of Cut 15° and 18°

Heavy Duty Scrapers (Extra Equipment)

Cover Discs (Extra Equipment)

<u>MODEL NUMBER</u>	<u>DISC DIA</u>	<u>TYPE OF DISC</u>		<u>DISC THICK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRT	REAR			FRT	REAR			
<u>6' 6" WIDE</u>										
052-1622-211	18"	C/O	C/O	.138	16	9"	9"	8	823	\$4,041
052-1622-311	18"	SM	SM	.138	16	9"	9"	8	855	\$3,956
052-1622-511	18"	C/O	SM	.138	16	9"	9"	8	839	\$3,989
052-1622-221	20"	C/O	C/O	.148	16	9"	9"	8	868	\$4,324
052-1622-321	20"	SM	SM	.148	16	9"	9"	8	904	\$4,248
052-1622-521	20"	C/O	SM	.148	16	9"	9"	8	886	\$4,271
<u>7' 0" WIDE</u>										
052-1832-211	18"	C/O	C/O	.138	18	9"	7-1/2"	8	872	\$4,225
052-1832-311	18"	SM	SM	.138	18	9"	7-1/2"	8	908	\$4,113
052-1832-511	18"	C/O	SM	.138	18	9"	7-1/2"	8	892	\$4,179
052-1832-221	20"	C/O	C/O	.148	18	9"	7-1/2"	8	922	\$4,551
052-1832-321	20"	SM	SM	.148	18	9"	7-1/2"	8	962	\$4,402
052-1832-521	20"	C/O	SM	.148	18	9"	7-1/2"	8	944	\$4,476
052-2012-211	18"	C/O	C/O	.138	20	7-1/2"	7-1/2"	8	898	\$4,415
052-2012-311	18"	SM	SM	.138	20	7-1/2"	7-1/2"	8	938	\$4,281
052-2012-511	18"	C/O	SM	.138	20	7-1/2"	7-1/2"	8	918	\$4,362
052-2012-221	20"	C/O	C/O	.148	20	7-1/2"	7-1/2"	8	954	\$4,773
052-2012-321	20"	SM	SM	.148	20	7-1/2"	7-1/2"	8	998	\$4,606
052-2012-521	20"	C/O	SM	.148	20	7-1/2"	7-1/2"	8	976	\$4,683

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THICK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRT	REAR			FRT	REAR			
<u>7' 11" WIDE</u>										
052-2022-211	18"	C/O	C/O	.138	20	9"	9"	8	926	\$4,723
052-2022-311	18"	SM	SM	.138	20	9"	9"	8	966	\$4,423
052-2022-511	18"	C/O	SM	.138	20	9"	9"	8	946	\$4,515
052-2022-221	20"	C/O	C/O	.148	20	9"	9"	8	982	\$4,918
052-2022-321	20"	SM	SM	.148	20	9"	9"	8	1026	\$4,753
052-2022-521	20"	C/O	SM	.148	20	9"	9"	8	1004	\$4,845
<u>8' 2" WIDE</u>										
052-2232-211	18"	C/O	C/O	.138	22	9"	7-1/2"	8	946	\$4,721
052-2232-311	18"	SM	SM	.138	22	9"	7-1/2"	8	990	\$4,606
052-2232-511	18"	C/O	SM	.138	22	9"	7-1/2"	8	970	\$4,678
052-2232-221	20"	C/O	C/O	.148	22	9"	7-1/2"	8	1008	\$5,139
052-2232-321	20"	SM	SM	.148	22	9"	7-1/2"	8	1057	\$4,960
052-2232-521	20"	C/O	SM	.148	22	9"	7-1/2"	8	1035	\$5,050
052-2412-211	18"	C/O	C/O	.138	24	7-1/2"	7-1/2"	8	966	\$4,934
052-2412-311	18"	SM	SM	.138	24	7-1/2"	7-1/2"	8	1014	\$4,777
052-2412-511	18"	C/O	SM	.138	24	7-1/2"	7-1/2"	8	990	\$4,849
052-2412-221	20"	C/O	C/O	.148	24	7-1/2"	7-1/2"	8	1033	\$5,362
052-2412-321	20"	SM	SM	.148	24	7-1/2"	7-1/2"	8	1086	\$5,102
052-2412-521	20"	C/O	SM	.148	24	7-1/2"	7-1/2"	8	1060	\$5,275

EXTRA EQUIPMENT

SCRAPERS	WIDTH	SPACING	APPROX. WEIGHT	SUGST PRICE
9-052-916220	6' 6"	9"	122#	\$493
9-052-918320	7' 0"	9" F 7 ½" R	131#	\$553
9-052-920120	7' 0"	7 ½"	140#	\$579
9-052-920220	7' 11"	9"	147#	\$639
9-052-922320	8' 2"	9" F 7 ½" R	157#	\$679
9-052-924120	8' 2"	7 ½"	166#	\$723

COVER DISCS	DESCRIPTION	APPROX. WEIGHT	SUGST PRICE
9-052-700016	Cover Discs w/o Scraper w/ 16" Disc	34#	\$259
9-052-709016	Cover Discs w/ Scraper w/ 16" Disc	43#	\$302

OPTIONAL EQUIPMENT

TO SPECIFY CAT. II IN LIEU OF CAT I, CHANGE THE 10TH DIGIT FROM 1 TO 2.

NO CHARGE

ATHENS 55 LIFT-TYPE DISK HARROW



SPECIFICATIONS:

Cutting Width 6' 6" to 9' 4"
Disc spacing 7 ½", 9" or
9" Front & 7 ½" Rear
20" or 22" Discs – Cutout or Smooth
Heavy Duty Scrapers (Extra Equip.)
Category I or II Hitch
Relube Ball Bearings

STANDARD EQUIPMENT:

Category II Hitch
1 ⅝" Cold Rolled Square Axles
w/ Gang Wrench
Tapered Outside Rear Disc Gangs
Factory Assembled Gangs
Adjustable Angle of Cut
Flangette Bearing Hangers
Relube Ball Bearings

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u> FRNT REAR	<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u> FRNT REAR	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>6' 6" WIDE</u>								
055-1622-222	20"	C.O. C.O.	.138	16	9" 9"	8	1006	\$5,008
055-1622-642	22"	C.O. C.O.	.177	16	9" 9"	8	1054	\$5,309
055-1622-322	20"	SM. SM.	.138	16	9" 9"	8	1024	\$4,912
055-1622-742	22"	SM. SM.	.177	16	9" 9"	8	1072	\$5,228
055-1622-522	20"	C.O. SM.	.138	16	9" 9"	8	1014	\$4,949
055-1622-842	22"	C.O. SM.	.177	16	9" 9"	8	1063	\$5,250
<u>7' 0" WIDE</u>								
055-1832-222	20"	C.O. C.O.	.138	18	9" 7-1/2"	8	1039	\$5,203
055-1832-642	22"	C.O. C.O.	.177	18	9" 7-1/2"	8	1096	\$5,552
055-1832-322	20"	SM. SM.	.138	18	9" 7-1/2"	8	1058	\$5,081
055-1832-742	22"	SM. SM.	.177	18	9" 7-1/2"	8	1117	\$5,393
055-1832-522	20"	C.O. SM.	.138	18	9" 7-1/2"	8	1049	\$5,155
055-1832-842	22"	C.O. SM.	.177	18	9" 7-1/2"	8	1108	\$5,471
055-2012-222	20"	C.O. C.O.	.138	20	7-1/2" 7-1/2"	8	1072	\$5,405
055-2012-642	22"	C.O. C.O.	.177	20	7-1/2" 7-1/2"	8	1138	\$5,790
055-2012-322	20"	SM. SM.	.138	20	7-1/2" 7-1/2"	8	1092	\$5,266
055-2012-742	22"	SM. SM.	.177	20	7-1/2" 7-1/2"	8	1161	\$5,610
055-2012-522	20"	C.O. SM.	.138	20	7-1/2" 7-1/2"	8	1081	\$5,351
055-2012-842	22"	C.O. SM.	.177	20	7-1/2" 7-1/2"	8	1149	\$5,695

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		<u>FRNT</u>	<u>REAR</u>			<u>FRNT</u>	<u>REAR</u>			
<u>7' 11" WIDE</u>										
055-2022-222	20"	C.O.	C.O.	.138	20	9"	9"	8	1125	\$5,733
055-2022-642	22"	C.O.	C.O.	.177	20	9"	9"	8	1192	\$5,943
055-2022-322	20"	SM.	SM.	.138	20	9"	9"	8	1146	\$5,414
055-2022-742	22"	SM.	SM.	.177	20	9"	9"	8	1215	\$5,768
055-2022-522	20"	C.O.	SM.	.138	20	9"	9"	8	1135	\$5,513
055-2022-842	22"	C.O.	SM.	.177	20	9"	9"	8	1203	\$5,867
<u>8' 2" WIDE</u>										
055-2232-222	20"	C.O.	C.O.	.138	22	9"	7-1/2"	8	1155	\$5,733
055-2232-642	22"	C.O.	C.O.	.177	22	9"	7-1/2"	8	1232	\$6,182
055-2232-322	20"	SM.	SM.	.138	22	9"	7-1/2"	8	1179	\$5,610
055-2232-742	22"	SM.	SM.	.177	22	9"	7-1/2"	8	1257	\$5,988
055-2232-522	20"	C.O.	SM.	.138	22	9"	7-1/2"	8	1168	\$5,687
055-2232-842	22"	C.O.	SM.	.177	22	9"	7-1/2"	8	1245	\$6,085
055-2412-222	20"	C.O.	C.O.	.138	24	7-1/2"	7-1/2"	8	1185	\$5,959
055-2412-642	22"	C.O.	C.O.	.177	24	7-1/2"	7-1/2"	8	1271	\$6,420
055-2412-322	20"	SM.	SM.	.138	24	7-1/2"	7-1/2"	8	1211	\$5,795
055-2412-742	22"	SM.	SM.	.177	24	7-1/2"	7-1/2"	8	1299	\$6,140
055-2412-522	20"	C.O.	SM.	.138	24	7-1/2"	7-1/2"	8	1198	\$5,872
055-2412-842	22"	C.O.	SM.	.177	24	7-1/2"	7-1/2"	8	1285	\$6,325
<u>9' 4" WIDE</u>										
055-2422-222	20"	C.O.	C.O.	.138	24	9"	9"	8	1249	\$5,926
055-2422-642	22"	C.O.	C.O.	.177	24	9"	9"	8	1335	\$6,397
055-2422-322	20"	SM.	SM.	.138	24	9"	9"	8	1275	\$5,762
055-2422-742	22"	SM.	SM.	.177	24	9"	9"	8	1363	\$6,001
055-2422-522	20"	C.O.	SM.	.138	24	9"	9"	8	1262	\$5,859
055-2422-842	22"	C.O.	SM.	.177	24	9"	9"	8	1349	\$6,288
055-2632-222	20"	C.O.	C.O.	.138	26	9"	7-1/2"	8	1289	\$6,140
055-2632-642	22"	C.O.	C.O.	.177	26	9"	7-1/2"	8	1385	\$6,636
055-2632-322	20"	SM.	SM.	.138	26	9"	7-1/2"	8	1317	\$5,949
055-2632-742	22"	SM.	SM.	.177	26	9"	7-1/2"	8	1415	\$6,400
055-2632-522	20"	C.O.	SM.	.138	26	9"	7-1/2"	8	1304	\$6,042
055-2632-842	22"	C.O.	SM.	.177	26	9"	7-1/2"	8	1401	\$6,518
055-2812-222	20"	C.O.	C.O.	.138	28	7-1/2"	7-1/2"	8	1301	\$6,330
055-2812-642	22"	C.O.	C.O.	.177	28	7-1/2"	7-1/2"	8	1406	\$6,879
055-2812-322	20"	SM.	SM.	.138	28	7-1/2"	7-1/2"	8	1331	\$6,140
055-2812-742	22"	SM.	SM.	.177	28	7-1/2"	7-1/2"	8	1439	\$6,628
055-2812-522	20"	C.O.	SM.	.138	28	7-1/2"	7-1/2"	8	1316	\$6,246
055-2812-842	22"	C.O.	SM.	.177	28	7-1/2"	7-1/2"	8	1422	\$6,762

<u>EXTRA EQUIPMENT</u>		<u>WIDTH</u>	<u>SPACING</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
9-055-916220	SCRAPERS	6' 6"	9"	122#	\$606
9-055-918320	SCRAPERS	7' 0"	9"F 7-1/2"R	131#	\$677
9-055-920120	SCRAPERS	7' 0"	7-1/2"	140#	\$708
9-055-920220	SCRAPERS	7' 11"	9"	147#	\$782
9-055-922320	SCRAPERS	8' 2"	9"F 7-1/2"R	157#	\$826
9-055-924120	SCRAPERS	8' 2"	7-1/2"	166#	\$885
9-055-924220	SCRAPERS	9' 4"	9"	175#	\$885
9-055-926320	SCRAPERS	9' 4"	9"F 7-1/2"R	184#	\$921
9-055-928120	SCRAPERS	9' 4"	7-1/2"	193#	\$977


<u>EXTRA EQUIPMENT</u>		<u>APX WT</u>	<u>SUGST PRICE</u>
9-055-700016	COVER DISC W/O SCRAPER W/ 16" DISC	34#	\$259
9-055-709016	COVER DISC W/ SCRAPERS W/ 16" DISC	43#	\$302
9-055-800000	BALK BUSTER	38#	\$282

OPTIONAL EQUIPMENT:

TO SPECIFY CAT. #1 IN LIEU OF CAT.#II, CHANGE
10TH DIGIT FROM 2 TO 1

NO CHARGE

ATHENS 65 LIFT-TYPE DISK HARROW



SPECIFICATIONS:

Cutting Width 8', 8' 4", & 9' 6"
 Spacing 9", or 9" Frt & 7 1/2" Rear
 Disc Diameter - 22" or 24" C/O or SM
 Rigid or Spring Bearing Hangers
 Cat. II Free Link/Quick Coupler
 Relube Ball Bearings
 1 1/4" Cold Rolled Square Axle
 with Gang Wrench

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRNT	REAR			FRNT	REAR			
<u>8' 0" WIDE</u>										
065-2027-650	22"	C.O.	C.O.	.197	20	9"	9"	8	1710	\$8,171
065-2027-660	24"	C.O.	C.O.	.197	20	9"	9"	8	1770	\$8,631
065-2027-750	22"	SM.	SM.	.197	20	9"	9"	8	1730	\$8,127
065-2027-760	24"	SM.	SM.	.197	20	9"	9"	8	1790	\$8,529
065-2027-850	22"	C.O.	SM.	.197	20	9"	9"	8	1720	\$8,150
065-2027-860	24"	C.O.	SM.	.197	20	9"	9"	8	1780	\$8,579
<u>8' 4" WIDE</u>										
065-2237-650	22"	C.O.	C.O.	.197	22	9"	7-1/2"	8	1762	\$8,594
065-2237-750	22"	SM.	SM.	.197	22	9"	7-1/2"	8	1784	\$8,539
065-2237-850	22"	C.O.	SM.	.197	22	9"	7-1/2"	8	1774	\$8,560
<u>9' 6" WIDE</u>										
065-2427-650	22"	C.O.	C.O.	.197	24	9"	9"	8	1872	\$8,945
065-2427-660	24"	C.O.	C.O.	.197	24	9"	9"	8	1944	\$9,488
065-2427-750	22"	SM.	SM.	.197	24	9"	9"	8	1896	\$8,887
065-2427-760	24"	SM.	SM.	.197	24	9"	9"	8	1968	\$9,371
065-2427-850	22"	C.O.	SM.	.197	24	9"	9"	8	1884	\$8,914
065-2427-860	24"	C.O.	SM.	.197	24	9"	9"	8	1956	\$9,431
065-2637-650	22"	C.O.	C.O.	.197	26	9"	7-1/2"	8	1914	\$9,074
065-2637-750	22"	SM.	SM.	.197	26	9"	7-1/2"	8	1940	\$9,278
065-2637-850	22"	C.O.	SM.	.197	26	9"	7-1/2"	8	1954	\$9,308

OPTIONAL EQUIPMENT

For Spring Bearing Hangers:
 Change the 7th Digit from 7 to 6 and Add 15#
 and \$79.00 per Bearing Weights and Prices.

(CONT'D)

EXTRA EQUIPMENT

SCRAPERS


		<u>SPACING</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
9-065-920270	Scrapers for 8' 0" Units	9"	226	\$895
*9-065-920260		9"	244	\$961
9-065-922370	Scrapers for 8' 4" Units	9"F 7-1/2"R	241	\$952
*9-065-922360		9"F 7-1/2"R	259	\$1,023
9-065-924270	Scrapers for 9' 6" Units	9"	265	\$1,050
*9-065-924260		9"	283	\$1,119
9-065-926370	Scrapers for 9' 6" Units	9"F 7-1/2"R	280	\$1,107
*9-065-926360		9"F 7-1/2"R	298	\$1,176

*For Units with Spring Bearing Hangers

COVER DISC

9-065-700018	Cover Disc Assembly with 18" Disc w/o Scraper	40	\$319
9-065-709018	Cover Disc Assembly with 18" Disc w/ Scraper	56	\$369
9-065-800000	Balk Buster	23	\$238

ATHENS 66 LIFT-TYPE DISK HARROW



SPECIFICATIONS:

Cutting Width 10' 6" to 15' 3"
 Disc Spacing 7 ½", 9" or
 9" Front & 7 ½" Rear
 Disc Diameter – 20" or 22" C/O or SM
 Heavy Duty Scrapers (Extra
 Equipment)
 Category II or III Free Link
 or Quick Coupler Hitch

STANDARD EQUIPMENT:

1 ⅛" Cold Rolled Square Axle
 Relube Ball Bearings
 Flangette Bearing Hangers
 Adjustable Angle of Cut 16° to 21°
 Tapered Outside Rear Disk Gangs

MODEL NUMBER	DISC DIAM	TYPE OF DISC		DISC THCK	# OF DISC	DISC SPACING		# OF BRGS	APX WT	SUGST PRICE
		FRNT	REAR			FRNT	REAR			
<u>10' 6" WIDE</u>										
066-3032-222	20"	C.O.	C.O.	.138	30	9"	7-1/2"	8	1924	\$8,958
066-3032-642	22"	C.O.	C.O.	.177	30	9"	7-1/2"	8	2039	\$9,497
066-3032-322	20"	SM.	SM.	.138	30	9"	7-1/2"	8	1957	\$9,116
066-3032-742	22"	SM.	SM.	.177	30	9"	7-1/2"	8	2074	\$9,199
066-3032-522	20"	C.O.	SM.	.138	30	9"	7-1/2"	8	1941	\$9,041
066-3032-842	22"	C.O.	SM.	.177	30	9"	7-1/2"	8	2057	\$9,579
066-3212-222	20"	C.O.	C.O.	.138	32	7-1/2"	7-1/2"	8	1947	\$9,067
066-3212-642	22"	C.O.	C.O.	.177	32	7-1/2"	7-1/2"	8	2071	\$9,645
066-3212-322	20"	SM.	SM.	.138	32	7-1/2"	7-1/2"	8	1982	\$9,234
066-3212-742	22"	SM.	SM.	.177	32	7-1/2"	7-1/2"	8	2109	\$9,822
066-3212-522	20"	C.O.	SM.	.138	32	7-1/2"	7-1/2"	8	1964	\$9,145
066-3212-842	22"	C.O.	SM.	.177	32	7-1/2"	7-1/2"	8	2090	\$9,729
<u>10' 9" WIDE</u>										
066-2822-222	20"	C.O.	C.O.	.138	28	9"	9"	8	1901	\$8,852
066-2822-642	22"	C.O.	C.O.	.177	28	9"	9"	8	2006	\$9,342
066-2822-322	20"	SM.	SM.	.138	28	9"	9"	8	1933	\$9,004
066-2822-742	22"	SM.	SM.	.177	28	9"	9"	8	2039	\$9,497
066-2822-522	20"	C.O.	SM.	.138	28	9"	9"	8	1916	\$8,925
066-2822-842	22"	C.O.	SM.	.177	28	9"	9"	8	2022	\$9,414

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THICK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
FRNT	REAR	FRNT	REAR			FRNT	REAR			
<u>12' 2" WIDE</u>										
066-3222-221	20"	C.O.	C.O.	.138	32	9"	9"	12	2044	\$9,308
066-3222-641	22"	C.O.	C.O.	.177	32	9"	9"	12	2180	\$10,101
066-3222-321	20"	SM.	SM.	.138	32	9"	9"	12	2064	\$9,035
066-3222-741	22"	SM.	SM.	.177	32	9"	9"	12	2216	\$9,754
066-3222-521	20"	C.O.	SM.	.138	32	9"	9"	12	2058	\$9,167
066-3222-841	22"	C.O.	SM.	.177	32	9"	9"	12	2197	\$9,923
<u>12' 11" WIDE</u>										
066-3632-221	20"	C.O.	C.O.	.138	36	9"	7-1/2"	12	2103	\$9,521
066-3632-641	22"	C.O.	C.O.	.177	36	9"	7-1/2"	12	2257	\$10,231
066-3632-321	20"	SM.	SM.	.138	36	9"	7-1/2"	12	2234	\$9,238
066-3632-741	22"	SM.	SM.	.177	36	9"	7-1/2"	12	2298	\$9,947
066-3632-521	20"	C.O.	SM.	.138	36	9"	7-1/2"	12	2219	\$9,293
066-3632-841	22"	C.O.	SM.	.177	36	9"	7-1/2"	12	2279	\$10,139
066-4012-221	20"	C.O.	C.O.	.138	40	7-1/2"	7-1/2"	12	2161	\$9,721
066-4012-641	22"	C.O.	C.O.	.177	40	7-1/2"	7-1/2"	12	2334	\$10,569
066-4012-321	20"	SM.	SM.	.138	40	7-1/2"	7-1/2"	12	2195	\$9,401
066-4012-741	22"	SM.	SM.	.177	40	7-1/2"	7-1/2"	12	2406	\$10,147
066-4012-521	20"	C.O.	SM.	.138	40	7-1/2"	7-1/2"	12	2177	\$9,604
066-4012-841	22"	C.O.	SM.	.177	40	7-1/2"	7-1/2"	12	2356	\$10,385
<u>13' 6" WIDE</u>										
066-3622-221	20"	C.O.	C.O.	.138	36	9"	9"	12	2194	\$10,170
066-3622-641	22"	C.O.	C.O.	.177	36	9"	9"	12	2298	\$10,978
066-3622-321	20"	SM.	SM.	.138	36	9"	9"	12	2207	\$9,901
066-3622-741	22"	SM.	SM.	.177	36	9"	9"	12	2328	\$10,620
066-3622-521	20"	C.O.	SM.	.138	36	9"	9"	12	2200	\$10,041
066-3622-841	22"	C.O.	SM.	.177	36	9"	9"	12	2313	\$10,804
<u>14' 1" WIDE</u>										
066-4032-221	20"	C.O.	C.O.	.138	40	9"	7-1/2"	12	2269	\$10,385
066-4032-641	22"	C.O.	C.O.	.177	40	9"	7-1/2"	12	2387	\$11,250
066-4032-321	20"	SM.	SM.	.138	40	9"	7-1/2"	12	2283	\$10,067
066-4032-741	22"	SM.	SM.	.177	40	9"	7-1/2"	12	2421	\$10,850
066-4032-521	20"	C.O.	SM.	.138	40	9"	7-1/2"	12	2276	\$10,234
066-4032-841	22"	C.O.	SM.	.177	40	9"	7-1/2"	12	2405	\$11,052
066-4412-221	20"	C.O.	C.O.	.138	44	7-1/2"	7-1/2"	12	2342	\$10,526
066-4412-641	22"	C.O.	C.O.	.177	44	7-1/2"	7-1/2"	12	2476	\$11,456
066-4412-321	20"	SM.	SM.	.138	44	7-1/2"	7-1/2"	12	2358	\$10,190
066-4412-741	22"	SM.	SM.	.177	44	7-1/2"	7-1/2"	12	2513	\$11,541
066-4412-521	20"	C.O.	SM.	.138	44	7-1/2"	7-1/2"	12	2349	\$10,358
066-4412-841	22"	C.O.	SM.	.177	44	7-1/2"	7-1/2"	12	2495	\$11,270

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRNT	REAR			FRNT	REAR			
<u>15' 0" WIDE</u>										
066-4022-221	20"	C.O.	C.O.	.138	40	9"	9"	16	2326	\$10,698
066-4022-641	22"	C.O.	C.O.	.177	40	9"	9"	16	2444	\$11,667
066-4022-321	20"	SM.	SM.	.138	40	9"	9"	16	2340	\$10,568
066-4022-741	22"	SM.	SM.	.177	40	9"	9"	16	2478	\$11,180
066-4022-521	20"	C.O.	SM.	.138	40	9"	9"	16	2282	\$10,635
066-4022-841	22"	C.O.	SM.	.177	40	9"	9"	16	2462	\$11,420

15' 3" WIDE

066-4432-221	20"	C.O.	C.O.	.138	44	9"	7-1/2"	16	2388	\$11,088
066-4432-641	22"	C.O.	C.O.	.177	44	9"	7-1/2"	16	2522	\$12,197
066-4432-321	20"	SM.	SM.	.138	44	9"	7-1/2"	16	2404	\$10,956
066-4432-741	22"	SM.	SM.	.177	44	9"	7-1/2"	16	2559	\$11,648
066-4432-521	20"	C.O.	SM.	.138	44	9"	7-1/2"	16	2397	\$11,027
066-4432-841	22"	C.O.	SM.	.177	44	9"	7-1/2"	16	2542	\$11,926
066-4812-221	20"	C.O.	C.O.	.138	48	7-1/2"	7-1/2"	16	2448	\$11,489
066-4812-641	22"	C.O.	C.O.	.177	48	7-1/2"	7-1/2"	16	2598	\$12,724
066-4812-321	20"	SM.	SM.	.138	48	7-1/2"	7-1/2"	16	2466	\$11,353
066-4812-741	22"	SM.	SM.	.177	48	7-1/2"	7-1/2"	16	2638	\$12,115
066-4812-521	20"	C.O.	SM.	.138	48	7-1/2"	7-1/2"	16	2457	\$11,420
066-4812-841	22"	C.O.	SM.	.177	48	7-1/2"	7-1/2"	16	2618	\$12,422

<u>EXTRA EQUIPMENT</u>		<u>WIDTH</u>	<u>SPACING</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
9-066-928220	SCRAPERS	10' 9"	9"	336	\$1,006
9-066-930320	SCRAPERS	10' 6"	9"F 7-1/2"R	360	\$1,079
9-066-932120	SCRAPERS	10' 6"	7-1/2"	384	\$1,151
9-066-932220	SCRAPERS	12' 2"	9"	390	\$1,196
9-066-936320	SCRAPERS	12' 11"	9"F 7-1/2"R	422	\$1,339
9-066-940120	SCRAPERS	12' 11"	7-1/2"	453	\$1,491
9-066-936220	SCRAPERS	13' 6"	9"	428	\$1,355
9-066-940320	SCRAPERS	14' 1"	9"F 7-1/2"R	459	\$1,499
9-066-944120	SCRAPERS	14' 1"	7-1/2"	493	\$1,655
9-066-940220	SCRAPERS	15' 0"	9"	463	\$1,548
9-066-944320	SCRAPERS	15' 3"	9"F 7-1/2"R	489	\$1,687
9-066-948120	SCRAPERS	15' 3"	7-1/2"	531	\$1,834
9-066-700016	COVER DISC W/O SCRAPERS			34	\$259
9-066-709016	COVER DISC W/ SCRAPERS			43	\$302
9-066-800000	BALK BUSTER			23	\$238

ATHENS 62 TANDEM DISK HARROW

SPECIFICATIONS:

Cutting Width – 7' 11" to 12' 11"

Spacing – 7 ½", 9" or

9" Front & 7 ½" Rear

Disc Diameter – 20" or 22" C/O or SM

Heavy Duty Scrapers (Extra Equip)

STANDARD EQUIPMENT

Heavy – Duty Tongue with Jack

15", 5 Lug Wheels w/ Hubs

Tapered Outside Rear Disc Gangs

1 ½" Cold Rolled Square Axles


w/ Gang Wrench

Adjustable Angle of Cut

Flangette Bearing Hangers

Relube Ball Bearings

Lifting Hydraulics



MODEL NUMBER	DISC DIAM	TYPE OF DISC		DISC THCK	# OF DISC	DISC SPACING		# OF BRGS	APX WT	SUGST PRICE
		FRNT	REAR			FRNT	REAR			
<u>7' 11" WIDE</u>										
062-2022-221	20"	C.O.	C.O.	.138	20	9"	9"	8	1584	\$9,164
062-2022-641	22"	C.O.	C.O.	.177	20	9"	9"	8	1643	\$9,646
062-2022-321	20"	SM.	SM.	.138	20	9"	9"	8	1591	\$8,992
062-2022-741	22"	SM.	SM.	.177	20	9"	9"	8	1646	\$9,421
062-2022-521	20"	C.O.	SM.	.138	20	9"	9"	8	1588	\$9,097
062-2022-841	22"	C.O.	SM.	.177	20	9"	9"	8	1645	\$9,536
<u>8' 2" WIDE</u>										
062-2232-221	20"	C.O.	C.O.	.138	22	9"	7-1/2"	8	1613	\$9,402
062-2232-641	22"	C.O.	C.O.	.177	22	9"	7-1/2"	8	1680	\$9,928
062-2232-321	20"	SM.	SM.	.138	22	9"	7-1/2"	8	1620	\$9,220
062-2232-741	22"	SM.	SM.	.177	22	9"	7-1/2"	8	1682	\$9,686
062-2232-521	20"	C.O.	SM.	.138	22	9"	7-1/2"	8	1617	\$9,327
062-2232-841	22"	C.O.	SM.	.177	22	9"	7-1/2"	8	1682	\$9,800
062-2412-221	20"	C.O.	C.O.	.138	24	7-1/2"	7-1/2"	8	1647	\$9,646
062-2412-641	22"	C.O.	C.O.	.177	24	7-1/2"	7-1/2"	8	1741	\$10,219
062-2412-321	20"	SM.	SM.	.138	24	7-1/2"	7-1/2"	8	1666	\$9,435
062-2412-741	22"	SM.	SM.	.177	24	7-1/2"	7-1/2"	8	1768	\$9,941
062-2412-521	20"	C.O.	SM.	.138	24	7-1/2"	7-1/2"	8	1655	\$9,639
062-2412-841	22"	C.O.	SM.	.177	24	7-1/2"	7-1/2"	8	1754	\$10,263

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THICK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRNT	REAR			FRNT	REAR			
<u>9' 4" WIDE</u>										
062-2422-221	20"	C.O.	C.O.	.138	24	9"	9"	8	1695	\$9,609
062-2422-641	22"	C.O.	C.O.	.177	24	9"	9"	8	1789	\$10,153
062-2422-321	20"	SM.	SM.	.138	24	9"	9"	8	1714	\$9,402
062-2422-741	22"	SM.	SM.	.177	24	9"	9"	8	1816	\$9,922
062-2422-521	20"	C.O.	SM.	.138	24	9"	9"	8	1703	\$9,487
062-2422-841	22"	C.O.	SM.	.177	24	9"	9"	8	1802	\$10,058
062-2632-221	20"	C.O.	C.O.	.138	26	9"	7-1/2"	8	1710	\$9,853
062-2632-641	22"	C.O.	C.O.	.177	26	9"	7-1/2"	8	1824	\$10,482
062-2632-321	20"	SM.	SM.	.138	26	9"	7-1/2"	8	1741	\$9,622
062-2632-741	22"	SM.	SM.	.177	26	9"	7-1/2"	8	1853	\$10,190
062-2632-521	20"	C.O.	SM.	.138	26	9"	7-1/2"	8	1730	\$9,743
062-2632-841	22"	C.O.	SM.	.177	26	9"	7-1/2"	8	1839	\$10,324
062-2812-221	20"	C.O.	C.O.	.138	28	7-1/2"	7-1/2"	8	1744	\$10,091
062-2812-641	22"	C.O.	C.O.	.177	28	7-1/2"	7-1/2"	8	1858	\$10,768
062-2812-321	20"	SM.	SM.	.138	28	7-1/2"	7-1/2"	8	1768	\$9,840
062-2812-741	22"	SM.	SM.	.177	28	7-1/2"	7-1/2"	8	1800	\$10,445
062-2812-521	20"	C.O.	SM.	.138	28	7-1/2"	7-1/2"	8	1755	\$9,985
062-2812-841	22"	C.O.	SM.	.177	28	7-1/2"	7-1/2"	8	1874	\$10,614
<u>10' 6" WIDE</u>										
062-3032-221	20"	C.O.	C.O.	.138	30	9"	7-1/2"	8	1899	\$10,832
062-3032-641	22"	C.O.	C.O.	.177	30	9"	7-1/2"	8	2023	\$11,562
062-3032-321	20"	SM.	SM.	.138	30	9"	7-1/2"	8	1924	\$10,560
062-3032-741	22"	SM.	SM.	.177	30	9"	7-1/2"	8	2057	\$11,290
062-3032-521	20"	C.O.	SM.	.138	30	9"	7-1/2"	8	1911	\$10,700
062-3032-841	22"	C.O.	SM.	.177	30	9"	7-1/2"	8	2041	\$11,381
062-3212-221	20"	C.O.	C.O.	.138	32	7-1/2"	7-1/2"	8	1917	\$11,051
062-3212-641	22"	C.O.	C.O.	.177	32	7-1/2"	7-1/2"	8	2051	\$12,107
062-3212-321	20"	SM.	SM.	.138	32	7-1/2"	7-1/2"	8	1945	\$10,933
062-3212-741	22"	SM.	SM.	.177	32	7-1/2"	7-1/2"	8	2088	\$11,465
062-3212-521	20"	C.O.	SM.	.138	32	7-1/2"	7-1/2"	8	1930	\$10,927
062-3212-841	22"	C.O.	SM.	.177	32	7-1/2"	7-1/2"	8	2069	\$11,659
<u>10' 9" WIDE</u>										
062-2822-221	20"	C.O.	C.O.	.138	28	9"	9"	8	1880	\$10,592
062-2822-641	22"	C.O.	C.O.	.177	28	9"	9"	8	1995	\$11,333
062-2822-321	20"	SM.	SM.	.138	28	9"	9"	8	1905	\$10,353
062-2822-741	22"	SM.	SM.	.177	28	9"	9"	8	2026	\$10,951
062-2822-521	20"	C.O.	SM.	.138	28	9"	9"	8	1891	\$10,482
062-2822-841	22"	C.O.	SM.	.177	28	9"	9"	8	2010	\$11,122

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRNT	REAR			FRNT	REAR			
<u>12' 2" WIDE</u>										
062-3222-221	20"	C.O.	C.O.	.138	32	9"	9"	12	2166	\$12,170
062-3222-641	22"	C.O.	C.O.	.177	32	9"	9"	12	2300	\$12,965
062-3222-321	20"	SM.	SM.	.138	32	9"	9"	12	2184	\$11,906
062-3222-741	22"	SM.	SM.	.177	32	9"	9"	12	2336	\$12,598
062-3222-521	20"	C.O.	SM.	.138	32	9"	9"	12	2178	\$12,049
062-3222-841	22"	C.O.	SM.	.177	32	9"	9"	12	2317	\$12,789

12' 11" WIDE

062-3632-221	20"	C.O.	C.O.	.138	36	9"	7-1/2"	12	2223	\$12,632
062-3632-641	22"	C.O.	C.O.	.177	36	9"	7-1/2"	12	2377	\$13,508
062-3632-321	20"	SM.	SM.	.138	36	9"	7-1/2"	12	2354	\$12,313
062-3632-741	22"	SM.	SM.	.177	36	9"	7-1/2"	12	2418	\$13,099
062-3632-521	20"	C.O.	SM.	.138	36	9"	7-1/2"	12	2339	\$12,468
062-3632-841	22"	C.O.	SM.	.177	36	9"	7-1/2"	12	2399	\$13,301
062-4012-221	20"	C.O.	C.O.	.138	40	7-1/2"	7-1/2"	12	2281	\$13,099
062-4012-641	22"	C.O.	C.O.	.177	40	7-1/2"	7-1/2"	12	2454	\$14,098
062-4012-321	20"	SM.	SM.	.138	40	7-1/2"	7-1/2"	12	2315	\$12,731
062-4012-741	22"	SM.	SM.	.177	40	7-1/2"	7-1/2"	12	2526	\$13,613
062-4012-521	20"	C.O.	SM.	.138	40	7-1/2"	7-1/2"	12	2297	\$12,936
062-4012-841	22"	C.O.	SM.	.177	40	7-1/2"	7-1/2"	12	2476	\$13,846

<u>EXTRA EQUIPMENT</u>		<u>WIDTH</u>	<u>SPACING</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
9-062-920220	SCRAPERS	7' 11"	9"	177#	\$787
9-062-922320	SCRAPERS	8' 2"	9" F 7-1/2"R	196#	\$834
9-062-924120	SCRAPERS	8' 2"	7-1/2"	208#	\$895
9-062-924220	SCRAPERS	9' 4"	9"	214#	\$895
9-062-926320	SCRAPERS	9' 4"	9"F 7-1/2"R	231#	\$924
9-062-928120	SCRAPERS	9' 4"	7-1/2"	250#	\$990
9-062-932120	SCRAPERS	10' 6"	7-1/2"	296#	\$1,085
9-062-928220	SCRAPERS	10' 9"	9"	263#	\$983
9-062-930320	SCRAPERS	10' 6"	9"F 7-1/2"R	278#	\$1,047
9-062-932220	SCRAPERS	12' 2"	9"	305#	\$1,147
9-062-936320	SCRAPERS	12' 11"	9"F 7-1/2"R	337#	\$1,249
9-062-940120	SCRAPERS	12' 11"	7-1/2"	367#	\$1,350

EXTRA EQUIPMENT (CONT'D)


		APX	SUGST
		<u>WT</u>	<u>PRICE</u>
9-062-800000	BALK BUSTER	38#	\$282
9-062-700016	COVER DISC W/O SCRAPERS W/ 16" DISC	34#	\$259
9-062-709016	COVER DISC W/ SCRAPERS W/ 16" DISC	43#	\$302

RECOMMENDED TIRE SIZE: 9.5L x 15

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM

***PRICE DOES NOT INCLUDE TIRES**

ATHENS 76R DOUBLE OFFSET HARROW



SPECIFICATIONS:

Cutting Width – 8' 10" to 15' 1"
 22" or 24" Discs, Cutout or Smooth
 Spacing 9", 7 ½", or 9"F & 7 ½"R
 Trunnion Mounted Housing with
 Relube Quadriseal Ball Bearings
 Spring or Rigid Bearing Hangers
 1 ¼" Sq. Cold Rolled Gang Axles

STANDARD EQUIPMENT:

Self-Leveling Frame
 "A" Frame Tongue w/Jack
 Heavy-Duty, Tubular Mtd Scrapers
 Cover Discs w/ Scrapers
 Split Wheel Carriages
 Lifting Hydraulics w/ Mech. Transport
 Adjustable Angle of Cut
 15" x 6" – 5 Lug Wheels w/ Hubs
 Tapered Front & Rear Disc Gangs

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		<u>FRNT</u>	<u>REAR</u>			<u>FRNT</u>	<u>REAR</u>			
<u>8' 10" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
76R-2427-637	22"	C.O.	C.O.	.197	24	9"	9"	8	2694	\$15,293
76R-2427-667	24"	C.O.	C.O.	.197	24	9"	9"	8	2840	\$15,514
76R-2427-737	22"	SM.	SM.	.197	24	9"	9"	8	2714	\$14,844
76R-2427-767	24"	SM.	SM.	.197	24	9"	9"	8	2870	\$15,193
76R-2427-837	22"	C.O.	SM.	.197	24	9"	9"	8	2704	\$15,907
76R-2427-867	24"	C.O.	SM.	.197	24	9"	9"	8	2853	\$15,359
76R-2637-637	22"	C.O.	C.O.	.197	26	9"	7-1/2"	8	2752	\$16,147
76R-2637-737	22"	SM.	SM.	.197	26	9"	7-1/2"	8	2783	\$15,728
76R-2637-837	22"	C.O.	SM.	.197	26	9"	7-1/2"	8	2767	\$15,934
76R-2817-637	22"	C.O.	C.O.	.197	28	7-1/2"	7-1/2"	8	2809	\$16,537
76R-2817-737	22"	SM.	SM.	.197	28	7-1/2"	7-1/2"	8	2843	\$16,083
76R-2817-837	22"	C.O.	SM.	.197	28	7-1/2"	7-1/2"	8	2825	\$16,307
<u>W/ SPRING BEARING HANGERS</u>										
76R-2426-657	22"	C.O.	C.O.	.197	24	9"	9"	8	2902	\$15,340
76R-2426-757	22"	SM.	SM.	.197	24	9"	9"	8	3048	\$15,117
76R-2426-857	22"	C.O.	SM.	.197	24	9"	9"	8	2922	\$15,211
76R-2636-657	22"	C.O.	C.O.	.197	26	9"	7-1/2"	8	2968	\$15,674
76R-2636-757	22"	SM.	SM.	.197	26	9"	7-1/2"	8	2999	\$15,509
76R-2636-857	22"	C.O.	SM.	.197	26	9"	7-1/2"	8	2983	\$15,590


<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRNT	REAR			FRNT	REAR			
<u>10' 3" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
76R-2827-637	22"	C.O.	C.O.	.197	28	9"	9"	8	2885	\$16,579
76R-2827-667	24"	C.O.	C.O.	.197	28	9"	9"	8	3056	\$16,836
76R-2827-737	22"	SM.	SM.	.197	28	9"	9"	8	2911	\$16,122
76R-2827-767	24"	SM.	SM.	.197	28	9"	9"	8	3092	\$16,494
76R-2827-837	22"	C.O.	SM.	.197	28	9"	9"	8	2898	\$16,351
76R-2827-867	24"	C.O.	SM.	.197	28	9"	9"	8	3073	\$16,669
76R-3037-637	22"	C.O.	C.O.	.197	30	9"	7-1/2"	8	2943	\$16,970
76R-3037-737	22"	SM.	SM.	.197	30	9"	7-1/2"	8	2979	\$16,487
76R-3037-837	22"	C.O.	SM.	.197	30	9"	7-1/2"	8	2961	\$16,713
76R-3217-637	22"	C.O.	C.O.	.197	32	7-1/2"	7-1/2"	8	3012	\$16,982
76R-3217-737	22"	SM.	SM.	.197	32	7-1/2"	7-1/2"	8	3051	\$16,697
76R-3217-837	22"	C.O.	SM.	.197	32	7-1/2"	7-1/2"	8	3031	\$16,736
		<u>W/ SPRING BEARING HANGERS</u>								
76R-2826-657	22"	C.O.	C.O.	.197	28	9"	9"	8	3105	\$16,512
76R-2826-757	22"	SM.	SM.	.197	28	9"	9"	8	3131	\$16,320
76R-2826-857	22"	C.O.	SM.	.197	28	9"	9"	8	3118	\$16,419
76R-3036-657	22"	C.O.	C.O.	.197	30	9"	7-1/2"	8	3175	\$16,836
76R-3036-757	22"	SM.	SM.	.197	30	9"	7-1/2"	8	3211	\$16,344
76R-3036-857	22"	C.O.	SM.	.197	30	9"	7-1/2"	8	3352	\$16,597
76R-3216-657	22"	C.O.	C.O.	.197	32	7-1/2"	7-1/2"	8	3252	\$17,164
76R-3216-757	22"	SM.	SM.	.197	32	7-1/2"	7-1/2"	8	3291	\$16,673
76R-3216-857	22"	C.O.	SM.	.197	32	7-1/2"	7-1/2"	8	3352	\$16,916
<u>11' 1" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
76R-3437-637	22"	C.O.	C.O.	.197	34	9"	7-1/2"	12	3205	\$19,050
76R-3437-737	22"	SM.	SM.	.197	34	9"	7-1/2"	12	3247	\$18,487
76R-3437-837	22"	C.O.	SM.	.197	34	9"	7-1/2"	12	3227	\$18,762
76R-3617-637	22"	C.O.	C.O.	.197	36	7-1/2"	7-1/2"	12	3251	\$19,499
76R-3617-737	22"	SM.	SM.	.197	36	7-1/2"	7-1/2"	12	3295	\$18,904
76R-3617-837	22"	C.O.	SM.	.197	36	7-1/2"	7-1/2"	12	3273	\$19,211
		<u>W/ SPRING BEARING HANGERS</u>								
76R-3436-657	22"	C.O.	C.O.	.197	34	9"	7-1/2"	12	3521	\$19,186
76R-3436-757	22"	SM.	SM.	.197	34	9"	7-1/2"	12	3563	\$18,959
76R-3436-857	22"	C.O.	SM.	.197	34	9"	7-1/2"	12	3543	\$19,067
76R-3616-657	22"	C.O.	C.O.	.197	36	7-1/2"	7-1/2"	12	3575	\$19,618
76R-3616-757	22"	SM.	SM.	.197	36	7-1/2"	7-1/2"	12	3619	\$19,358
76R-3616-857	22"	C.O.	SM.	.197	36	7-1/2"	7-1/2"	12	3597	\$19,493

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		<u>FRNT</u>	<u>REAR</u>			<u>FRNT</u>	<u>REAR</u>			
<u>11' 8" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
76R-3227-637	22"	C.O.	C.O.	.197	32	9"	9"	12	3191	\$18,746
76R-3227-667	24"	C.O.	C.O.	.197	32	9"	9"	12	3388	\$18,918
76R-3227-737	22"	SM.	SM.	.197	32	9"	9"	12	3231	\$18,238
76R-3227-767	24"	SM.	SM.	.197	32	9"	9"	12	3430	\$18,421
76R-3227-837	22"	C.O.	SM.	.197	32	9"	9"	12	3210	\$18,508
76R-3227-867	24"	C.O.	SM.	.197	32	9"	9"	12	3409	\$18,681
		<u>W/ SPRING BEARING HANGERS</u>								
76R-3226-657	22"	C.O.	C.O.	.197	32	9"	9"	12	3499	\$18,898
76R-3226-757	22"	SM.	SM.	.197	32	9"	9"	12	3528	\$18,699
76R-3226-857	22"	C.O.	SM.	.197	32	9"	9"	12	3513	\$18,805
<u>13' 1" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
76R-3627-637	22"	C.O.	C.O.	.197	36	9"	9"	12	3387	\$19,585
76R-3627-667	24"	C.O.	C.O.	.197	36	9"	9"	12	3611	\$19,916
76R-3627-737	22"	SM.	SM.	.197	36	9"	9"	12	3420	\$18,990
76R-3627-767	24"	SM.	SM.	.197	36	9"	9"	12	3659	\$19,463
76R-3627-837	22"	C.O.	SM.	.197	36	9"	9"	12	3388	\$19,260
76R-3627-867	24"	C.O.	SM.	.197	36	9"	9"	12	3634	\$19,692
		<u>W/ SPRING BEARING HANGERS</u>								
76R-3626-657	22"	C.O.	C.O.	.197	36	9"	9"	12	3707	\$19,773
76R-3626-757	22"	SM.	SM.	.197	36	9"	9"	12	3740	\$19,446
76R-3626-857	22"	C.O.	SM.	.197	36	9"	9"	12	3708	\$19,618
<u>13' 5" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
76R-4037-637	22"	C.O.	C.O.	.197	40	9"	7-1/2"	12	3531	\$20,420
76R-4037-737	22"	SM.	SM.	.197	40	9"	7-1/2"	12	3569	\$19,789
76R-4037-837	22"	C.O.	SM.	.197	40	9"	7-1/2"	12	3546	\$20,078
76R-4417-637	22"	C.O.	C.O.	.197	44	7-1/2"	7-1/2"	12	3739	\$21,250
76R-4417-737	22"	SM.	SM.	.197	44	7-1/2"	7-1/2"	12	3792	\$20,558
76R-4417-837	22"	C.O.	SM.	.197	44	7-1/2"	7-1/2"	12	3765	\$20,903
		<u>W/ SPRING BEARING HANGERS</u>								
76R-4036-657	22"	C.O.	C.O.	.197	40	9"	7-1/2"	12	3871	\$20,565
76R-4036-757	22"	SM.	SM.	.197	40	9"	7-1/2"	12	3909	\$20,306
76R-4036-857	22"	C.O.	SM.	.197	40	9"	7-1/2"	12	3886	\$20,427
76R-4416-657	22"	C.O.	C.O.	.197	44	7-1/2"	7-1/2"	12	4009	\$21,361
76R-4416-757	22"	SM.	SM.	.197	44	7-1/2"	7-1/2"	12	4062	\$21,083
76R-4416-857	22"	C.O.	SM.	.197	44	7-1/2"	7-1/2"	12	4035	\$21,220

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		<u>FRNT</u>	<u>REAR</u>			<u>FRNT</u>	<u>REAR</u>			
<u>14' 6" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
76R-4027-637	22"	C.O.	C.O.	.197	40	9"	9"	12	3657	\$20,566
76R-4027-667	24"	C.O.	C.O.	.197	40	9"	9"	12	3910	\$20,855
76R-4027-737	22"	SM.	SM.	.197	40	9"	9"	12	3694	\$19,820
76R-4027-767	24"	SM.	SM.	.197	40	9"	9"	12	3962	\$20,167
76R-4027-837	22"	C.O.	SM.	.197	40	9"	9"	12	3676	\$20,225
76R-4027-867	24"	C.O.	SM.	.197	40	9"	9"	12	3935	\$20,432
<u>W/ SPRING BEARING HANGERS</u>										
76R-4026-657	22"	C.O.	C.O.	.197	40	9"	9"	12	3993	\$20,712
76R-4026-757	22"	SM.	SM.	.197	40	9"	9"	12	4030	\$20,349
76R-4026-857	22"	C.O.	SM.	.197	40	9"	9"	12	4012	\$20,553
<u>15' 1" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
76R-4437-637	22"	C.O.	C.O.	.197	44	9"	7-1/2"	12	3788	\$21,354
76R-4437-737	22"	SM.	SM.	.197	44	9"	7-1/2"	12	3841	\$20,657
76R-4437-837	22"	C.O.	SM.	.197	44	9"	7-1/2"	12	3816	\$20,985
76R-4817-637	22"	C.O.	C.O.	.197	48	7-1/2"	7-1/2"	12	3908	\$22,050
76R-4817-737	22"	SM.	SM.	.197	48	7-1/2"	7-1/2"	12	3966	\$21,290
76R-4817-837	22"	C.O.	SM.	.197	48	7-1/2"	7-1/2"	12	3937	\$21,678
<u>W/ SPRING BEARING HANGERS</u>										
76R-4436-657	22"	C.O.	C.O.	.197	44	9"	7-1/2"	16	4144	\$21,460
76R-4436-757	22"	SM.	SM.	.197	44	9"	7-1/2"	16	4197	\$21,181
76R-4436-857	22"	C.O.	SM.	.197	44	9"	7-1/2"	16	4172	\$21,309
76R-4816-657	22"	C.O.	C.O.	.197	48	7-1/2"	7-1/2"	12	4280	\$22,106
76R-4816-757	22"	SM.	SM.	.197	48	7-1/2"	7-1/2"	12	4338	\$21,813
76R-4816-857	22"	C.O.	SM.	.197	48	7-1/2"	7-1/2"	12	4309	\$21,972
<u>EXTRA EQUIPMENT</u>									<u>APX WT</u>	<u>SUGST PRICE</u>
9-076-605156	DUAL WHEELS FOR 8' 10" TO 13' 5" UNITS (DUAL WHEELS ARE STANDARD ON 14' 6" & 15' 1" UNITS)								90	\$999
106165	AG LIGHT KIT								17	\$500

RECOMMENDED TIRE SIZE: 9.5L x 15
CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.
***PRICE DOES NOT INCLUDE TIRES.**

ATHENS 77R DOUBLE OFFSET DISK HARROW



SPECIFICATIONS:

Width – 11' 8" to 15' 9"
22" or 24" Discs, Cutout or Smooth
Spacing – 9", 7 ½", or 9"Frnt & 7 ½"R
Trunnion Mounted Housing with
QUADRASEAL Ball Bearings
Spring or Rigid Bearing Hangers
1 ¼" Sq. Cold Rolled Gang Axles

STANDARD EQUIPMENT:

Self-Leveling Frame
"A" Frame Tongue w/ Jack
Heavy-duty Tubular Mounted Scrapers
Cover Discs w/Scrapers
Split Wheel Carriages
Lifting Hyd. w/ Mechanical Transport
Adjustable Angle of Cut
15" x 6" – 5 Lug Dual Wheels w/ Hubs
Tapered Front & Rear Gangs

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u> FRNT REAR	<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u> FRNT REAR	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>		
<u>11' 1" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
77R-3437-631	22"	C.O.	C.O.	.197	34	9"	7-1/2"	12	3700	\$22,437
77R-3437-731	22"	SM.	SM.	.197	34	9"	7-1/2"	12	3742	\$21,868
77R-3437-831	22"	C.O.	SM.	.197	34	9"	7-1/2"	12	3721	\$22,130
77R-3617-631	22"	C.O.	C.O.	.197	36	7-1/2"	7-1/2"	12	3746	\$22,916
77R-3617-731	22"	SM.	SM.	.197	36	7-1/2"	7-1/2"	12	3789	\$22,305
77R-3617-831	22"	C.O.	SM.	.197	36	7-1/2"	7-1/2"	12	3767	\$22,614
		<u>W/ SPRING BEARING HANGERS</u>								
77R-3436-651	22"	C.O.	C.O.	.197	34	9"	7-1/2"	12	4016	\$22,653
77R-3436-751	22"	SM.	SM.	.197	34	9"	7-1/2"	12	4058	\$22,402
77R-3436-851	22"	C.O.	SM.	.197	34	9"	7-1/2"	12	4037	\$22,531
77R-3616-651	22"	C.O.	C.O.	.197	36	7-1/2"	7-1/2"	12	4070	\$23,112
77R-3616-751	22"	SM.	SM.	.197	36	7-1/2"	7-1/2"	12	4113	\$22,850
77R-3616-851	22"	C.O.	SM.	.197	36	7-1/2"	7-1/2"	12	4091	\$22,993
<u>11' 8" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
77R-3227-631	22"	C.O.	C.O.	.197	32	9"	9"	12	3701	\$22,100
77R-3227-661	24"	C.O.	C.O.	.197	32	9"	9"	12	3868	\$22,351
77R-3227-731	22"	SM.	SM.	.197	32	9"	9"	12	3740	\$21,584


<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		<u>FRNT</u>	<u>REAR</u>			<u>FRNT</u>	<u>REAR</u>			
<u>11' 8" WIDE</u>	<u>W/ RIGID BEARING HANGERS (CONT'D)</u>									
77R-3227-761	24"	SM.	SM.	.197	32	9"	9"	12	3907	\$21,814
77R-3227-831	22"	C.O.	SM.	.197	32	9"	9"	12	3720	\$21,853
77R-3227-861	24"	C.O.	SM.	.197	32	9"	9"	12	3886	\$22,097
	<u>W/ SPRING BEARING HANGERS</u>									
77R-3226-651	22"	C.O.	C.O.	.197	32	9"	9"	12	4009	\$21,969
77R-3226-751	22"	SM.	SM.	.197	32	9"	9"	12	4048	\$21,759
77R-3226-851	22"	C.O.	SM.	.197	32	9"	9"	12	4028	\$21,866
<u>13' 1" WIDE</u>	<u>W/ RIGID BEARING HANGERS</u>									
77R-3627-631	22"	C.O.	C.O.	.197	36	9"	9"	12	3913	\$23,005
77R-3627-661	24"	C.O.	C.O.	.197	36	9"	9"	12	4093	\$23,440
77R-3627-731	22"	SM.	SM.	.197	36	9"	9"	12	3950	\$22,307
77R-3627-761	24"	SM.	SM.	.197	36	9"	9"	12	4146	\$22,942
77R-3627-831	22"	C.O.	SM.	.197	36	9"	9"	12	3934	\$22,664
77R-3627-861	24"	C.O.	SM.	.197	36	9"	9"	12	4123	\$23,198
	<u>W/ SPRING BEARING HANGERS</u>									
77R-3626-651	22"	C.O.	C.O.	.197	36	9"	9"	12	4219	\$23,210
77R-3626-751	22"	SM.	SM.	.197	36	9"	9"	12	4260	\$22,856
77R-3626-851	22"	C.O.	SM.	.197	36	9"	9"	12	4240	\$23,036
<u>13' 6" WIDE</u>	<u>W/ RIGID BEARING HANGERS</u>									
77R-4037-631	22"	C.O.	C.O.	.197	40	9"	7-1/2"	12	4011	\$23,896
77R-4037-731	22"	SM.	SM.	.197	40	9"	7-1/2"	12	4059	\$23,241
77R-4037-831	22"	C.O.	SM.	.197	40	9"	7-1/2"	12	4037	\$23,541
77R-4417-631	22"	C.O.	C.O.	.197	44	7-1/2"	7-1/2"	12	4147	\$24,792
77R-4417-731	22"	SM.	SM.	.197	44	7-1/2"	7-1/2"	12	4200	\$24,078
77R-4417-831	22"	C.O.	SM.	.197	44	7-1/2"	7-1/2"	12	4174	\$24,435
	<u>W/ SPRING BEARING HANGERS</u>									
77R-4036-651	22"	C.O.	C.O.	.197	40	9"	7-1/2"	12	4351	\$24,061
77R-4036-751	22"	SM.	SM.	.197	40	9"	7-1/2"	12	4399	\$23,784
77R-4036-851	22"	C.O.	SM.	.197	40	9"	7-1/2"	12	4379	\$23,922
77R-4416-651	22"	C.O.	C.O.	.197	44	7-1/2"	7-1/2"	12	4503	\$24,938
77R-4416-751	22"	SM.	SM.	.197	44	7-1/2"	7-1/2"	12	4556	\$24,628
77R-4416-851	22"	C.O.	SM.	.197	44	7-1/2"	7-1/2"	12	4530	\$24,783
<u>14' 6" WIDE</u>	<u>W/ RIGID BEARING HANGERS</u>									
77R-4027-631	22"	C.O.	C.O.	.197	40	9"	9"	12	4080	\$24,051
77R-4027-661	24"	C.O.	C.O.	.197	40	9"	9"	12	4290	\$24,621
77R-4027-731	22"	SM.	SM.	.197	40	9"	9"	12	4129	\$23,420

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		<u>FRNT</u>	<u>REAR</u>			<u>FRNT</u>	<u>REAR</u>			
<u>14' 6" WIDE</u>		<u>W/ RIGID BEARING HANGERS (CONT'D)</u>								
77R-4027-761	24"	SM.	SM.	.197	40	9"	9"	12	4342	\$23,703
77R-4027-831	22"	C.O.	SM.	.197	40	9"	9"	12	4108	\$23,740
77R-4027-861	24"	C.O.	SM.	.197	40	9"	9"	12	4316	\$24,061
		<u>W/ SPRING BEARING HANGER</u>								
77R-4026-651	22"	C.O.	C.O.	.197	40	9"	9"	12	4420	\$24,223
77R-4026-751	22"	SM.	SM.	.197	40	9"	9"	12	4469	\$24,061
77R-4026-851	22"	C.O.	SM.	.197	40	9"	9"	12	4448	\$24,093
<u>15' 1" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
77R-4437-631	22"	C.O.	C.O.	.197	44	9"	7-1/2"	12	4217	\$25,267
77R-4437-731	22"	SM.	SM.	.197	44	9"	7-1/2"	12	4240	\$24,327
77R-4437-831	22"	C.O.	SM.	.197	44	9"	7-1/2"	12	4216	\$24,680
77R-4817-631	22"	C.O.	C.O.	.197	48	7-1/2"	7-1/2"	12	4327	\$25,792
77R-4817-731	22"	SM.	SM.	.197	48	7-1/2"	7-1/2"	12	4485	\$24,992
77R-4817-831	22"	C.O.	SM.	.197	48	7-1/2"	7-1/2"	12	4356	\$25,401
		<u>W/ SPRING BEARING HANGERS</u>								
77R-4436-651	22"	C.O.	C.O.	.197	44	9"	7-1/2"	12	4573	\$25,040
77R-4436-751	22"	SM.	SM.	.197	44	9"	7-1/2"	12	4596	\$24,732
77R-4436-851	22"	C.O.	SM.	.197	44	9"	7-1/2"	12	4572	\$24,890
77R-4816-651	22"	C.O.	C.O.	.197	48	7-1/2"	7-1/2"	12	4699	\$25,892
77R-4816-751	22"	SM.	SM.	.197	48	7-1/2"	7-1/2"	12	4857	\$25,546
77R-4816-851	22"	C.O.	SM.	.197	48	7-1/2"	7-1/2"	12	4728	\$25,731
<u>15' 9" WIDE</u>		<u>W/ RIGID BEARING HANGERS</u>								
77R-4427-631	22"	C.O.	C.O.	.197	44	9"	9"	12	4247	\$25,101
77R-4427-661	24"	C.O.	C.O.	.197	44	9"	9"	12	4487	\$25,627
77R-4427-731	22"	SM.	SM.	.197	44	9"	9"	12	4308	\$24,408
77R-4427-761	24"	SM.	SM.	.197	44	9"	9"	12	4538	\$24,674
77R-4427-831	22"	C.O.	SM.	.197	44	9"	9"	12	4282	\$24,765
77R-4427-861	24"	C.O.	SM.	.197	44	9"	9"	12	4509	\$25,044

<u>EXTRA EQUIPMENT</u>									<u>APX WT</u>	<u>SUGST PRICE</u>
106165	AG LIGHT KIT								17#	\$500

RECOMMENDED TIRE SIZE: 9.5L x 15 (4 REQUIRED)
CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.
***PRICE DOES NOT INCLUDE TIRES.**

ATHENS 93 TANDEM DISK HARROW



SPECIFICATIONS:

Cutting Width – 9' 4" to 15' 3"

Disc Spacing – 7-1/2", 9" or

9" Frt, 7-1/2" Rear

22" or 24" Discs- Cutout or Smooth

STANDARD EQUIPMENT:

Reversible Clevis Hitch

Heavy – Duty Tongue w/ Jack

1 1/4" Cold Rolled Sq. Axles

w/ Gang Wrench

Tapered Outside Rear and

Front Gangs

Heavy – Duty Scrapers

Cover Discs w/ Scrapers

15", 5 Lug Wheels w/ QUADRASEAL

Wheel Hubs

Mechanical Transport

Adjustable Angle of Cut

Relube QUADRASEAL Ball Bearings

Lifting Hydraulics

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		<u>FRNT</u>	<u>REAR</u>			<u>FRNT</u>	<u>REAR</u>			
<u>9' 4" WIDE</u>										
093-2427-651	22"	C.O.	C.O.	.197	24	9"	9"	8	2805	\$15,780
093-2427-661	24"	C.O.	C.O.	.197	24	9"	9"	8	2867	\$16,993
093-2427-751	22"	SM.	SM.	.197	24	9"	9"	8	2835	\$16,124
093-2427-761	24"	SM.	SM.	.197	24	9"	9"	8	2898	\$16,823
093-2427-851	22"	C.O.	SM.	.197	24	9"	9"	8	2820	\$15,616
093-2427-861	24"	C.O.	SM.	.197	24	9"	9"	8	2883	\$16,880
093-2637-651	22"	C.O.	C.O.	.197	26	9"	7-1/2"	8	2867	\$16,230
093-2637-751	22"	SM.	SM.	.197	26	9"	7-1/2"	8	2898	\$15,571
093-2637-851	22"	C.O.	SM.	.197	26	9"	7-1/2"	8	2883	\$15,766
093-2817-651	22"	C.O.	C.O.	.197	28	7-1/2"	7-1/2"	8	2932	\$17,362
093-2817-751	22"	SM.	SM.	.197	28	7-1/2"	7-1/2"	8	2966	\$16,946
093-2817-851	22"	C.O.	SM.	.197	28	7-1/2"	7-1/2"	8	2949	\$17,161
<u>10' 6" WIDE</u>										
093-3037-651	22"	C.O.	C.O.	.197	30	9"	7-1/2"	8	3073	\$17,314
093-3037-751	22"	SM.	SM.	.197	30	9"	7-1/2"	8	3109	\$16,877
093-3037-851	22"	C.O.	SM.	.197	30	9"	7-1/2"	8	3092	\$17,088
093-3217-651	22"	C.O.	C.O.	.197	32	7-1/2"	7-1/2"	8	3136	\$17,681
093-3217-751	22"	SM.	SM.	.197	32	7-1/2"	7-1/2"	8	3174	\$17,289
093-3217-851	22"	C.O.	SM.	.197	32	7-1/2"	7-1/2"	8	3155	\$17,258

MODEL NUMBER	DISC DIAM	<u>TYPE OF DISC</u>		DISC THCK	# OF DISC	<u>DISC SPACING</u>		# OF BRGS	APX WT	SUGST PRICE
		FRNT	REAR			FRNT	REAR			
<u>10' 6" WIDE (CONT'D)</u>										
093-2827-651	22"	C.O.	C.O.	.197	28	9"	9"	8	3011	\$16,881
093-2827-661	24"	C.O.	C.O.	.197	28	9"	9"	8	3087	\$18,251
093-2827-751	22"	SM.	SM.	.197	28	9"	9"	8	3045	\$16,477
093-2827-761	24"	SM.	SM.	.197	28	9"	9"	8	3123	\$17,523
093-2827-851	22"	C.O.	SM.	.197	28	9"	9"	8	3028	\$16,680
093-2827-861	24"	C.O.	SM.	.197	28	9"	9"	8	3105	\$18,113
<u>12' 2" WIDE</u>										
093-3227-651	22"	C.O.	C.O.	.197	32	9"	9"	12	3363	\$19,307
093-3227-661	24"	C.O.	C.O.	.197	32	9"	9"	12	3452	\$20,899
093-3227-751	22"	SM.	SM.	.197	32	9"	9"	12	3401	\$18,642
093-3227-761	24"	SM.	SM.	.197	32	9"	9"	12	3493	\$20,610
093-3227-851	22"	C.O.	SM.	.197	32	9"	9"	12	3382	\$19,085
093-3227-861	24"	C.O.	SM.	.197	32	9"	9"	12	3473	\$20,724
<u>12' 11" WIDE</u>										
093-3637-651	22"	C.O.	C.O.	.197	36	9"	7-1/2"	12	3453	\$20,219
093-3637-751	22"	SM.	SM.	.197	36	9"	7-1/2"	12	3496	\$19,685
093-3637-851	22"	C.O.	SM.	.197	36	9"	7-1/2"	12	3477	\$19,932
093-4017-651	22"	C.O.	C.O.	.197	40	7-1/2"	7-1/2"	12	3641	\$21,118
093-4017-751	22"	SM.	SM.	.197	40	7-1/2"	7-1/2"	12	3689	\$20,522
093-4017-851	22"	C.O.	SM.	.197	40	7-1/2"	7-1/2"	12	3665	\$20,830
<u>13' 6" WIDE</u>										
093-3627-651	22"	C.O.	C.O.	.197	36	9"	9"	12	3656	\$21,306
093-3627-661	24"	C.O.	C.O.	.197	36	9"	9"	12	3759	\$23,052
093-3627-751	22"	SM.	SM.	.197	36	9"	9"	12	3699	\$20,776
093-3627-761	24"	SM.	SM.	.197	36	9"	9"	12	3805	\$22,703
093-3627-851	22"	C.O.	SM.	.197	36	9"	9"	12	3677	\$21,050
093-3627-861	24"	C.O.	SM.	.197	36	9"	9"	12	3783	\$22,852
<u>14' 1" WIDE</u>										
093-4037-651	22"	C.O.	C.O.	.197	40	9"	7-1/2"	12	3792	\$22,206
093-4037-751	22"	SM.	SM.	.197	40	9"	7-1/2"	12	3840	\$21,618
093-4037-851	22"	C.O.	SM.	.197	40	9"	7-1/2"	12	3818	\$21,881
093-4417-651	22"	C.O.	C.O.	.197	44	7-1/2"	7-1/2"	12	3930	\$23,114
093-4417-751	22"	SM.	SM.	.197	44	7-1/2"	7-1/2"	12	3984	\$22,454
093-4417-851	22"	C.O.	SM.	.197	44	7-1/2"	7-1/2"	12	3958	\$22,790

MODEL NUMBER	DISC DIAM	<u>TYPE OF DISC</u>		DISC THCK	# OF DISC	<u>DISC SPACING</u>		# OF BRGS	APX WT	SUGST PRICE
		FRNT	REAR			FRNT	REAR			
<u>15' 0" WIDE</u>										
093-4027-651	22"	C.O.	C.O.	.197	40	9"	9"	16	4582	\$23,685
093-4027-661	24"	C.O.	C.O.	.197	40	9"	9"	16	4700	\$25,679
093-4027-751	22"	SM.	SM.	.197	40	9"	9"	16	4630	\$23,082
093-4027-761	24"	SM.	SM.	.197	40	9"	9"	16	4751	\$25,269
093-4027-851	22"	C.O.	SM.	.197	40	9"	9"	16	4606	\$23,391
093-4027-861	24"	C.O.	SM.	.197	40	9"	9"	16	4727	\$25,451
<u>15' 3" WIDE</u>										
093-4437-651	22"	C.O.	C.O.	.197	44	9"	7-1/2"	16	4721	\$24,574
093-4437-751	22"	SM.	SM.	.197	44	9"	7-1/2"	16	4341	\$23,922
093-4437-851	22"	C.O.	SM.	.197	44	9"	7-1/2"	16	4750	\$24,227
093-4817-651	22"	C.O.	C.O.	.197	48	7-1/2"	7-1/2"	16	4853	\$25,464
093-4817-751	22"	SM.	SM.	.197	48	7-1/2"	7-1/2"	16	4911	\$24,738
093-4817-851	22"	C.O.	SM.	.197	48	7-1/2"	7-1/2"	16	4882	\$25,110

EXTRA EQUIPMENT

9-093-605156	DUAL WHEELS COMPLETE (DUAL WHEELS STANDARD ON 13' 6" TO 15' 3" MODELS)								98	\$899
9-093-800000	BALK BUSTER (CENTER TOOTH)								34	\$312

SPECIAL ORDERING INTRUCTIONS:

FOR SPRING BEARING HANGERS:

***NOTE: Spring Bearing Hangers Require 9" Spacing**

Change 7th digit to 8 and 10th digit to S

With 22" Blades: Add 48# and \$273.00 per bearing.


With 24" Blades: Add 48# and \$273.00 per bearing.

RECOMMENDED TIRE SIZE: 9.5L X 15

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

***NOTE: PRICE DOES NOT INCLUDE TIRES.**

ATHENS 153 TANDEM DISK HARROW



SPECIFICATIONS:

Cutting Width 9' 6", 11', and 12' 6"
24" C/O or SM Discs on 9 1/2" Spacing
Rigid or Spring Bearing Hangers
1 1/2" Cold Rolled Square Axles


STANDARD EQUIPMENT:

Tapered Double Roller Bearings
Dual Wheels
Hydraulic Lifting
Heavy Duty Scrapers (Tubular Mount)
Cover Discs with Scrapers
Tapered Discs on Front & Rear Gangs
Self-Leveling
Reversible Balanced Clevis

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u> FRNT REAR	<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u> FRNT REAR	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGT PRICE</u>
<u>9' 6" WIDE</u>								
<u>RIGID BEARING HANGERS</u>								
153-2445-651	24"	C.O.	C.O.	.256	24	9-1/2"	8	4133 \$22,235
153-2445-751	24"	SM.	SM.	.256	24	9-1/2"	8	4174 \$22,064
153-2445-851	24"	C.O.	SM.	.256	24	9-1/2"	8	4153 \$22,152
<u>SPRING BEARING HANGERS</u>								
153-2444-651	24"	C.O.	C.O.	.256	24	9-1/2"	8	4417 \$22,926
153-2444-751	24"	SM.	SM.	.256	24	9-1/2"	8	4458 \$22,752
153-2444-851	24"	C.O.	SM.	.256	24	9-1/2"	8	4437 \$22,838
<u>11' 0" WIDE</u>								
<u>RIGID BEARING HANGERS</u>								
153-2845-651	24"	C.O.	C.O.	.256	28	9-1/2"	10	4604 \$24,086
153-2845-751	24"	SM.	SM.	.256	28	9-1/2"	10	4651 \$23,870
153-2845-851	24"	C.O.	SM.	.256	28	9-1/2"	10	4628 \$23,978
<u>SPRING BEARING HANGERS</u>								
153-2844-651	24"	C.O.	C.O.	.256	28	9-1/2"	10	4861 \$25,955
153-2844-751	24"	SM.	SM.	.256	28	9-1/2"	10	4908 \$25,732
153-2844-851	24"	C.O.	SM.	.256	28	9-1/2"	10	4885 \$25,841
<u>12' 6" WIDE</u>								
<u>RIGID BEARING HANGERS</u>								
153-3245-651	24"	C.O.	C.O.	.256	32	9-1/2"	12	5050 \$26,186
153-3245-751	24"	SM.	SM.	.256	32	9-1/2"	12	5104 \$25,865
153-3245-851	24"	C.O.	SM.	.256	32	9-1/2"	12	5078 \$26,027
<u>SPRING BEARING HANGERS</u>								
153-3244-651	24"	C.O.	C.O.	.256	32	9-1/2"	12	5476 \$28,516
153-3244-751	24"	SM.	SM.	.256	32	9-1/2"	12	5530 \$28,178
153-3244-851	24"	C.O.	SM.	.256	32	9-1/2"	12	5504 \$28,347

RECOMMENDED TIRE SIZE : 9.5L X 15 (4 REQUIRED)
CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.
***NOTE: PRICE DOES NOT INCLUDE TIRES.**

ATHENS 116 FLEX WING DOUBLE OFFSET DISK HARROW



SPECIFICATIONS:

16' 8" to 28' 8" Widths
Flex Wing, Double Offset
Truss-Braced, Tubular Frames
Self – Leveling Frame
Two Pairs Slave Lifting Cylinders
Six or Eight Lifting Wheels
Angle Adjustable (15° – 19°)
Transport Height Maximum 168"
Transport Width Maximum 136" or 156"
22" or 24" Discs, 1.25" Sq. Axle
Disc Spacing – 9", 7-1/2" or
9" Front, 7-1/2" Rear

STANDARD EQUIPMENT:

Trunnion Mounted, Rigid Bearing
Hangers w/QUADRASEAL Ball
Bearings
Lifting and Folding Hydraulics
“A” Frame Tongue w/ Jack
Reversible Tongue Clevis
Cover Discs with Discs & Scrapers
Heavy Duty Disc Scrapers
Double Tapered Discs on Rear
Single Tapered Discs on Front
15" x 8" 6-Lug Wheels w/ Hubs
Dual Wheels on Center Section

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGT PRICE</u>
		FRNT	REAR			FRNT	REAR			
<u>16' 8" WIDE</u>										
116-4427-651	22"	C.O.	C.O.	.197	44	9"	9"	16	7233	\$38,970
116-4427-661	24"	C.O.	C.O.	.197	44	9"	9"	16	7319	\$39,710
116-4427-751	22"	SM.	SM.	.197	44	9"	9"	16	7277	\$38,441
116-4427-761	24"	SM.	SM.	.197	44	9"	9"	16	7374	\$38,989
116-4427-851	22"	C.O.	SM.	.197	44	9"	9"	16	7255	\$38,713
116-4427-861	24"	C.O.	SM.	.197	44	9"	9"	16	7347	\$39,362
116-4837-651	22"	C.O.	C.O.	.197	48	9"	7-1/2"	16	7350	\$39,726
116-4837-751	22"	SM.	SM.	.197	48	9"	7-1/2"	16	7398	\$39,148
116-4837-851	22"	C.O.	SM.	.197	48	9"	7-1/2"	16	7376	\$39,421
116-5217-651	22"	C.O.	C.O.	.197	52	7-1/2"	7-1/2"	16	7496	\$40,501
116-5217-751	22"	SM.	SM.	.197	52	7-1/2"	7-1/2"	16	7548	\$39,867
116-5217-851	22"	C.O.	SM.	.197	52	7-1/2"	7-1/2"	16	7522	\$40,198

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THICK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRNT	REAR			FRNT	REAR			
<u>19' 6" WIDE</u>										
116-5227-651	22"	C.O.	C.O.	.197	52	9"	9"	16	7635	\$40,776
116-5227-661	24"	C.O.	C.O.	.197	52	9"	9"	16	7735	\$41,651
116-5227-751	22"	SM.	SM.	.197	52	9"	9"	16	7687	\$40,168
116-5227-761	24"	SM.	SM.	.197	52	9"	9"	16	7800	\$40,881
116-5227-851	22"	C.O.	SM.	.197	52	9"	9"	16	7661	\$40,504
116-5227-861	24"	C.O.	SM.	.197	52	9"	9"	16	7768	\$41,231
116-5637-651	22"	C.O.	C.O.	.197	56	9"	7-1/2"	16	7734	\$41,615
116-5637-751	22"	SM.	SM.	.197	56	9"	7-1/2"	16	7790	\$40,904
116-5637-851	22"	C.O.	SM.	.197	56	9"	7-1/2"	16	7764	\$41,231
116-6017-651	22"	C.O.	C.O.	.197	60	7-1/2"	7-1/2"	16	7885	\$42,339
116-6017-751	22"	SM.	SM.	.197	60	7-1/2"	7-1/2"	16	7945	\$41,608
116-6017-851	22"	C.O.	SM.	.197	60	7-1/2"	7-1/2"	16	7915	\$41,993
<u>22' 0" WIDE</u>										
116-5627-651	22"	C.O.	C.O.	.197	56	9"	9"	16	7756	\$41,579
116-5627-661	24"	C.O.	C.O.	.197	56	9"	9"	16	8002	\$42,507
116-5627-751	22"	SM.	SM.	.197	56	9"	9"	16	7872	\$41,202
116-5627-761	24"	SM.	SM.	.197	56	9"	9"	16	8059	\$41,945
116-5627-851	22"	C.O.	SM.	.197	56	9"	9"	16	7830	\$41,397
116-5627-861	24"	C.O.	SM.	.197	56	9"	9"	16	8031	\$42,520
116-6237-651	22"	C.O.	C.O.	.197	62	9"	7-1/2"	16	7890	\$42,214
116-6237-751	22"	SM.	SM.	.197	62	9"	7-1/2"	16	7982	\$41,898
116-6237-851	22"	C.O.	SM.	.197	62	9"	7-1/2"	16	7940	\$41,977
116-6817-651	22"	C.O.	C.O.	.197	68	7-1/2"	7-1/2"	18	8237	\$45,349
116-6817-751	22"	SM.	SM.	.197	68	7-1/2"	7-1/2"	18	8338	\$44,642
116-6817-851	22"	C.O.	SM.	.197	68	7-1/2"	7-1/2"	18	8284	\$45,110
<u>23' 4" WIDE</u>										
116-6027-652	22"	C.O.	C.O.	.197	60	9"	9"	20	8567	\$44,897
116-6027-662	24"	C.O.	C.O.	.197	60	9"	9"	20	8451	\$45,887
116-6027-752	22"	SM.	SM.	.197	60	9"	9"	20	8627	\$44,160
116-6027-762	24"	SM.	SM.	.197	60	9"	9"	20	8526	\$44,881
116-6027-852	22"	C.O.	SM.	.197	60	9"	9"	20	8597	\$44,541
116-6027-862	24"	C.O.	SM.	.197	60	9"	9"	20	8477	\$45,399
116-6637-652	22"	C.O.	C.O.	.197	66	9"	7-1/2"	20	8723	\$46,050
116-6637-752	22"	SM.	SM.	.197	66	9"	7-1/2"	20	8822	\$45,232
116-6637-852	22"	C.O.	SM.	.197	66	9"	7-1/2"	20	8789	\$45,617
116-7217-652	22"	C.O.	C.O.	.197	72	7-1/2"	7-1/2"	20	8898	\$47,263
116-7217-752	22"	SM.	SM.	.197	72	7-1/2"	7-1/2"	20	8970	\$46,366
116-7217-852	22"	C.O.	SM.	.197	72	7-1/2"	7-1/2"	20	8934	\$46,829

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>		<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRNT	REAR			FRNT	REAR			
<u>26' 0" WIDE</u>										
116-7027-653	22"	C.O.	C.O.	.197	68	9"	9"	24	9699	\$50,656
116-7027-663	24"	C.O.	C.O.	.197	68	9"	9"	24	9826	\$51,704
116-7027-753	22"	SM.	SM.	.197	68	9"	9"	24	9767	\$49,804
116-7027-763	24"	SM.	SM.	.197	68	9"	9"	24	9912	\$50,908
116-7027-853	22"	C.O.	SM.	.197	68	9"	9"	24	9733	\$50,226
116-7027-863	24"	C.O.	SM.	.197	68	9"	9"	24	9870	\$51,162
<u>28' 8" WIDE</u>										
116-7827-653	22"	C.O.	C.O.	.197	76	9"	9"	24	10135	\$53,727
116-7827-663	24"	C.O.	C.O.	.197	76	9"	9"	24	10305	\$54,518
116-7827-753	22"	SM.	SM.	.197	76	9"	9"	24	10250	\$53,202
116-7827-763	24"	SM.	SM.	.197	76	9"	9"	24	10420	\$53,996
116-7827-853	22"	C.O.	SM.	.197	76	9"	9"	24	10200	\$53,465
116-7827-863	24"	C.O.	SM.	.197	76	9"	9"	24	10310	\$54,253

<u>EXTRA EQUIPMENT</u>									<u>APX WT</u>	<u>SUGST PRICE</u>
9-116-606158	Dual Wheels for Narrow Wing Units (16' 8" & 19' 6") w/ Two 15 x 6, Six Lug Wheels Dual Wheels Standard on 22' 0" and up								112#	\$1,199
106122	AG LIGHT KIT								18#	\$500


Tapered Double Roller Bearings available at \$130.00 per bearing

RECOMMENDED TIRE SIZE: 11L x 15

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

***PRICE DOES NOT INCLUDE TIRES.**

ATHENS 119 FLEX WING DOUBLE OFFSET DISK HARROW



SPECIFICATIONS:

Cutting Width – 19' 6" to 29' 0"
 Flex Wing, Double Offset
 Truss-Braced, Tubular Frames
 Two Pairs Slave Lifting Cylinders
 Six or Eight Wheels
 Angle Adjustable (15° & 19°)
 Transport Height Maximum, 168"
 Transport Width Maximum, 136" or 156"
 22" Discs on 1 ¼" Square Axle
 Disc Spacing – 9"
 "A" Frame Braced Tongue

STANDARD EQUIPMENT:

QUADRASEAL Tapered
 Double Roller Bearings
 Spring Bearing Hangers
 Lifting and Folding Hydraulics
 Tongue with Heavy-Duty Jack
 Reversible, Balanced Clevis
 Cover-Discs w/ Scrapers
 Heavy-Duty Disc Scrapers
 Double Tapered Discs on Rear
 Single Tapered Discs on Front
 15" x 8" 6-Lug Wheels w/ Hubs
 Dual Wheels on Center Section

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>19' 6" WIDE</u>									
119-5424-651	22"	C.O.	C.O.	.197	52	9"	18	8070	\$47,155
119-5424-751	22"	SM.	SM.	.197	52	9"	18	8122	\$46,463
119-5424-851	22"	C.O.	SM.	.197	52	9"	18	8096	\$46,825
<u>22' 0" WIDE</u>									
119-5824-651	22"	C.O.	C.O.	.197	56	9"	18	8451	\$47,962
119-5824-751	22"	SM.	SM.	.197	56	9"	18	8272	\$47,544
119-5824-851	22"	C.O.	SM.	.197	56	9"	18	8230	\$47,753
<u>23' 4" WIDE</u>									
119-6224-652	22"	C.O.	C.O.	.197	60	9"	22	9182	\$53,314
119-6224-752	22"	SM.	SM.	.197	60	9"	22	9242	\$52,496
119-6224-852	22"	C.O.	SM.	.197	60	9"	22	9212	\$52,925

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
		FRNT	REAR						
<u>26' 0" WIDE</u>									
119-7024-652	22"	C.O.	C.O.	.197	68	9"	24	9690	\$57,398
119-7024-752	22"	SM.	SM.	.197	68	9"	24	9758	\$56,469
119-7024-852	22"	C.O.	SM.	.197	68	9"	24	9724	\$56,955

29' 0" WIDE

119-7824-652	22"	C.O.	C.O.	.197	76	9"	24	10203	\$62,292
119-7824-752	22"	SM.	SM.	.197	76	9"	24	10271	\$61,306
119-7824-852	22"	C.O.	SM.	.197	76	9"	24	10237	\$61,799

<u>EXTRA EQUIPMENT</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
------------------------	-------------------	------------------------

9-119-606158	DUAL WHEELS FOR NARROW WING UNITS FOR 19' 6" W/ TWO 15 X 6, SIX LUG WHEELS (DUAL WHEELS STANDARD ON WIDE WINGS 22' 0" & UP)	86#	\$1,199
--------------	---	-----	---------


106122	AG LIGHT KIT	18#	\$500
--------	--------------	-----	-------

RECOMMENDED TIRE SIZE: 11L X 15

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

***PRICE DOES NOT INCLUDE TIRES.**

ATHENS 97 LIFT-TYPE OFFSET DISK HARROW



SPECIFICATIONS:

Cutting Width 6' 2" to 9' 0"
 22" or 24" Diameter C/O Discs
 Spacing – 9"
 Category II Hitch
 Relube Ball Bearings
 1 ¼" Cold Rolled Square Axle
 with Gang Wrench
 Rigid or Spring Bearing Hangers

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
FRNT	REAR								
<u>6' 2" WIDE</u>									
097-1627-650	22"	C.O.	C.O.	.197	16	9"	6	1337	\$6,754
097-1627-660	24"	C.O.	C.O.	.197	16	9"	6	1385	\$7,048
<u>6' 10" WIDE</u>									
097-1827-650	22"	C.O.	C.O.	.197	18	9"	8	1511	\$7,840
097-1827-660	24"	C.O.	C.O.	.197	18	9"	8	1565	\$8,169
<u>7' 6" WIDE</u>									
097-2027-650	22"	C.O.	C.O.	.197	20	9"	8	1612	\$7,966
097-2027-660	24"	C.O.	C.O.	.197	20	9"	8	1672	\$8,332
<u>WIDE FRAME</u>									
<u>8' 4" WIDE</u>									
097-2227-650	22"	C.O.	C.O.	.197	22	9"	8	1732	\$8,556
097-2227-660	24"	C.O.	C.O.	.197	22	9"	8	1798	\$8,959
<u>9' 0" WIDE</u>									
097-2427-650	22"	C.O.	C.O.	.197	24	9"	8	1826	\$9,370
097-2427-660	24"	C.O.	C.O.	.197	24	9"	8	1898	\$9,810

OPTIONAL EQUIPMENT

For Spring Bearing Hangers:
 Change the 7th Digit from 7 to 6 and add 15#
 and \$80.00 per Bearing to Weights and Prices.

(CONT'D)

EXTRA EQUIPMENT

SCRAPERS

9-097-916270	For 6' 2" Units	190	\$884
*9-097-916260		200	\$972
9-097-918270	For 6' 10" Units	222	\$1,063
*9-097-918260		241	\$1,178
9-097-920270	For 7' 6" Units	242	\$1,138
*9-097-920260		259	\$1,257
9-097-922270	For 8' 4" Units	261	\$1,209
*9-097-922260		278	\$1,329
9-097-924270	For 9' 0" Units	280	\$1,262
*9-097-924260		298	\$1,424

*For Units with Spring Bearing Hangers


COVER DISC

9-097-700018	Cover Disc Assembly with 18" Blade w/o Scraper	20	\$145
9-097-709018	Cover Disc Assembly with 18" Blade w/ Scraper	28	\$170

QUICK HITCH BUSHINGS

101733	Cat. II & III Quick Coupler Adapter for 8' 4" and 9' 0" Units	7	\$130
--------	---	---	-------

ATHENS 107 OFFSET DISK HARROW



SPECIFICATIONS:

Cutting Width – 6' 2" to 8' 2"
 22" or 24" Diameter Discs w /9" Spacing
 Relube QUAD Ball Bearings
 Gang Axle: 1 ¼" Square
 Gang Frames: 3 x 5 x ¼" Tube

STANDARD EQUIPMENT:

Extra Disc on Right Rear
 Cover Disc w/ Scraper
 Balanced, Reversible Clevis
 Heavy Duty Tongue w/ Jack
 1 ¼" Cold Rolled Square Axles
 w/ Gang Wrench
 Heavy Duty Scrapers (Tubular Mtd.)
 Wheel Hubs w/ 15" Wheels
 Tapered Discs on Rt Rear and Rt Front
 Hydraulic Lifting w/ Mechanical Transport


<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u> FRNT REAR	<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>6' 2" WIDE</u>								
107-1727-650	22"	C.O. C.O.	.197	17	9"	6	2259	\$11,371
107-1727-850	22"	C.O. SM.	.197	17	9"	6	2268	\$11,188
107-1727-660	24"	C.O. C.O.	.197	17	9"	6	2334	\$11,634
107-1727-760	24"	SM. SM.	.197	17	9"	6	2360	\$11,550
107-1727-860	24"	C.O. SM.	.197	17	9"	6	2347	\$11,589
<u>6' 10" WIDE</u>								
107-1927-650	22"	C.O. C.O.	.197	19	9"	6	2400	\$11,942
107-1927-850	22"	C.O. SM.	.197	19	9"	6	2410	\$11,890
107-1927-660	24"	C.O. C.O.	.197	19	9"	6	2476	\$12,111
107-1927-760	24"	SM. SM.	.197	19	9"	6	2502	\$11,993
107-1927-860	24"	C.O. SM.	.197	19	9"	6	2489	\$12,049
<u>7' 6" WIDE</u>								
107-2127-650	22"	C.O. C.O.	.197	21	9"	6	2514	\$12,644
107-2127-850	22"	C.O. SM.	.197	21	9"	6	2526	\$12,480
107-2127-660	24"	C.O. C.O.	.197	21	9"	6	2592	\$12,921
107-2127-760	24"	SM. SM.	.197	21	9"	6	2618	\$12,807
107-2127-860	24"	C.O. SM.	.197	21	9"	6	2605	\$12,860
<u>8' 2" WIDE</u>								
107-2327-650	22"	C.O. C.O.	.197	23	9"	8	2629	\$13,544
107-2327-850	22"	C.O. SM.	.197	23	9"	8	2642	\$13,363
107-2327-660	24"	C.O. C.O.	.197	23	9"	8	2708	\$13,784
107-2327-760	24"	SM. SM.	.197	23	9"	8	2734	\$13,725
107-2327-860	24"	C.O. SM.	.197	23	9"	8	2720	\$13,753

RECOMMENDED TIRE SIZE: 9.5L x 15

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

****PRICE DOES NOT INCLUDE TIRES**

ATHENS 127 OFFSET DISK HARROW



SPECIFICATIONS:

Cutting Width – 6' 6" to 12' 6"
 24" Diameter Discs C/O or SM
 Spacing – 9 1/2"
 Relube QUAD Ball Bearings or
 QUAD Tapered Double Roller Bearings
 w/ Rigid or Spring Bearing Hangers
 Single or Dual Wheels

STANDARD EQUIPMENT:

Extra Disc on Right Rear
 Cover Disc w/ Scraper
 Balanced, Reversible Clevis
 Heavy-Duty Tongue w/Jack
 1 1/2" Cold Rolled Square Axles
 w/ Gang Wrench
 Heavy-Duty Scrapers (Tubular Mtd)
 Wheel Hubs w/ 15" Wheels
 Tapered Discs on Rt Rear & Rt Frt
 Mechanical Transport
 Hydraulic Leveling Complete
 Hydraulic Lifting Complete

<u>MODEL</u> <u>NUMBER</u>	<u>DISC</u> <u>DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC</u> <u>THCK</u>	<u># OF</u> <u>DISC</u>	<u>DISC SPACING</u>	<u># OF</u> <u>BRGS</u>	<u>APX</u> <u>WT</u>	<u>SUGST</u> <u>PRICE</u>
		FRNT	REAR						

127 OFFSET DISK W/ 3 x 5 TUBULAR FRAME & 5 LUG HUBS

6' 6" WIDE W/ QUAD BALL BEARINGS

127-1747-657	24"	C.O.	C.O.	.256	17	9-1/2"	6	2711	\$14,763
127-1747-757	24"	SM.	SM.	.256	17	9-1/2"	6	2714	\$14,456
127-1747-857	24"	C.O.	SM.	.256	17	9-1/2"	6	2722	\$14,613

W/ QUAD TAPERED DOUBLE ROLLER BEARINGS

127-1745-657	24"	C.O.	C.O.	.256	17	9-1/2"	6	2686	\$16,075
127-1745-757	24"	SM.	SM.	.256	17	9-1/2"	6	2689	\$15,771
127-1745-857	24"	C.O.	SM.	.256	17	9-1/2"	6	2697	\$15,933

7' 3" WIDE W/ QUAD BALL BEARINGS

127-1947-657	24"	C.O.	C.O.	.256	19	9-1/2"	6	2854	\$15,687
127-1947-757	24"	SM.	SM.	.256	19	9-1/2"	6	2728	\$15,435
127-1947-857	24"	C.O.	SM.	.256	19	9-1/2"	6	2867	\$15,516

W/ QUAD TAPERED DOUBLE ROLLER BEARINGS

127-1945-657	24"	C.O.	C.O.	.256	19	9-1/2"	6	2829	\$17,017
127-1945-757	24"	SM.	SM.	.256	19	9-1/2"	6	2703	\$16,669
127-1945-857	24"	C.O.	SM.	.256	19	9-1/2"	6	2842	\$16,852

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THICK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>8' 0" WIDE</u>		<u>W/ QUAD BALL BEARINGS</u>							
127-2147-657	24"	C.O.	C.O.	.256	21	9-1/2"	7	3046	\$16,840
127-2147-757	24"	SM.	SM.	.256	21	9-1/2"	7	3055	\$16,451
127-2147-857	24"	C.O.	SM.	.256	21	9-1/2"	7	3060	\$16,616
		<u>W/ QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
127-2145-657	24"	C.O.	C.O.	.256	21	9-1/2"	7	3016	\$18,375
127-2145-757	24"	SM.	SM.	.256	21	9-1/2"	7	3025	\$17,974
127-2145-857	24"	C.O.	SM.	.256	21	9-1/2"	7	3030	\$18,179
<u>8' 9" WIDE</u>		<u>W/ QUAD BALL BEARINGS</u>							
127-2347-657	24"	C.O.	C.O.	.256	23	9-1/2"	8	3272	\$17,993
127-2347-757	24"	SM.	SM.	.256	23	9-1/2"	8	3296	\$17,568
127-2347-857	24"	C.O.	SM.	.256	23	9-1/2"	8	3287	\$17,773
		<u>W/ QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
127-2345-657	24"	C.O.	C.O.	.256	23	9-1/2"	8	3238	\$19,717
127-2345-757	24"	SM.	SM.	.256	23	9-1/2"	8	3262	\$19,112
127-2345-857	24"	C.O.	SM.	.256	23	9-1/2"	8	3253	\$19,320
<u>127 OFFSET DISK W/ 4 x 6 TUBULAR FRAME & 6 LUG HUBS</u>									
<u>9' 6" WIDE</u>		<u>W/ QUAD BALL BEARINGS</u>							
127-2547-657	24"	C.O.	C.O.	.256	25	9-1/2"	8	3949	\$21,928
127-2547-757	24"	SM.	SM.	.256	25	9-1/2"	8	3975	\$21,450
127-2547-857	24"	C.O.	SM.	.256	25	9-1/2"	8	3965	\$21,952
		<u>W/ QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
127-2545-657	24"	C.O.	C.O.	.256	25	9-1/2"	8	3916	\$23,709
127-2545-757	24"	SM.	SM.	.256	25	9-1/2"	8	3941	\$23,226
127-2545-857	24"	C.O.	SM.	.256	25	9-1/2"	8	3931	\$23,476
<u>11' 0" WIDE</u>		<u>W/ QUAD BALL BEARINGS</u>							
127-2947-658	24"	C.O.	C.O.	.256	29	9-1/2"	9	4467	\$23,548
127-2947-758	24"	SM.	SM.	.256	29	9-1/2"	9	4504	\$23,019
127-2947-858	24"	C.O.	SM.	.256	29	9-1/2"	9	4485	\$23,287
		<u>W/ QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
127-2945-658	24"	C.O.	C.O.	.256	29	9-1/2"	9	4379	\$25,291
127-2945-758	24"	SM.	SM.	.256	29	9-1/2"	9	4466	\$24,428
127-2945-858	24"	C.O.	SM.	.256	29	9-1/2"	9	4447	\$25,034
<u>12' 6" WIDE</u>		<u>W/ QUAD BALL BEARINGS</u>							
127-3347-658	24"	C.O.	C.O.	.256	33	9-1/2"	12	4985	\$25,879
127-3347-758	24"	SM.	SM.	.256	33	9-1/2"	12	5027	\$25,276
127-3347-858	24"	C.O.	SM.	.256	33	9-1/2"	12	5005	\$25,584

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THICK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>12' 6" WIDE</u>		<u>W/ QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
127-3345-658	24"	C.O.	C.O.	.256	33	9-1/2"	12	4935	\$27,676
127-3345-758	24"	SM.	SM.	.256	33	9-1/2"	12	4987	\$27,059
127-3345-858	24"	C.O.	SM.	.256	33	9-1/2"	12	4957	\$27,370

SPECIAL ORDERING INFORMATION:

SPRING BEARING HANGERS W/ TAPERED DOUBLE ROLLER BEARINGS

To order Spring Bearing Hangers, change the 7th digit from a 5 to 4, and add 31# and \$135.00 per bearing to weights and prices for units with QUAD Tapered Double Roller Bearings.

MANUAL LEVELING

To order a turnbuckle for Manual Leveling in place of a cylinder and hoses as listed in the price list, change the 10th digit for 16-23 disc units from "7" to "0" or for 24-33 disc units from "8" to "1" and deduct 13# and \$208.00.

UNITS WITHOUT AN EXTRA DISC ON RIGHT REAR

Units shown in the price list have an extra disc on the right rear and are strongly recommended by ATHENS to improve performance, reduce the need for adjustments, and to allow disking back and forth without an open furrow. To order units with the same number of discs on the front and rear, change 4th and 5th digits to one number lower (as 17 to 16), and reduce the weight by 70# and reduce the price by \$85.00.


<u>EXTRA EQUIPMENT</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
9-127-605156 DUAL WHEELS FOR 16-23 DISC UNITS (DUAL WHEELS STANDARD ON 9' 6" AND UP)	82#	\$899

RECOMMENDED TIRE SIZE: NARROW FRAME W/ 5 LUG HUBS, 9.5L X 15
WIDE FRAME W/ 6 LUG HUBS, 11L X 15

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

*** PRICE DOES NOT INCLUDE TIRES.**

ATHENS 167 OFFSET DISK HARROW



SPECIFICATIONS:

Cutting Width – 7' 1" to 12' 1"
 26" Diameter Discs C/O or SM
 Spacing – 10 ½"
 QUADRASEAL Ball Bearings or
 Tapered Double Roller Bearings w/
 Rigid or Spring Bearing Hangers

STANDARD EQUIPMENT:

Cover Disc w/ Scraper
 Extra Disc on Right Rear
 Heavy-Duty Tongue w/Jack
 Balanced, Reversible Clevis
 1 ½" Cold Rolled Sq. Axle
 Wheel Hubs w/ 15" x 8" Wheels
 Heavy-Duty Scrapers (Tubular Mtd.)
 Tapered Discs on Rt Rear & Rt Frt
 Adjustable Angle of Cut
 Hydraulic Lifting w/ Mech. Transport
 Hydraulic Leveling Complete

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u> FRNT REAR	<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
-------------------------	----------------------	----------------------------------	----------------------	----------------------	---------------------	----------------------	-------------------	------------------------

167 OFFSET DISK W/ 3 x 5 FRAME & 5 LUG HUBS

7' 1" WIDE

W/ QUAD BALL BEARINGS

167-1757-667	26"	C.O.	C.O.	.256	17	10-1/2"	8	3077	\$16,678
167-1757-767	26"	SM.	SM.	.256	17	10-1/2"	8	3115	\$16,287
167-1757-867	26"	C.O.	SM.	.256	17	10-1/2"	8	3096	\$16,483

W/ QUAD TAPERED DOUBLE ROLLER BEARINGS

167-1755-667	26"	C.O.	C.O.	.256	17	10-1/2"	8	3121	\$18,386
167-1755-767	26"	SM.	SM.	.256	17	10-1/2"	8	3159	\$17,999
167-1755-867	26"	C.O.	SM.	.256	17	10-1/2"	8	3140	\$18,177

8' 0" WIDE

W/ QUAD BALL BEARINGS

167-1957-667	26"	C.O.	C.O.	.256	19	10-1/2"	8	3246	\$17,800
167-1957-767	26"	SM.	SM.	.256	19	10-1/2"	8	3297	\$17,376
167-1957-867	26"	C.O.	SM.	.256	19	10-1/2"	8	3277	\$17,596

W/ QUAD TAPERED DOUBLE ROLLER BEARINGS

167-1955-667	26"	C.O.	C.O.	.256	19	10-1/2"	8	3290	\$19,544
167-1955-767	26"	SM.	SM.	.256	19	10-1/2"	8	3341	\$19,101
167-1955-867	26"	C.O.	SM.	.256	19	10-1/2"	8	3321	\$19,324

8' 9" WIDE

W/ QUAD BALL BEARINGS

167-2157-667	26"	C.O.	C.O.	.256	21	10-1/2"	8	3437	\$18,898
167-2157-767	26"	SM.	SM.	.256	21	10-1/2"	8	3485	\$18,751
167-2157-867	26"	C.O.	SM.	.256	21	10-1/2"	8	3461	\$18,992

MODEL NUMBER	DISC DIAM	TYPE OF DISC		DISC THICK	# OF DISC	DISC SPACING	# OF BRGS	APX WT	SUGST PRICE
		FRNT	REAR						

167 OFFSET DISK W/ 3 x 5 FRAME & 5 LUG HUBS (CONT'D)

8' 9" WIDE W/ QUAD TAPERED DOUBLE ROLLER BEARINGS

167-2155-667	26"	C.O.	C.O.	.256	21	10-1/2"	8	3481	\$21,364
167-2155-767	26"	SM.	SM.	.256	21	10-1/2"	8	3529	\$20,879
167-2155-867	26"	C.O.	SM.	.256	21	10-1/2"	8	3505	\$21,123

167 OFFSET DISK W/ 4 x 6 FRAME & 6 LUG HUBS

9' 7" WIDE W/ QUAD BALL BEARINGS

167-2357-668	26"	C.O.	C.O.	.256	23	10-1/2"	8	4289	\$22,249
167-2357-768	26"	SM.	SM.	.256	23	10-1/2"	8	4342	\$21,761
167-2357-868	26"	C.O.	SM.	.256	23	10-1/2"	8	4316	\$21,991

W/ QUAD TAPERED DOUBLE ROLLER BEARINGS

167-2355-668	26"	C.O.	C.O.	.256	23	10-1/2"	8	4333	\$23,978
167-2355-768	26"	SM.	SM.	.256	23	10-1/2"	8	4386	\$23,468
167-2355-868	26"	C.O.	SM.	.256	23	10-1/2"	8	4360	\$23,722

10' 5" WIDE W/ QUAD BALL BEARINGS

167-2557-668	26"	C.O.	C.O.	.256	25	10-1/2"	8	4488	\$23,184
167-2557-768	26"	SM.	SM.	.256	25	10-1/2"	8	4495	\$22,643
167-2557-868	26"	C.O.	SM.	.256	25	10-1/2"	8	4507	\$22,913

W/ QUAD TAPERED DOUBLE ROLLER BEARINGS

167-2555-668	26"	C.O.	C.O.	.256	25	10-1/2"	8	4532	\$24,918
167-2555-768	26"	SM.	SM.	.256	25	10-1/2"	8	4572	\$24,379
167-2555-868	26"	C.O.	SM.	.256	25	10-1/2"	8	4553	\$24,648

12' 1" WIDE W/QUAD BALL BEARINGS

167-2957-668	26"	C.O.	C.O.	.256	29	10-1/2"	9	4933	\$25,731
167-2957-768	26"	SM.	SM.	.256	29	10-1/2"	9	5000	\$25,112
167-2957-868	26"	C.O.	SM.	.256	29	10-1/2"	9	4967	\$25,425

W/QUAD TAPERED DOUBLE ROLLER BEARINGS

167-2955-668	26"	C.O.	C.O.	.256	29	10-1/2"	9	4977	\$27,867
167-2955-768	26"	SM.	SM.	.256	29	10-1/2"	9	5044	\$27,219
167-2955-868	26"	C.O.	SM.	.256	29	10-1/2"	9	5011	\$27,071

SPECIAL ORDER INFORMATION:

SPRING BEARING HANGERS WITH QUAD TAPERED DOUBLE ROLLER BEARINGS

To order Spring Bearing Hangers, change the 7th digit from a "5" to "4", and add 25# and \$135.00 per bearing to weights and prices for units with QUAD Tapered Double Roller Bearings.

SPECIAL ORDER INFORMATION CONT'D

MANUAL LEVELING

To order a turnbuckle for Manual Leveling in place of a cylinder and hoses as listed in the price list, change the 10th digit for 16-21 disc units from a "7" to "0", or for 22-29 disc units from an "8" to "1" and deduct 12# and \$208.00.

UNITS WITHOUT AN EXTRA DISC ON RIGHT REAR

Units shown in the price list have an extra disc on the right rear and are strongly recommended by ATHENS to improve performance, reduce the need for adjustments, and to allow disking back and forth without an open furrow. To order units with the same number of discs on the front and rear, change 4th and 5th digits to one number lower (as 17 to 16), reduce weight by 100# and reduce the price by \$117.00.

<u>EXTRA EQUIPMENT</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
9-167-605156 DUAL WHEELS FOR 16-21 DISC UNITS (DUAL WHEELS STANDARD ON 9' 7" AND UP)	82#	\$899

RECOMMENDED TIRE SIZE: NARROW FRAME W/ 5 LUG HUBS, 9.5L X 15
WIDE FRAME W/ 6 LUG HUBS, 11L X 15

CAUTION: TIRES ARE RATED AT 20MPH MAXIMUM.

***PRICE DOES NOT INCLUDE TIRES.**

ATHENS 137 OFFSET DISK HARROW



SPECIFICATIONS:

Cutting Width – 12' 6" to 18' 6"
24" Diameter Disc C/O or SM
Spacing – 9 1/2"
Relube QUADRASEAL Ball or
Tapered Double Roller Bearings
Rigid or Spring Bearing Hangers

STANDARD EQUIPMENT:

Extra Disc on Right Rear
Cover Disc w/ Scraper
Balanced, Reversible Clevis
1-1/2" Cold Rolled Sq. Axles
w/ Gang Wrench
Dual 15" x 8" 6-Lug Wheels w/ Hubs
Heavy Duty Scrapers (Tubular Mtd.)
Hydraulic Lifting w/Mech Transport
Tapered Discs on Rt Rear and Rt Frt
Adjustable Angle of Cut
Hydraulic Leveling Complete

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>12' 6" WIDE</u>		<u>W/ QUAD BALL BEARINGS</u>							
137-3347-659	24"	C.O.	C.O.	.256	33	9-1/2"	8	5444	\$27,572
137-3347-759	24"	SM.	SM.	.256	33	9-1/2"	8	5473	\$26,984
137-3347-859	24"	C.O.	SM.	.256	33	9-1/2"	8	5449	\$27,293
		<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
137-3345-659	24"	C.O.	C.O.	.256	33	9-1/2"	8	5410	\$29,447
137-3345-759	24"	SM.	SM.	.256	33	9-1/2"	8	5439	\$28,841
137-3345-859	24"	C.O.	SM.	.256	33	9-1/2"	8	5415	\$29,152
<u>14' 0" WIDE</u>		<u>W/ QUAD BALL BEARINGS</u>							
137-3747-659	24"	C.O.	C.O.	.256	37	9-1/2"	9	5831	\$29,764
137-3747-759	24"	SM.	SM.	.256	37	9-1/2"	9	5881	\$29,078
137-3747-859	24"	C.O.	SM.	.256	37	9-1/2"	9	5854	\$29,444
		<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
137-3745-659	24"	C.O.	C.O.	.256	37	9-1/2"	9	5797	\$31,833
137-3745-759	24"	SM.	SM.	.256	37	9-1/2"	9	5847	\$31,145
137-3745-859	24"	C.O.	SM.	.256	37	9-1/2"	9	5820	\$31,513

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>	<u>FRNT</u>	<u>REAR</u>	<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>15' 6" WIDE</u>										
<u>W/ QUAD BALL BEARINGS</u>										
137-4147-659	24"	C.O.	C.O.		.256	41	9-1/2"	12	6562	\$32,630
137-4147-759	24"	SM.	SM.		.256	41	9-1/2"	12	6618	\$31,867
137-4147-859	24"	C.O.	SM.		.256	41	9-1/2"	12	6588	\$32,267
<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>										
137-4145-659	24"	C.O.	C.O.		.256	41	9-1/2"	12	6512	\$35,275
137-4145-759	24"	SM.	SM.		.256	41	9-1/2"	12	6568	\$34,509
137-4145-859	24"	C.O.	SM.		.256	41	9-1/2"	12	6538	\$34,117
<u>17' 0" WIDE</u>										
<u>W/ QUAD BALL BEARINGS</u>										
137-4547-659	24"	C.O.	C.O.		.256	45	9-1/2"	12	6877	\$34,062
137-4547-759	24"	SM.	SM.		.256	45	9-1/2"	12	6939	\$33,220
137-4547-859	24"	C.O.	SM.		.256	45	9-1/2"	12	6906	\$33,663
<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>										
137-4545-659	24"	C.O.	C.O.		.256	45	9-1/2"	12	6827	\$36,530
137-4545-759	24"	SM.	SM.		.256	45	9-1/2"	12	6889	\$35,647
137-4545-859	24"	C.O.	SM.		.256	45	9-1/2"	12	6856	\$36,095
<u>18' 6" WIDE</u>										
<u>W/ QUAD BALL BEARINGS</u>										
137-4947-659	24"	C.O.	C.O.		.256	49	9-1/2"	12	7246	\$35,493
137-4947-759	24"	SM.	SM.		.256	49	9-1/2"	12	7314	\$34,571
137-4947-859	24"	C.O.	SM.		.256	49	9-1/2"	12	7278	\$35,057
<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>										
137-4945-659	24"	C.O.	C.O.		.256	49	9-1/2"	12	7196	\$38,173
137-4945-759	24"	SM.	SM.		.256	49	9-1/2"	12	7264	\$37,240
137-4945-859	24"	C.O.	SM.		.256	49	9-1/2"	12	7228	\$37,729

SPECIAL ORDERING INFORMATION:

SPRING BEARING HANGERS WITH QUAD TAPERED DOUBLE ROLLER BEARINGS

To order Spring Bearing Hangers, change the 7th digit from a "5" to "4" and add 31# and \$135.00 per bearing to weights and prices for units with QUAD Tapered Double Roller Bearings.

MANUAL LEVELING

To replace the cylinder and hoses w/ a turnbuckle, change the 10th digit from a "9" to "0" and deduct 13# and \$208.00.

UNITS WITHOUT AN EXTRA DISC ON RIGHT REAR

Units shown in the price list have an extra disc on the right rear and are strongly recommended by ATHENS to improve performance, reduce the need for adjustments, and to allow disking back and forth without an open furrow. To order units with the same number of discs on the front and rear, change 4th and 5th digits to one number lower (as 33 to 32), reduce the weight by 70# and reduce the price by \$85.00.


106166 AG LIGHT KIT 19# \$500.00

RECOMMENDED TIRE SIZE: 11L x 15 (4 REQUIRED)

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

***PRICE DOES NOT INCLUDE TIRES.**

ATHENS 187 OFFSET DISK HARROW



SPECIFICATIONS:

Cutting Width – 12' 1" to 17' 1"
26" Diameter Disc C/O or SM
Spacing – 10 ½"
Relube QUADRASEAL Ball Bearings or
Tapered Double Roller Bearings w/
Rigid or Spring Bearing Hangers

STANDARD EQUIPMENT:

Cover Disc w/ Scraper
Extra Disc on Right Rear
Heavy Duty Tongue w/ Jack
Balanced, Reversible Clevis
1 ½" Cold Rolled Sq. Axle
w/ Gang Wrench
Dual 15" x 8" 6 Lug Wheels w/ Hub
Heavy Duty Scrapers (Tubular Mtd.)
Tapered Discs on Right Rear & Rt Frt
Adjustable Angle of Cut
Hydraulic Leveling Complete
Hydraulic Lifting w/ Mech. Transport

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>		<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>12' 1" WIDE</u>		<u>W/ RELUBE QUAD BALL BEARINGS</u>							
187-2957-669	26"	C.O.	C.O.	.256	29	10-1/2"	10	5517	\$29,121
187-2957-769	26"	SM.	SM.	.256	29	10-1/2"	10	5585	\$28,575
187-2957-869	26"	C.O.	SM.	.256	29	10-1/2"	10	5552	\$28,858
		<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
187-2955-669	26"	C.O.	C.O.	.256	29	10-1/2"	10	5561	\$31,213
187-2955-769	26"	SM.	SM.	.256	29	10-1/2"	10	5629	\$30,729
187-2955-869	26"	C.O.	SM.	.256	29	10-1/2"	10	5596	\$31,021
<u>13' 9" WIDE</u>		<u>W/ RELUBE QUAD BALL BEARINGS</u>							
187-3357-669	26"	C.O.	C.O.	.256	33	10-1/2"	12	6147	\$32,213
187-3357-769	26"	SM.	SM.	.256	33	10-1/2"	12	6225	\$31,583
187-3357-869	26"	C.O.	SM.	.256	33	10-1/2"	12	6187	\$31,909
		<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
187-3355-669	26"	C.O.	C.O.	.256	33	10-1/2"	12	6213	\$34,753
187-3355-769	26"	SM.	SM.	.256	33	10-1/2"	12	6309	\$34,132
187-3355-869	26"	C.O.	SM.	.256	33	10-1/2"	12	6253	\$34,451
<u>15' 5" WIDE</u>		<u>W/ RELUBE QUAD BALL BEARINGS</u>							
187-3757-669	26"	C.O.	C.O.	.256	37	10-1/2"	12	6581	\$34,366
187-3757-769	26"	SM.	SM.	.256	37	10-1/2"	12	6669	\$33,661
187-3757-869	26"	C.O.	SM.	.256	37	10-1/2"	12	6636	\$34,041

MODEL NUMBER	DISC DIAM	TYPE OF DISC		DISC THCK	# OF DISC	DISC SPACING	# OF BRGS	APX WT	SUGST PRICE
<u>15' 5" WIDE</u>		<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
187-3755-669	26"	C.O.	C.O.	.256	37	10-1/2"	12	6647	\$36,964
187-3755-769	26"	SM.	SM.	.256	37	10-1/2"	12	6735	\$36,241
187-3755-869	26"	C.O.	SM.	.256	37	10-1/2"	12	6702	\$36,619
<u>17' 1" WIDE</u>		<u>W/ RELUBE QUAD BALL BEARINGS</u>							
187-4157-669	26"	C.O.	C.O.	.256	41	10-1/2"	14	7085	\$36,476
187-4157-769	26"	SM.	SM.	.256	41	10-1/2"	14	7182	\$35,805
187-4157-869	26"	C.O.	SM.	.256	41	10-1/2"	14	7134	\$36,104
		<u>W/ RELUBE QUAD TAPERED DOUBLE ROLLER BEARINGS</u>							
187-4155-669	26"	C.O.	C.O.	.256	41	10-1/2"	14	7151	\$39,109
187-4155-769	26"	SM.	SM.	.256	41	10-1/2"	14	7248	\$38,293
187-4155-869	26"	C.O.	SM.	.256	41	10-1/2"	14	7200	\$38,716

SPECIAL ORDER INSTRUCTIONS:

SPRING BEARING HANGERS W/QUAD TAPERED DOUBLE ROLLER BEARINGS

To order Spring Bearing Hangers, Change the 7th digit from "5" to "4", and add 25# and \$135.00 per bearing to weights and prices for units with QUAD Tapered Double Roller Bearings.

UNITS WITHOUT AND EXTRA DISC ON RIGHT REAR

Units shown in the price list have an extra disc on the right rear and are strongly recommended by ATHENS to improve performance, reduce the need for adjustments, and to allow disking back and forth without an open furrow. To order units with the same number of discs on front and rear, change 4th and 5th digits to one number lower (as 33 to 32), reduce weight by 107# and reduce price by \$117.00.

MANUAL LEVELING

To replace the cylinder and hoses w/ a turnbuckle, change the 10th digit from a "9" to "0" and deduct 13# and \$208.00.

106166	AG LIGHT KIT	19#	\$500.00
--------	--------------	-----	----------

RECOMMENDED TIRE SIZE: 11L X 15 (4 REQUIRED)

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

***PRICE DOES NOT INCLUDE TIRES.**

ATHENS 287 OFFSET DISK HARROW

SPECIFICATIONS:

Cutting Width – 8' to 16'
 Disc Spacing – 12"
 Disc Blades – 28" or 32" C/O
 Relube 2" Ball Bearings

STANDARD EQUIPMENT

Cover Disc w/ Scraper
 Hydraulic Leveling Complete
 Hydraulic Lifting Complete
 Balanced, Reversible Clevis
 Heavy Duty Tube Mounted Scrapers
 Tapered Rear Gang
 15" x 8" Six Lug Wheels w/
 Dual Wheel Hubs
 2" Cold Rolled Square Gang Axles




<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>	<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u># OF BRGS</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>8' 0" WIDE</u>		<u>W/ RELUBE BALL BEARINGS</u>						
287-1722-688	28"	C.O.	.31	17	12"	8	5221	\$29,874
287-1722-628	32"	C.O.	.39	17	12"	8	5750	\$33,537
<u>9' 0" WIDE</u>		<u>W/ RELUBE BALL BEARINGS</u>						
287-1922-688	28"	C.O.	.31	19	12"	8	5490	\$30,843
287-1922-628	32"	C.O.	.39	19	12"	8	6165	\$35,164
<u>10' 0" WIDE</u>		<u>W/ RELUBE BALL BEARINGS</u>						
287-2122-688	28"	C.O.	.31	21	12"	8	5812	\$32,506
287-2122-628	32"	C.O.	.39	21	12"	8	6505	\$36,829
<u>12' 0" WIDE</u>		<u>W/ RELUBE BALL BEARINGS</u>						
287-2522-688	28"	C.O.	.31	25	12"	8	7867	\$40,798
287-2522-628	32"	C.O.	.39	25	12"	8	8710	\$45,104
<u>14' 0" WIDE</u>		<u>W/ RELUBE BALL BEARINGS</u>						
287-2922-688	28"	C.O.	.31	29	12"	12	8650	\$44,599
287-2922-628	32"	C.O.	.39	29	12"	12	9473	\$49,157
<u>16' 0" WIDE</u>		<u>W/ RELUBE BALL BEARINGS</u>						
287-3322-688	28"	C.O.	.31	33	12"	12	9250	\$47,812
287-3322-628	32"	C.O.	.39	33	12"	12	10005	\$51,716

****To Order a Model 288 Change the 3rd Digit to an 8 and add \$1,256.00 Per Bearing.**

RECOMMENDED TIRE SIZE: 11L x 15 (4 REQUIRED)
 CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

***PRICE DOES NOT INCLUDE TIRES.**

ATHENS 156 CHISEL PLOW



SPECIFICATIONS:

Lift-Type – 5', 7', 10', 11' Bases
 2 Bar Lift Type – 5' to 15'
 3 Bar Lift Type – 7' to 16'
 1 x 2 x 26", 1 x 2 x 32" &
 1 ¼ x 2 x 32" Alloy Steel Tines
 5/8" Chisel Points or
 3/8" Twisted Shovels

STANDARD EQUIPMENT

Cushion Spring Clamps
 4 x 4" Tubular Frame
 12" Tine Spacing

MODEL NUMBER	TINE ATTACH- MENT	TINE SIZE			SIZE (CAT) HITCH	APX WT	SUGST PRICE
		1 x 26"	1 x 32"	1.25 x 32"			
<u>5' 0" WIDE</u>		<u>W/ RIGID TINE ATTACHMENT, 26" TINES & 5/8" POINTS</u>					
156-0521-221	RGD	X			I	580	\$2,910
156-0521-222	RGD	X			II	580	\$2,910
<u>7' 0" WIDE</u>		<u>W/ RIGID TINE ATTACHMENT, 26" TINES & 5/8" POINTS</u>					
156-0721-223	RGD	X			II	732	\$3,903
<u>2 – BAR LIFT TYPE W/ SPRING TINE ATTACHMENT & 5/8" POINTS</u>							
<u>5' 0" WIDE</u>		<u>W/ CATEGORY I OR II HITCH PINS</u>					
156-0522-221	SPG	X			I	736	\$4,254
156-0522-321	SPG		X		I	766	\$4,389
156-0522-421	SPG			X	I	822	\$4,787
156-0522-222	SPG	X			II	737	\$4,254
156-0522-322	SPG		X		II	767	\$4,389
156-0522-422	SPG			X	II	822	\$4,787
<u>7' 0" WIDE</u>		<u>W/ CATEGORY II HITCH PINS</u>					
156-0722-223	SPG	X			II	952	\$5,195
156-0722-323	SPG		X		II	994	\$5,385
156-0722-423	SPG			X	II	1001	\$5,940
<u>11' 0" WIDE</u>		<u>W/ CATEGORY II HITCH PINS</u>					
156-1122-223	SPG	X			II	1243	\$7,505
156-1122-323	SPG		X		II	1452	\$7,814
156-1122-423	SPG			X	II	1573	\$8,683

MODEL NUMBER	TINE ATTCH MENT	TINE SIZE			SIZE (CAT) HITCH	APX WT	SUGST PRICE
		1 x 26"	1 x 32"	1.25 x 32"			
*** SINGLE EXTENSION FOR TWO-BAR UNITS*** W/ 5/8" CHISEL POINTS					(SINGLE EXTENSIONS ARE COMPLETE)		
2' 0"							
9-156-022122	RGD	X			N/A	198	\$714
9-156-022222	SPG	X			N/A	198	\$1,124
9-156-022232	SPG		X		N/A	210	\$1,187
9-156-022242	SPG			X	N/A	232	\$1,320
DOUBLE EXTENSION FOR TWO-BAR UNITS W/ 5/8" CHISEL POINTS					(USED ONLY WITH SINGLE EXTENSIONS)		
2' 0"							
9-156-042122	RGD	X			N/A	253	\$887
9-156-042222	SPG	X			N/A	253	\$1,405
9-156-042232	SPG		X		N/A	265	\$1,433
9-156-042242	SPG			X	N/A	287	\$1,598
3-BAR W/ SPRING TINE ATTACHMENT & 5/8" POINTS							
7' 0" WIDE		W/ CATEGORY II HITCH					
156-0732-223	SPG	X			II	1089	\$6,015
156-0732-323	SPG		X		II	1131	\$6,214
156-0732-423	SPG			X	II	1208	\$6,761
10' 0" WIDE		W/ CATEGORY II-III HITCH					
156-1032-223	SPG	X			II & III	1458	\$7,836
156-1032-323	SPG		X		II & III	1518	\$8,105
156-1032-423	SPG			X	II & III	1628	\$8,913
SINGLE EXTENSION FOR THREE BAR UNITS W/ 5/8" CHISEL POINTS					(SINGLE EXTENSIONS ARE COMPLETE)		
2' 0"							
9-156-023222	SPG	X			N/A	199	\$1,137
9-156-023232	SPG		X		N/A	211	\$1,192
9-156-023242	SPG			X	N/A	233	\$1,334
DOUBLE EXTENSION FOR THREE-BAR UNITS W/ 5/8" CHISEL POINTS					(USED ONLY WITH SINGLE EXTENSIONS)		
2' 0"							
9-156-043222	SPG	X			N/A	268	\$1,386
9-156-043232	SPG		X		N/A	280	\$1,434
9-156-043242	SPG			X	N/A	302	\$1,531

<u>MODEL NUMBER</u>	TINE	<u>TINE SIZE</u>			SIZE	APX	SUGST
	<u>ATTCH MENT</u>	<u>1 x 26"</u>	<u>1 x 32"</u>	<u>1.25 x 32"</u>	<u>(CAT) HITCH</u>	<u>WT</u>	<u>PRICE</u>
TRIPLE EXTENSION FOR THREE-BAR UNITS <u>W/ 5/8" CHISEL POINTS</u>					(TRIPLE EXTENSIONS ARE COMPLETE)		
<u>6' 0"</u>							
9-156-063222	SPG	X			N/A	770	\$4,142
9-156-063232	SPG		X		N/A	806	\$4,301
9-156-063242	SPG			X	N/A	872	\$4,722

<u>EXTRA EQUIPMENT</u>						<u>APX WT</u>	<u>SUGST PRICE</u>
9-156-520516	GAUGE WHEELS (2 BAR UNITS ONLY) 2-15 WHEELS LESS TIRES					167#	\$1,174
9-156-530516	GAUGE WHEELS (3 BAR UNITS ONLY) 2-15 WHEELS LESS TIRES					169#	\$1,191
101733	CAT II & III QUICK COUPLER ADAPTER FOR 10' UNITS					7#	\$135
101746	CAT II QUICK COUPLER ADAPTER FOR 7' UNITS AND 11' UNITS					1#	\$59

***WHEN ORDERING EXTENSIONS: SINGLE EXTENSIONS ARE COMPLETE AND CAN BE USED ALONE.

DOUBLE EXTENSIONS ARE NOT COMPLETE AND MUST BE USED ONLY WITH SINGLE EXTENSIONS

TRIPLE EXTENSIONS ARE COMPLETE AND CAN BE USED ALONE.

OPTIONAL EQUIPMENT:


For 3/8" Twisted Shovels, change the 9th digit from 2 to 3, add 1# each and \$8.00 each to weights and prices for units with 5/8" Chisel Points shown in the price list.

RECOMMENDED TIRE SIZE FOR GAUGE WHEELS: 9.5L X 15 (2 REQUIRED)

CAUTION: TIRES ARE RATED AT 20 MPH MAXIMUM.

***PRICE DOES NOT INCLUDE TIRES**

ATHENS 220 HEAVY-DUTY LEVEE PLOW



SPECIFICATIONS:

Eight or Ten Disc Models
Tapered Twelve Disc Models
24" or 26" Discs, Cutout or Smooth
.256" Disc Thickness

STANDARD EQUIPMENT:

10 ½" Disc Blade Spacing
Cat II-III Heavy Duty Hitch
QUADRASEAL Tapered Double
Roller Bearings
1½" Cold Rolled Square Axle
Disc Gang Assembly Wrench
½ x 4 x 7 x 136" Tool Bar
Two Parking Stands
Heavy Duty Scrapers

<u>MODEL NUMBER</u>	<u>DISC DIAM</u>	<u>TYPE OF DISC</u>	<u>DISC THCK</u>	<u># OF DISC</u>	<u>DISC SPACING</u>	<u>APX WT</u>	<u>SUGST PRICE</u>
<u>W/ MANUAL ADJUSTMENT & SHALLOW CONCAVITY BLADES</u>							
220-0855-191	24"	SM.	.256	8	10-1/2"	2181	\$10,690
220-1055-191	24"	SM.	.256	10	10-1/2"	2317	\$11,456
<u>W/ HYDRAULIC ADJUSTMENT & SHALLOW CONCAVITY BLADES</u>							
220-0855-194	24"	SM	.256	8	10-1/2"	2221	\$13,029
220-1055-194	24"	SM	.256	10	10-1/2"	2357	\$13,792

SPECIAL ORDER INSTRUCTIONS:

24" x .256 Cutout Blades. To order 24" cutout blades, change 8th & 9th digits to 04 and deduct 2# per blade and add \$16.00 per blade.

26" x .256 Smooth Blades. To order 26" smooth blades, change 8th & 9th digits to 16 and add 6# per blade and add \$26.00 per blade.

26" x .256 Cutout Blades. To order 26" cutout blades, change 8th & 9th digits to 06 and add 3# per blade and add \$40.00 per blade.

TAPERED BLADES WITH MANUAL ADJUSTMENT

220-1255-TAP	SM	12	10-1/2"	2356	\$11,456
--------------	----	----	---------	------	----------

TAPERED BLADES WITH HYDRAULIC ADJUSTMENT

220-1255-TAPH	SM	12	10-1/2"	2396	\$13,792
---------------	----	----	---------	------	----------

NOTE: 221 is the same as 220 except that 221 is equipped with Cover Discs and Cover Disc Scrapers. To order a Model 221, change 220 to 221 and add 66# and \$310.00 to the prices shown in the price list.

**INSIDE BACK COVER
BLANK**



Athens Plow Company



ATHENS

::

TENNESSEE

Athens Plow Company was founded in 1921 by Elbert L. Willson and was managed by William P. Willson and James H. Willson until being sold to Rhino Products in 1973. William L. Willson, the grandson of Elbert Willson, stayed on as Plant Manager for Servis-Rhino. Rhino then moved the Athens operations to Dallas, TX in 1985. Just three years later, in 1988, the Alamo Group decided to get out of the tillage equipment business. By then, the plant in Athens, TN had been closed and production moved first to Dallas and then to Holton, Kansas, where Alamo's BMB manufacturing operation was located. William Willson saw an opportunity he could not pass on. He and a few investors in the Athens area bought the business and trucked everything back to Athens, where the facility had been vacant for several years. Willson purchased the old plant and began operating in the spring of 1988.



ATHENS currently manufactures 24 different models of tillage tools out of the original Athens, Tennessee plant including a chisel plow, levee plow, and a wide variety of disc harrows. Striving to maintain a continuing commitment to service, ATHENS offers an availability and quality that cannot be matched. With very few exceptions, an order placed for a disc harrow is shipped within 24-48 hours. The inventory we warehouse for our farm equipment dealers across the United States has positioned ATHENS as one of the few, if not the only, tillage company with immediate availability. If you desire person-to-person communication, unmatched availability, and a quality product, make ATHENS your tillage choice.

