



ARIENS 2024

WE CLEAR THE PATH FOR THE REST TO FOLLOW.

When you walk behind an Ariens, you walk in the footsteps of five generations raised on hard work, integrity, and pride. Since 1933, the Ariens name has exemplified the American Midwest work ethic. We forged it in steel, painted it orange, and emblazoned it with our name, but only when our machines were worthy of it. Harsh weather is our playground so when the snow falls, our pulse rates rise. Drifts be damned, it's time to get to work and throw the snow right where it belongs, which is anywhere you want.



BUILT TO BE THE BEST FROM THE VERY BEGINNING.

In 1933, Henry Ariens and his sons risked everything on a dream. They began tinkering in his garage with ideas on how to improve rotary tiller machines. It was the birth of the Ariens Company. From those humble beginnings of a four-employee shop in Brillion, Wisconsin, to a globally recognized manufacturer of quality outdoor power equipment, the Ariens name has come to exemplify incomparable machines. For the past five generations, the Ariens family has continued to maintain Henry's original commitment to hard work, integrity, and the desire to build the best machines around.

Nine decades later, our company's small town zip code and CEO's last name still haven't changed. We're committed to being a local, family-run manufacturer, and that's something we don't plan on changing any time soon.





**THE BEST
MACHINES
FOR THE
WORST
CONDITIONS.**



WITH SO MANY OPTIONS, ARIENS® HAS THE PERFECT SNO-THRO® FOR YOU.

Single-stage or two-stage? 24" width, 36" or something in between? Electric start or pull? Understanding your property and usage will determine which Ariens® model will best suit your needs. As you page through this catalog, look for the icons at the bottom of the page to help narrow down the right model for you.

ASK YOURSELF THE FOLLOWING QUESTIONS:

- 1** HOW OFTEN DOES IT SNOW IN YOUR AREA?
 LIGHT  MODERATE  HEAVY
- 2** HOW BIG IS THE AREA YOU'LL BE CLEARING?
 1-2 CAR DRIVEWAY  3-6 CAR DRIVEWAY  7+ CAR DRIVEWAY
- 3** WHAT TYPE OF SURFACE WILL YOU BE CLEARING?
 PAVEMENT  GRAVEL  PAVEMENT OR GRAVEL
- 4** HOW MUCH OF A SLOPE DOES THE SURFACE HAVE?
 FLAT  MODERATE  STEEP

Our machines are designed to handle them all. Whatever you choose, you can't go wrong, because every Ariens® Sno-Thro® is built to get the job done. The good news is, you've taken a great first step, you're looking at an Ariens.



TAKE THIS WINTER BY STORM.

They say there are two types of people in the world: those who hate snow and those who love it. We believe there's a third type: those who don't think twice about it because they own an Ariens®.





THE DAVID TO SNOW'S GOLIATH.

They may be smaller but Ariens® single-stage units are powerful enough to throw 39-57 tons of snow every hour. They're built with a single-paddle auger to clear snow right down to the ground. Their smaller footprint makes storage and maneuverability a breeze. But don't let their size fool you, from electric start to remote chute control to collapsible handlebars these machines are not only built tough, they're designed for easy use.

S18

SERIES



THE POWER OF A CLYDESDALE PACKED IN A PONY.



This easy-to-operate 18" single-stage unit is perfect for smaller spaces because it's compact and full of power. With its AX99cc engine it delivers consistent starts and can remove tons of snow right down to the pavement. The quick-collapse handle bar makes storing convenient and its lightweight design helps you transport it with ease. The S18 is maximum convenience at minimal size.

This little Ariens sure can throw the snow! It makes a snowy day seem just like any other.

Tammy L

Chicago, IL



ARIENS.COM

QUICK AND EASY STARTING

Unmatched dependability with a one pull start from an Ariens® Sno-Thro®

ELECTRIC START AVAILABLE

Starts easily with the push of a button, even in extreme conditions

CLEAN-TO-PAVEMENT TECHNOLOGY

Clean results that mimic a shoveled finish. Our paddle technology allows you to effortlessly blow snow without breaking a sweat

PRECISION CHUTE AND DEFLECTOR

210 degrees of rotation to easily control where you want the snow to go

EASY OPERATION AND STORAGE

18" machine width. Effortless operation and easy storage Small footprint, big power. Ideal for 1"-8" of snowfall"

2 YEAR
WARRANTY

90 DAY
WARRANTY



S18



S18E

MODEL OVERVIEW

DESIGNATION	S18	S18E
MODEL #	938026	938027
ENGINE	ARIENS AX 99CC (4.1 FT/LBS)	ARIENS AX 99CC (4.1 FT/LBS)
STARTING SYSTEM	RECOIL	120V/RECOIL
HOUSING	18 X 12 IN (45.7 X 30.5 CM)	18 X 12 IN (45.7 X 30.5 CM)
THROWING DISTANCE	3 - 25 FT (.9 - 7.6 M)	3 - 25 FT (.9 - 7.6 M)
CHUTE ROTATION	MANUAL	MANUAL
AUGER DIAMETER	7 IN (17.8 CM)	7 IN (17.8 CM)
TIRE SIZE	6 X 1.5 IN (15.2 X 3.8 CM)	6 X 1.5 IN (15.2 X 3.8 CM)
TONS/ HOUR	39 TONS	39 TONS

ENHANCED OR STEP-UP FEATURE



ROBUST HOUSING AND PADDLE

Steel-walled housing shreds through snow, while the reinforced rubber paddles and adjustable scraper bar provide a clean-to-the-pavement finish

QUICK ACCESS COVER

With an easy-access maintenance hatch we make it easy to keep your Ariens® Sno-Thro® running like an Ariens

EASY STORAGE

Folding handlebars allow this unit to be stored in tight places

HASSLE-FREE STARTING

Electric and recoil starting for quick and easy operation

3 YEAR LTD. RESIDENTIAL WARRANTY
90 DAY LTD. COMMERCIAL WARRANTY



PATH-PRO® 208E



PATH-PRO® 208EC

MODEL OVERVIEW

DESIGNATION	PATH-PRO® 208E	PATH-PRO® 208EC
MODEL #	938032	938033
ENGINE	ARIENS AX 208CC (9.5 FT/LBS)	ARIENS AX 208CC (9.5 FT/LBS)
STARTING SYSTEM	120V/RECOIL	120V/RECOIL
HOUSING	21 X 12.2 IN (53.3 X 31 CM)	21 X 12.2 IN (53.3 X 31 CM)
THROWING DISTANCE	3 - 35 FT (9 - 10.7 M)	3 - 35 FT (9 - 10.7 M)
CHUTE ROTATION	MANUAL	REMOTE
AUGER DIAMETER	8.375 IN (21.3 CM)	8.375 IN (21.3 CM)
TIRE SIZE	6 X 1.5 IN (15.2 X 3.8 CM)	6 X 1.5 IN (15.2 X 3.8 CM)
TONS/ HOUR	57 TONS	57 TONS

ENHANCED OR STEP-UP FEATURE

PATH-PRO®
SERIES



WHEN THE SNOW FALLS, RISE TO THE OCCASION.



The Path-Pro is ready to stand up to any snowfall. Its reinforced rubber paddles and an adjustable scraper bar easily handle up to nine inches of snow. With its tireless Ariens® AX engine, the Path-Pro can throw 57 tons of snow every hour. And with its folding handlebar it can be stored in tight places, making it perfect for smaller properties.

I love my Ariens Path-Pro! It's a good, American-made snowblower. If you're looking for a dependable, quality machine, Ariens is the answer.

Rob C.

Whitefish Bay, WI



ARIENS.COM

PROFESSIONAL 21

SERIES



**JUST WHEN THE SNOW THOUGHT
IT WAS DONE TRAVELING FOR THE DAY.**



It's a rugged workhorse that is the perfect addition to any commercial snow-clearing fleet. This little beast has ingenious design elements. Like the Smart Lift handlebar system so you can slide it into your vehicle. Or its open engine for easy access to the oil fill, oil drain, and spark plug. A perfect marriage of form and function, blowing away your expectations along with tons and tons of snow.

Quality build and great performance. It chucks snow and does it quickly, which really matters when you have many properties to clear.

Shawn H.
Holland, MI



ARIENS.COM

NO SWEAT START

Effortless, keyless start sequence featuring an on/off switch to help ensure a successful start in any weather condition

SIMPLE MAINTENANCE

Open engine design allows easy access to all the major maintenance items

SMART LIFT SYSTEM

Our exclusive handlebar system allows the machine to easily slide into your vehicle with minimal effort



3 YEAR
WARRANTY
LTD. RESIDENTIAL

90 DAY
WARRANTY
LTD. COMMERCIAL



PROFESSIONAL 21 SSR



PROFESSIONAL 21 SSRC

MODEL OVERVIEW

DESIGNATION	PROFESSIONAL 21 SSR	PROFESSIONAL 21 SSRC
MODEL #	938024	920025
ENGINE	ARIENS AX 208CC (9.5 FT/LBS)	ARIENS AX 208CC (9.5 FT/LBS)
STARTING SYSTEM	RECOIL	RECOIL
HOUSING	21 X 12.1 IN (53.3 X 30.7 CM)	21 X 12.1 IN (53.3 X 30.7 CM)
THROWING DISTANCE	3 - 35 FT (0.9 - 10.7 M)	3 - 35 FT (0.9 - 10.7 M)
CHUTE ROTATION	MANUAL	REMOTE
AUGER DIAMETER	8.375 IN (21.3 CM)	8.375 IN (21.3 CM)
TIRE SIZE	7.5 X 2 IN (19.1 X 5.1 CM)	7.5 X 2 IN (19.1 X 5.1 CM)
TONS/ HOUR	57 TONS	57 TONS

ENHANCED OR STEP-UP FEATURE



the King of Snow[®]

It's a distinction we wear with great pride. After all, it was a hard-fought battle to earn it. But in the end, our superior engineering and quality craftsmanship reigned supreme, and they still do. They're what won customers over and earned their loyalty for generations. Our machines are built to perform and last beyond expectations because our standards are higher than any snowdrift they'll encounter. That's how we became the King of Snow[®] and we have no plans to relinquish our crown.



STOPS BLIZZARDS IN THEIR TRACKS.

When you have an Ariens® in your garage you never really worry about what the forecast says. You know you're covered, whether it's snow or sleet, falling in inches or feet.



A person in a dark winter jacket and hat is operating an orange Ariens snowblower on a snow-covered road. The snowblower is clearing a path through deep snow. The background is a dense forest of snow-laden evergreen and deciduous trees. The scene is captured from a high angle, showing the tracks of the snowblower on the road.

MEET OLD MAN WINTER'S ARCHRIVAL.

Every Ariens® two-stage Snow-Thro® is built to tackle the tons of snow in your path. They range from 24" clearing widths to huge 36" monsters. Their all-steel construction ensures years of rugged performance. They come equipped with a serrated auger to chew through snow, that's stage one. The 3-blade steel impeller keeps the snow flying, that's stage two. Features like heated handgrips, auto-turn steering, and Quick Turn chute rotation, will remind you these are no ordinary snowthrowers. But when you have an Ariens Sno-Thro you already know that.

CLASSIC SERIES



MAKES THE FORECAST IRRELEVANT.



All-steel construction yet lightweight and easy to control, this machine was made for serious snow removal. Its interlocking levers let you operate one-handed when throwing snow and driving, while its steel serrated auger makes a quick meal out of whatever Mother Nature dishes out. Heavy and wet? Light and fluffy? The Classic throws it all.

The best, most reliable snow throw in the business. Their reputation says it all.

Bruce T.
Nuuk, Greenland



VISIT ARIENS.COM FOR DETAILS

ALL-STEEL CONSTRUCTION

An all-steel Ariens® Sno-Thro® is built to stand the test of time

ELECTRIC START

Starts easily with the push of a button, even in extreme conditions

DUAL BELT DRIVE

Exclusive to Ariens, delivers maximum power through tough conditions, plus extended belt life

2.5X QUICK-TURN CHUTE

Put powder in its place with a 2.5X Quick-Turn Chute with 205-degree rotation

3 YEAR
WARRANTY
90 DAY
WARRANTY



CLASSIC 24

MODEL OVERVIEW

DESIGNATION	CLASSIC 24
MODEL #	920025
ENGINE	ARIENS AX 208CC (9.5 FT/LBS)
STARTING SYSTEM	120V/RECOIL
HOUSING	24 X 20 IN (60.1 X 50.7 CM)
THROWING DISTANCE	3 - 40 FT (.9 - 12.2 M)
CHUTE ROTATION	2.5X QUICK TURN
HEADLIGHT	N/A
AUGER DIAMETER	11 IN (27.9 CM)
SKID SHOES	STEEL REVERSIBLE
TIRE SIZE	13 X 4 IN (33 X 10 CM)
TONS/ HOUR	58 TONS

ENHANCED OR STEP-UP FEATURE



AN INNOVATION GAINING A LOT OF TRACTION BY DESIGN.

RapidTrak™ gives you the versatility of both wheels and tracks. Thanks to its intuitive user-friendly design and three adjustable settings, you can switch to the traction you need in seconds. Its Wheeled Mode gives you effortless maneuverability on flat surfaces and its Track Mode is great for regular snow-clearing. But sometimes you need something extra. That's where the Dig-In Mode comes in. It delivers the traction you need in deep snow, on hills, or on slippery pavement. Every snowfall is different, and RapidTrak™ will keep you powering forward.

POSITION 1 - TRACK

A traditional track position with the grip of a track for normal operation.

POSITION 2 - WHEEL

Effortlessly raise the rear wheel to make the machine function like a wheel-driven model.

POSITION 3 - DIG-IN

Shift the rear wheel down to pitch the auger housing and dig into hard-packed snow.





AUTO-TURN™ STEERING
Effortless, zero-degree turning radius

CAST-IRON GEAR CASE
Our rugged gear case leads the industry by producing an unmatched auger ratio to clear more snow. Equally impressive is its industry-leading 5-year warranty

DUAL BELT DRIVE
Exclusive to Ariens, delivers maximum power through tough conditions, plus extended belt life

DEEP TREAD TIRES
Built for the snow, these 15" directional tires provide improved mobility and agility

3 YEAR LTD. RESIDENTIAL WARRANTY
90 DAY LTD. COMMERCIAL WARRANTY



COMPACT 24



COMPACT 24 RAPIDTRAK™

MODEL OVERVIEW

	COMPACT 24	COMPACT 24 RAPIDTRAK®
DESIGNATION	COMPACT 24	COMPACT 24 RAPIDTRAK®
MODEL #	920029	920032
ENGINE	ARIENS AX 223CC (10 FT/LBS)	ARIENS AX 223CC (10 FT/LBS)
STARTING SYSTEM	120V/RECOIL	120V/RECOIL
HOUSING	24 X 20 IN (60.1 X 50.7 CM)	24 X 20 IN (60.1 X 50.7 CM)
THROWING DISTANCE	3 - 40 FT (.9 - 12.2 M)	3 - 40 FT (.9 - 12.2 M)
CHUTE ROTATION	2.5X QUICK TURN	2.5X QUICK TURN
HEADLIGHT	HALOGEN	LED
AUGER DIAMETER	11 IN (27.9 CM)	11 IN (27.9 CM)
SKID SHOES	STEEL REVERSIBLE	STEEL REVERSIBLE
TIRE SIZE	15 X 5 IN (33 X 10 CM)	5.5 IN WIDE TRACK (14 CM)
TONS/ HOUR	59 TONS	59 TONS

ENHANCED OR STEP-UP FEATURE

COMPACT SERIES



PACKED WITH POWER.



Don't let its size fool you, every Ariens® Compact is built to battle way above its weight class. Designed to be easy enough to take out for a light dusting of snow and reliable enough to tackle up to 59 tons per hour. The Compact Series is designed for effortless agility without sacrificing an ounce of that legendary Ariens power.

Pure quality and dependability. They always just run! I love this machine. I have used Ariens machines for twenty years, and this one is the best yet.

Phil H.
Bensalem, PA



VISIT ARIENS.COM FOR DETAILS

DELUXE SERIES



TAKE WINTER DOWN A FEW NOTCHES.



It's no wonder the Deluxe series is consistently one of our best sellers. They have that legendary Ariens® reliability and they're easy to maneuver and control with their standard Auto-Turn™ steering. With multiple sizes and choices of powerful Ariens AX engines, it's easy to find the right Sno-Thro® for your property.

I have a Deluxe 24 and love it. Ariens is top notch, so much better than other brands I've had in the past.

Marla J.
Milwaukee, WI



VISIT ARIENS.COM FOR DETAILS

EFI ENGINE

Available EFI engine starts easier and uses less fuel with consistent power

LED HEADLIGHT

Standard on all Deluxe Series Sno-Thro® models

AUTO-TURN™ STEERING

Effortless, zero-degree turning radius

DUAL-BELT DRIVE

Exclusive to Ariens, delivers maximum power through tough conditions, plus extended belt life

DEEP TREAD TIRES

16" directional tires provide improved mobility and agility

3 YEAR
LTD. RESIDENTIAL
WARRANTY

90 DAY
LTD. COMMERCIAL
WARRANTY



DELUXE 24

DELUXE 28

DELUXE 28 SHO

DELUXE 30

DELUXE 30 EFI

MODEL OVERVIEW

DESIGNATION	DELUXE 24	DELUXE 28	DELUXE 28 SHO	DELUXE 30	DELUXE 30 EFI
MODEL #	921045	921046	921048	921047	921049
ENGINE	ARIENS AX 254CC (12.5 FT/LBS)	ARIENS AX 254CC (12.5 FT/LBS)	ARIENS AX 306CC (15 FT/LBS)	ARIENS AX 306CC (15 FT/LBS)	ARIENS AX 306CC EFI (15 FT/LBS)
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL
HOUSING	24 X 21 IN (60.1 X 53.3 CM)	28 X 21 IN (71.2 X 53.3 CM)	28 X 21 IN (71.2 X 53.3 CM)	30 X 21 IN (76.2 X 53.3 CM)	30 X 21 IN (76.2 X 53.3 CM)
THROWING DISTANCE	3 - 50 FT (.9 - 15.2 M)	3 - 50 FT (.9 - 15.2 M)	3 - 55 FT (.9 - 16.7 M)	3 - 50 FT (.9 - 15.2 M)	3 - 50 FT (.9 - 15.2 M)
CHUTE ROTATION	2.5X ICE DRILL	2.5X ICE DRILL	2.5X ICE DRILL	2.5X ICE DRILL	2.5X ICE DRILL
HEADLIGHT	LED HEADLIGHT	LED HEADLIGHT	LED HEADLIGHT	LED HEADLIGHT	LED HEADLIGHT
AUGER DIAMETER	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)
SKID SHOES	STEEL REVERSIBLE	STEEL REVERSIBLE	STEEL REVERSIBLE	STEEL REVERSIBLE	STEEL REVERSIBLE
TIRE SIZE	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)
TONS/ HOUR	79 TONS	79 TONS	90 TONS	90 TONS	102 TONS

ENHANCED OR STEP-UP FEATURE

BRING YOUR MACHINE TO LIFE IN THE DEAD OF WINTER.



Powerful and reliable. Those are the two main qualifications of a great engine. That's why we feature Electronic Fuel Injection (EFI) engine technology.

EFI engine technology gives great engines their two most essential features: power and reliability. They start instantly and deliver the torque and power to keep you clearing all types and depths of snow, even at low throttle. You can thank its electronic governor which maintains consistent speed and throwing performance without bogging down. This is an engine worthy of serving The King of Snow®.



VISIT ARIENS.COM FOR DETAILS

PLATINUM SERIES



INTRODUCE YOUR SNOW TO ANOTHER ZIP CODE.



When you get behind your Platinum, you'll want to keep going, driveway after driveway. These units were built for high-volume workloads, hence their standard hand-warmers and Super High Output (SHO) impellers. The Platinum Series is loaded with plenty of other features sure to fit your snow removal needs.

I love everything about my Ariens. The size of the impeller, placement of controls, sturdiness of its construction, ease of starting it with the rip cord. It's the best!

Mike L.
Alpena, MI

VISIT ARIENS.COM FOR DETAILS



HAND WARMERS

Stay warm and comfortable with our premium hand warmers

EFI ENGINE AVAILABLE

Our Electronic Fuel Injection engine is easy starting, requires less maintenance and provides efficiency and performance, even at high altitude snow removal

SUPER HIGH OUTPUT IMPELLER (SHO)

Move through heavy, wet snow with ease with our exclusive SHO technology

LED HEADLIGHT

Early morning or late at night, throw the snow when you need with added visibility

AUTO-TURN™ STEERING

Effortless, zero-degree turning radius

3 YEAR LTD. RESIDENTIAL WARRANTY
90 DAY LTD. COMMERCIAL WARRANTY



PLATINUM 24 SHO

PLATINUM 24 SHO EFI GREAT LAKES EDITION™

PLATINUM 28 SHO RAPIDTRAK™

PLATINUM 30 SHO

90TH ANNIVERSARY LIMITED EDITION PLATINUM 24 SHO

MODEL OVERVIEW

DESIGNATION	PLATINUM 24 SHO	RAPIDTRAK			
		PLATINUM 24 SHO EFI GREAT LAKES EDITION™	PLATINUM 28 SHO RAPIDTRAK™	PLATINUM 30 SHO	90TH ANNIVERSARY LIMITED EDITION PLATINUM 24 SHO
MODEL #	921063	921066	921057	921064	921933
ENGINE	ARIENS AX 369CC (17 FT/LBS)	ARIENS AX 369CC EFI (17 FT/LBS)	ARIENS AX 369CC (17 FT/LBS)	ARIENS AX 414CC (20 FT/LBS)	TECUMSEHPower SNOW KING™ 369CC (17 FT/LBS)
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL
HOUSING	24 X 21 IN (60.1 X 53.3 CM)	24 X 21 IN (60.1 X 53.3 CM)	28 X 21 IN (71.1 X 53.3 CM)	30 X 21 IN (76.2 X 53.3 CM)	24 X 21 IN (60.1 X 53.3 CM)
THROWING DISTANCE	3 - 55 FT (0.9-16.7 M)	3 - 55 FT (0.9-16.7 M)	3 - 55 FT (0.9 - 16.7 M)	3 - 55 FT (0.9-16.7 M)	3 - 55 FT (0.9-16.7 M)
CHUTE ROTATION	QUICK TURN™	ELECTRIC JOYSTICK	QUICK TURN™	QUICK-TURN™	QUICK TURN™
AUGER DIAMETER	14 IN (35.5 CM)	14 IN (35.5 CM)	14 IN (35.5 CM)	14 IN (35.5 CM)	14 IN (35.5 CM)
HEADLIGHT	LED HEADLIGHT	LED HEADLIGHT & LIGHT BAR	LED HEADLIGHT	LED HEADLIGHT	LED HEADLIGHT
SKID SHOES	ANTI-MARKING POLY	ANTI-MARKING POLY	ANTI-MARKING POLY	ANTI-MARKING POLY	ANTI-MARKING POLY
TIRE SIZE	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)	5.5 WIDE TRACK (14 CM)	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)
TONS/ HOUR	73 TONS	90 TONS	77 TONS	83 TONS	90 TONS

ENHANCED OR STEP-UP FEATURE



EFI ENGINE AVAILABLE

Our Electronic Fuel Injection engine is easy starting, requires less maintenance and provides efficiency and performance, even at high altitude snow removal

SUPER HIGH OUTPUT IMPELLER (SHO)

Move through heavy, wet snow with ease with our exclusive SHO technology

THROWING PERFORMANCE

Put snow in its place, from 3-60 feet away

HAND WARMERS

Stay warm and comfortable with our premium hand warmers

AUTO-TURN™ STEERING

Effortless, zero-degree turning radius

3 YEAR LTD. RESIDENTIAL WARRANTY
90 DAY LTD. COMMERCIAL WARRANTY



PROFESSIONAL 28

PROFESSIONAL 28
HYDRO EFI RAPIDTRAK™
ALPINE EDITION™

PROFESSIONAL 32

PROFESSIONAL 32
HYDRO EFI RAPIDTRAK™
MOUNTAINEERING EDITION™

PROFESSIONAL 36
HYDRO EFI

MODEL OVERVIEW

DESIGNATION	RAPIDTRAK		RAPIDTRAK		PROFESSIONAL 36 HYDRO EFI
	PROFESSIONAL 28	PROFESSIONAL 28 HYDRO EFI ALPINE EDITION™	PROFESSIONAL 32	PROFESSIONAL 32 HYDRO EFI MOUNTAINEERING EDITION™	
MODEL #	926083	926091	926082	926521	926081
ENGINE	ARIENS AX 420CC (21FT/LBS)	ARIENS AX 420CC EFI (21FT/LBS)	ARIENS AX 420CC (21FT/LBS)	ARIENS AX 420CC EFI (21 FT/LBS)	ARIENS AX 420CC EFI (21FT/LBS)
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	120V/RECOIL	12V KEY START/ RECOIL	120V/RECOIL
HOUSING	28 X 23.5 IN (71.1 X 59.7 CM)	28 X 23.5 IN (71.1 X 59.7 CM)	32 X 23.5 IN (81.3 X 59.7 CM)	32 X 23.5 IN (81.3 X 59.7 CM)	36 X 23.5 IN (81.3 X 59.7 CM)
THROWING DISTANCE	3 - 60 FT (.9-18.2 M)	3 - 60 FT (.9-18.2 M)	3 - 60 FT (.9-18.2 M)	3 - 60 FT (.9-18.2 M)	3 - 60 FT (.9-18.2 M)
CHUTE ROTATION	QUICK TURN™	ELECTRIC JOYSTICK	QUICK TURN™	ELECTRIC JOYSTICK	QUICK TURN™
AUGER DIAMETER	16 IN (40.6 CM)	16 IN (40.6 CM)	16 IN (40.6 CM)	16 IN (40.6 CM)	16 IN (40.6 CM)
HEADLIGHT	LED HEADLIGHT	LED HEADLIGHT & LIGHT BAR	LED HEADLIGHT	LED HEADLIGHT & LIGHT BAR	LED HEADLIGHT
SKID SHOES	COMM SKIDS	COMM SKIDS	COMM SKIDS	COMM SKIDS	COMM SKIDS
TIRE SIZE	16 X 4.8 IN (41 X 12 CM)	5.5 IN WIDE TRACK (14 CM)	16 X 6.5 IN (41 X 17 CM)	5.5 IN WIDE TRACK (14 CM)	16 X 6.5 IN (41 X 17 CM)
TONS/ HOUR	79 TONS	79 TONS	90 TONS	90 TONS	102 TONS

ENHANCED OR STEP-UP FEATURE

PROFESSIONAL SERIES



**BILLIONS OF SNOWFLAKES VS. ONE MACHINE.
SEEMS ABOUT RIGHT.**



The deepest, heaviest snowfalls are given their last rites the moment you fire up this 420cc engine. You don't need to be a professional to own one, just the desire to move as much snow in as little time as possible. Go ahead, upgrade your amateur status and throw like the pros as you tame the wildest of snowstorms with ease.

I still use my Dad's Ariens from 1972. It's been in Buffalo the entire time so you can imagine how much snow it's seen.

Will R
Buffalo, NY



VISIT ARIENS.COM FOR DETAILS

POWER BRUSH SERIES



THE ULTIMATE BRUSH WITH GREATNESS.



The Ariens® Power Brush is an equal opportunity sweeper removing anything in its path. Snow, slush, sleet, leaves, sand, gravel or whatever is covering your pavement can quickly be swept away. Its 40-degree pivoting head pushes debris 20 degrees in either direction. This is a true utility machine that can be put to work year-round.

Sidewalks, parking lots, walkways, you name it... I can use this everywhere that needs a quick clearing before all the students arrive.

Frank K.
New York, NY



VISIT ARIENS.COM FOR DETAILS

ALL-STEEL CONSTRUCTION

With an all-steel Ariens® construction, the power brush is built to stand the test of time

ELECTRIC START

Starts easily, even in extreme conditions

LED HEADLIGHT

Early morning or late at night, remove snow when you need with added visibility

CAST-IRON GEAR CASE

Our rugged gear case leads the industry by producing an unmatched auger ratio to clear more snow. Equally impressive is its industry-leading 5-year warranty

1 YEAR
LTD. COMMERCIAL
WARRANTY



POWER BRUSH 28



POWER BRUSH 36



HYDRO POWER BRUSH 36

MODEL OVERVIEW

DESIGNATION	POWER BRUSH 28	POWER BRUSH 36	HYDRO POWER BRUSH 36
MODEL #	921067	926087	926088
ENGINE	ARIENS AX 179CC	KOHLER CH395 277CC	KOHLER CH395 277CC
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	12V KEY START
CLEARING WITHH	28 IN (71.2 CM)	36 IN (91.4 CM)	36 IN (91.4 CM)
BRUSH ROTATION	20' EACH DIRECTION	20' EACH DIRECTION	20' EACH DIRECTION
DRIVE TYPE	DISC-O-MATIC	DISC-O-MATIC	HYDROSTATIC
BRUSH DIAMETER	18 IN (45.7 CM)	25 IN (63.5 CM)	25 IN (63.5 CM)
SPEEDS	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	VARIABLE
COMMERCIAL WARRANTY	90 DAY COMMERCIAL	1 YEAR COMMERCIAL	1 YEAR COMMERCIAL

ENHANCED OR STEP-UP FEATURE

THIS IS OUR ANSWER TO
SNOWME GEDDON.



SPECIAL EDITIONS
EXCLUSIVELY FROM ARIENS®

PLATINUM
GREAT LAKES
 EDITION™



WHEN ITS COLD AND WET, IT'S JUST WARMING UP.



Lake effect snowfalls are legendary, and this machine was built to put them in their place. A powerful EFI engine delivers consistent power while its heated handgrips keep you comfortable in the worst conditions. It may be named for the heavy snowfalls that happen around the Great Lakes, but it's perfect for folks hit by Nor'easter storms too. Or anyone who needs a powerful, no-nonsense Sno-Thro®.



VISIT ARIENS.COM FOR DETAILS

MODEL OVERVIEW

DESIGNATION	PLATINUM 24 SHO EFI GREAT LAKES EDITION™
MODEL #	921066
ENGINE	ARIENS AX 369CC EFI (17 FT/LBS)
STARTING SYSTEM	120V/RECOIL
HOUSING	24 X 21 IN (60.1 X 53.3 CM)
THROWING DISTANCE	3 - 55 FT (0.9-16.7 M)
CHUTE ROTATION	ELECTRIC JOYSTICK
AUGER DIAMETER	14 IN (35.5 CM)
HEADLIGHT	LED HEADLIGHT & LIGHT BAR
SKID SHOES	POLY REVERSIBLE
TIRE SIZE	16 X 4.8 IN (41 X 12 CM)
SPEEDS	6 FORWARD 2 REVERSE
TONS/ HOUR	90 TONS

I love my Great Lakes! Ariens has made one heck of a machine!

— Robb C.
 Claremont, NH

THUMB JOYSTICK ELECTRIC CHUTE

Move the chute without moving your whole hand

6" LED LIGHTBAR

Top-of-the-line in brightness and output

EFI ENGINE

Our Electronic Fuel Injection engine is easy starting, requires less maintenance and provides efficiency and performance, even at high altitude snow removal

HAND WARMERS

Stay warm and comfortable with our premium hand warmers

SUPER HIGH OUTPUT IMPELLER (SHO)

Move through heavy, wet snow with ease with our exclusive SHO Technology



3 YEAR
LTD. RESIDENTIAL
 WARRANTY

1 YEAR
LTD. COMMERCIAL
 WARRANTY



MODEL OVERVIEW

DESIGNATION	PROFESSIONAL 28 HYDRO EFI RAPIDTRAK™ ALPINE EDITION™
MODEL #	926091
ENGINE	ARIENS AX 420CC EFI (21FT/LBS)
STARTING SYSTEM	120V/RECOIL
HOUSING	28 X 23.5 IN (71.1 X 59.7 CM)
THROWING DISTANCE	3 - 60 FT (.9-18.2 M)
CHUTE ROTATION	ELECTRIC JOYSTICK
AUGER DIAMETER	16 IN (40.6 CM)
HEADLIGHT	LED HEADLIGHT & LIGHT BAR
SKID SHOES	COMM SKIDS
TIRE SIZE	5.5 IN WIDE TRACK (14 CM)
SPEEDS	INFINITELY VARIABLE
TONS/ HOUR	79 TONS

Seriously, is there any other snowblower? Ariens is the REAL King of Snow. Period.

— John N.
Brunswick, OH

RAPIDTRAK™ VERSATILITY

Gives you the best traction for any condition on any terrain

HYDROSTATIC DRIVE

Destroy drifts at will with infinite speed control and all the torque you need with the push of a lever

THUMB JOYSTICK ELECTRIC CHUTE

Move the chute without moving your whole hand

6" LED LIGHTBAR

Top-of-the-line in brightness and output

AUTO-TURN™ STEERING

Effortless, zero-degree turning radius



3 YEAR
LTD. RESIDENTIAL
WARRANTY

1 YEAR
LTD. COMMERCIAL
WARRANTY

PROFESSIONAL
ALPINE
EDITION™



CREATES AN AIRBORNE AVALANCHE.

The Alpine Edition was inspired by the Alps monumental snowfalls. To remove the tons of snow they receive requires power, and lots of it. That's exactly what this Professional model delivers. When you see the Alpine badge, you'll know you have the machine that is the pinnacle of power, designed for mountain peaks and peak performance.



VISIT ARIENS.COM FOR DETAILS



PROFESSIONAL MOUNTAINEERING EDITION™



TREATS MOUNTAINS OF SNOW LIKE MOLE HILLS.



When asked why they climb, a mountain climber responds, "Because it's there." We took a less philosophical approach to creating the Mountaineering Edition. We built it because there's lots of snow there, and plenty of other places too. You don't have to live on a mountain to need this Special Edition Sno-Thro®, you just have to have a need to tackle the harsh reality that is winter.



VISIT ARIENS.COM FOR DETAILS

MODEL OVERVIEW

DESIGNATION	PROFESSIONAL 32 HYDRO EFI RAPIDTRAK™ MOUNTAINEERING EDITION™
MODEL #	926521
ENGINE	ARIENS AX 420CC EFI (17 FT/LBS)
STARTING SYSTEM	12V KEY START/ RECOIL
HOUSING	32 X 23.5 IN (81.3 X 59.7 CM)
THROWING DISTANCE	3 - 60 FT (0.9-16.7 M)
CHUTE ROTATION	ELECTRIC JOYSTICK
AUGER DIAMETER	16 IN (35.5 CM)
HEADLIGHT	LED HEADLIGHT & AND LIGHT BAR
SKID SHOES	COMM SKIDS
TIRE SIZE	5.5 IN WIDE TRACK (14 CM)
SPEEDS	VARIABLE
TONS/ HOUR	90 TONS

Kicking the winter season with
my Ariens...one blow at a time!

— *Richard A.*
Perham, MN

12V BATTERY KEY START

Reliable and convenient, turn the key and start throwing

1.84 GAL. FUEL CAPACITY

A big fuel tank means fewer breaks to refill

THUMB JOYSTICK ELECTRIC CHUTE

Move the chute without moving your whole hand

RAPIDTRAK™ VERSATILITY

Gives you the best traction for any condition on any terrain

6" LED LIGHTBAR

Top-of-the-line in brightness and output



3 YEAR
LTD. RESIDENTIAL
WARRANTY

1 YEAR
LTD. COMMERCIAL
WARRANTY





MODEL OVERVIEW

DESIGNATION	KRAKEN™ 32 HYDRO EFI RAPIDTRAK™ EDITION
MODEL #	926520
ENGINE	ARIENS AX 420CC EFI (21 FT/LBS)
STARTING SYSTEM	12V KEY START/RECOIL
HOUSING	32 X 23.5 IN (81.3 X 59.7 CM)
THROWING DISTANCE	3 - 60 FT (.9-18.2 M)
CHUTE ROTATION	ELECTRIC JOYSTICK
AUGER DIAMETER	16 IN (40.6 CM)
HEADLIGHT	21" LED LIGHT BAR, LED HEADLIGHT, LED CHUTE LIGHT & REAR DOWN-FACING LIGHT
SKID SHOES	COMM SKIDS
TIRE SIZE	5.5 IN WIDE TRACK (14 CM)
SPEEDS	INFINITELY VARIABLE
TONS/ HOUR	90 TONS

I've always been impressed with Ariens equipment. Great quality!

— *Karl W.*
Subury, VT

ELECTRIC TRACK ACTUATOR

At the press of a button, adjust your track setting from wheeled to track, to dig-in mode

FULL SURROUND LIGHTING

With the added chute and downward facing LED lights, you can light up the night, and your path, from every angle

THUMB JOYSTICK ELECTRIC CHUTE

Move the chute without moving your whole hand.

12V BATTERY KEY START

Reliable and convenient, turn the key and start throwing

21" LED LIGHTBAR

Top-of-the-line in brightness and output



KRAKEN™ EDITION



A LEGENDARY MACHINE WITH A MONSTROUS APPETITE.

No matter what snowfall it's up against, the Kraken™ will come out victorious. It has features upon features with extra-added features just to make sure the snow knows who's boss. It's been said when Hell freezes over, this will be the machine it uses to clear it. Well, we couldn't agree more.



VISIT ARIENS.COM FOR DETAILS





**WHATEVER
IS IN FRONT
OF IT WON'T
BE FOR LONG.**

*It doesn't matter if it's snow, ice or sleet.
If something needs clearing, the Mammoth™ will clear it.*





**PLOW IT.
SWEEP IT.
THROW IT.
BRINE IT.
CLEAR IT.**

The MAMMOTH™ is a go anywhere, clear anything, four-wheel drive
beast of a machine that handles the biggest jobs.

MAMMOTH™ 850

BEST-IN-CLASS ENGINE

28.5hp Kawasaki 850V-EFI engine, and Electronic Fuel Injection for cold days and reliable starting

FOUR-WHEEL DRIVEN POWER

Parker HP2 Pumps and Parker motors provide power and control to all four corners

CONVENIENT DASH LAYOUT

Controls are at your fingertips. One hand drives while the other works the attachment joystick

EASY USE & MAINTENANCE

Snowzilla Quick-Attach and our one-plug electrical connection system eliminate hydraulic hoses and their fluid, meaning fewer points of service.

COMFORT & SAFETY FEATURES

- Dual ultra-bright LED light strips in front and a single rear LED light for back lighting
- Standard hand warmers for the coldest days
- Dampened operator platform for all-day comfort
- Textured and bolstered operator pad for maximum control and comfort
- Operator Presence Control (OPC) integrated into left steering lever

IT DWARFS THE COMPETITION.

This stand-on snow-clearing behemoth was designed and built unlike anything anyone has seen before. From its best-in-class engine to its beefy, four-wheel-driven tires, there is not a snow-covered path it cannot clear with ease. With its Snowzilla Quick Attachment system™, you'll quickly see how the Mammoth is wreaking vengeance on snow.



2 YEAR
OR
500 HOURS
WARRANTY

VISIT ARIENS.COM FOR DETAILS



IT'S LIKE THE SWISS ARMY KNIFE OF SNOW REMOVAL VEHICLES.



V-PLOW BLADE

- Multiple Uses: V-plow, straight blade, and scope mode, all in one
- Trip Edge Blade Design keeps you plowing over uneven surfaces
- Float and Down-Pressure protects the surface, operator, and tractor; helps clear heavily packed snow
- (OPTIONAL ACCESSORY) 6" Wing Kit extends width to the blade while delivering even better control over snow at plow edges



48" BLADE

- Pivots 30 degrees left and right for 60-degrees total pivot
- Single joystick puts all controls right at your fingertips
- Standard steel scraper blade
- Poly scraper blade available
- Steel skid shoes available



44" POWER BRUSH

- Clears down to surface, allowing users to use less ice-melt product
- Low discharge height – safer for work in high-volume pedestrian areas
- Bristle discs can be changed individually if damaged
- Pivots 20 degrees left and right, all from one a single joystick, right at your fingertips
- Polymer bristle construction is durable yet gentle on delicate surfaces
- Driven by easy-to-connect PTO drive means quick connection and more power, with no belts or hoses



36" AND 48" SNOWBLOWER HEADS

- Throws over 60 feet
- 4-inch auger and 16-inch impeller
- Hooks into PTO driven means quick connection and more power, with no belts or hoses
- Steel scraper blade and skid shoes are standard
- Chute rotates 200 degrees and dual-hinged deflector allow you to put snow right where you need it - all from two simple dash controls



SALT SPREADER DE-ICING SYSTEM

- Rear-mounted drop-spreader
- Dash-mounted panel puts all controls right operator's fingertips
- Category-leading 2.0 cu ft capacity

BRINE DE-ICING SYSTEM

- 20-gallon tank with available kit that includes pump, controller, spray nozzles and spray wand
- All controls mounted to dash mean quick and easy use without taking your eyes off your path
- Works with rotary brush, snow head, and blade attachments

AT ARIENS® STANDARDS ARE STUBBORN THINGS.

YOU WOULDN'T BELIEVE WHAT AN ARIENS SNO-THRO® GOES THROUGH TO GET TO YOUR GARAGE.

Your Ariens needs to be ready to perform no matter the conditions. That's why we seek out the toughest conditions and put our machines through exhaustive testing. In temperatures plummeting to -20 degrees Fahrenheit, engineers chew through tons of wet, back-breaking, lake-effect snow to ensure every feature lives up to the legendary performance only an Ariens Sno-Thro can deliver.



PRODUCT SPECIFICATIONS

DESIGNATION	S18	S18E	PATH-PRO® 208E	PATH-PRO® 208EC	PROFESSIONAL 21 SSR	PROFESSIONAL 21 SSRC
MODEL #	938026	938027	938032	938033	938024	938025
STAGE TYPE	SINGLE STAGE	SINGLE STAGE	SINGLE STAGE	SINGLE STAGE	SINGLE STAGE	SINGLE STAGE
ENGINE POWER	99CC (4.1 FT/LBS)	99CC (4.1 FT/LBS)	208CC (9.5 FT/LBS)	208CC (9.5 FT/LBS)	208CC (9.5 FT/LBS)	208CC (9.5 FT/LBS)
ENGINE BRAND	ARIENS AX	ARIENS AX	ARIENS AX	ARIENS AX	ARIENS AX	ARIENS AX
STARTING SYSTEM	RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL	RECOIL	RECOIL
CLEARING WIDTH	18 IN (45.7 CM)	18 IN (45.7 CM)	21 IN (53.3 CM)	21 IN (53.3 CM)	21 IN (53.3 CM)	21 IN (53.3 CM)
HOUSING HEIGHT	12 IN (30.5 CM)	12 IN (30.5 CM)	12.2 IN (31 CM)	12.2 IN (31 CM)	12.1 IN (30.7 CM)	12.1 IN (30.7 CM)
THROWING DISTANCE	3 - 25 FT (.9 - 7.6 M)	3 - 25 FT (.9 - 7.6 M)	3 - 35 FT (.9 - 10.7 M)	3 - 35 FT (.9 - 10.7 M)	3 - 35 FT (.9 - 10.7 M)	3 - 35 FT (.9 - 10.7 M)
CHUTE TURNING RADIUS	210°	210°	210°	210°	210°	210°
CHUTE ROTATION	MANUAL	MANUAL	MANUAL	REMOTE	MANUAL	REMOTE
DEFLECTOR CONTROL	MANUAL	MANUAL	MANUAL	MANUAL	MANUAL	MANUAL
TIRE SIZE	6 X 1.5 IN (15.2 X 3.8 CM)	6 X 1.5 IN (15.2 X 3.8 CM)	7.5 X 1.75 IN (19.1 X 4.4 CM)	7.5 X 1.75 IN (19.1 X 4.4 CM)	7.5 X 2 IN (19.1 X 5.1 CM)	7.5 X 2 IN (19.1 X 5.1 CM)
STEERING	SOLID UNLOCKED	SOLID UNLOCKED	SOLID UNLOCKED	SOLID UNLOCKED	SOLID UNLOCKED	SOLID UNLOCKED
DRIVE TYPE	AUGER PROPELLED	AUGER PROPELLED	AUGER PROPELLED	AUGER PROPELLED	AUGER PROPELLED	AUGER PROPELLED
SPEEDS	1 FORWARD	1 FORWARD	1 FORWARD	1 FORWARD	1 FORWARD	1 FORWARD
AUGER DIAMETER	7.0 IN (17.8 CM)	7.0 IN (17.8 CM)	8.375 IN (21.3 CM)	8.375 IN (21.3 CM)	8.375 IN (21.3 CM)	8.375 IN (21.3 CM)
AUGER TYPE	REINFORCED RUBBER	REINFORCED RUBBER	REINFORCED RUBBER	REINFORCED RUBBER	COMMERCIAL GRADE HIGH-WEAR RUBBER	COMMERCIAL GRADE HIGH-WEAR RUBBER
SCRAPER BAR	POLYMER FIXED	POLYMER FIXED	POLYMER ADJUSTABLE	POLYMER ADJUSTABLE	POLYMER AUTO-ADJUSTING	POLYMER AUTO-ADJUSTING
PRODUCT WARRANTY	2YR RES, 90DAY COMM	2YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 1YR COMM	3YR RES, 1YR COMM
LENGTH	44 IN (111.8 CM)	44 IN (111.8 CM)	54.3 IN (137.9 CM)	54.3 IN (137.9 CM)	50.8 IN (129.0 CM)	50.8 IN (129.0 CM)
WIDTH	20 IN (50.8 CM)	20 IN (50.8 CM)	21.6 IN (54.9 CM)	21.6 IN (54.9 CM)	21.2 IN (53.8 CM)	21.2 IN (53.8 CM)
HEIGHT	37 IN (94 CM)	37 IN (94 CM)	40.9 IN (103.9 CM)	40.9 IN (103.9 CM)	41.7 IN (105.9 CM)	41.7 IN (105.9 CM)
WEIGHT	59 LBS (26.76 KG)	59 LBS (26.76 KG)	95 LBS (43.1 KG)	97 LBS (43.9 KG)	87 LBS (39.46 KG)	89 LBS (40.37 KG)
ACCESSORIES AT A GLANCE	FLOOR MAT, SNO-THRO COVER, HIGH WEAR PADDLES	FLOOR MAT, SNO-THRO COVER	FLOOR MAT, SNO-THRO COVER			



VISIT [ARIENS.COM](https://www.ariens.com) FOR DETAILS

PRODUCT SPECIFICATIONS

RAPIDTRAK

DESIGNATION	CLASSIC 24	COMPACT 24	COMPACT 24 RAPIDTRAK*	DELUXE 24
MODEL #	920025	920029	920032	921045
STAGE TYPE	TWO STAGE	TWO STAGE	TWO STAGE	TWO STAGE
ENGINE POWER	208CC (9.5 FT/LBS)	223CC (10 FT/LBS)	223CC (10 FT/LBS)	254CC (12.5 FT/LBS)
ENGINE BRAND	ARIENS AX	ARIENS AX	ARIENS AX	ARIENS AX
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL
CLEARING WIDTH	24 IN (61.0 CM)	24 IN (61.0 CM)	24 IN (61.0 CM)	24 IN (61.0 CM)
HOUSING HEIGHT	20 IN (50.8 CM)	20 IN (50.8 CM)	20 IN (50.8 CM)	21 IN (53.3 CM)
THROWING DISTANCE	3 - 40 FT (.9 - 12.2 M)	3 - 40 FT (.9 - 12.2 M)	3 - 40 FT (.9 - 12.2 M)	3 - 50 FT (.9 - 15.2 M)
CHUTE TURNING RADIUS	205°	205°	205°	200°
CHUTE ROTATION	2.5X QUICK TURN	2.5X QUICK TURN	2.5X QUICK TURN	2.5X ICE DRILL
DEFLECTOR CONTROL	REMOTE	REMOTE	REMOTE	REMOTE
HEADLIGHT	N/A	HALOGEN	LED	LED
TIRE SIZE	13 X 4 IN (33 X 10 CM)	15 X 5 IN (38 X 13 CM)	5.5 IN WIDE TRACK (14 CM)	16 X 4.8 IN (41 X 12 CM)
TIRE TYPE	POLAR TRAC	DIRECTIONAL SNOW TIRES	DIRECTIONAL SNOW TRACK	DIRECTIONAL SNOW TREAD
STEERING	PIN LOCK	AUTO-TURN™	AUTO-TURN™	AUTO-TURN
DRIVE TYPE	DISC-O-MATIC	DISC-O-MATIC	DISC-O-MATIC	DISC-O-MATIC
SPEEDS	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE
GEAR CASE	ALUMINUM	CAST IRON	CAST IRON	CAST IRON
GEAR CASE WARRANTY	3YR RES, 90DAY COMM	5YR RES, 1YR COMM	5YR RES, 1YR COMM	5YR RES, 1YR COMM
IMPELLER PROFILE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE
IMPELLER DIAMETER	12 IN (30.5 CM)	12 IN (30.5 CM)	12 IN (30.5 CM)	14 IN (35.6 CM)
AUGER DIAMETER	11 IN (27.9 CM)	11 IN (27.9 CM)	11 IN (27.9 CM)	14 IN (35.6 CM)
AUGER TYPE	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED
SKID SHOES	STEEL REVERSIBLE	STEEL REVERSIBLE	STEEL REVERSIBLE	STEEL REVERSIBLE
SCRAPER BAR	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE
PRODUCT WARRANTY	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM
LENGTH	54.4 IN (138.2 CM)	53.3 IN (135.4 CM)	53.3 IN (135.4 CM)	58.6 IN (148.8 CM)
WIDTH	26.4 IN (67.1 CM)	26.4 IN (67.1 CM)	26.4 IN (67.1 CM)	26.4 IN (67.1 CM)
HEIGHT	42.9 IN (109 CM)	44 IN (112 CM)	44 IN (112 CM)	45.3 IN (115.6 CM)
WEIGHT	173.7 LBS (78.8 KG)	187 LBS (84.4 KG)	220 LBS (99.8 KG)	245.5 LBS (111.4 KG)
ACCESSORIES AT A GLANCE	TIRE CHAINS, DRIFT CUTTER KIT, FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	TIRE CHAINS, HANDWARMER KIT, DRIFT CUTTER KIT, FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	HANDWARMER KIT, DRIFT CUTTER KIT, FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	HANDWARMER KIT, TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, DRIFT CUTTER KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER

PRODUCT SPECIFICATIONS

DESIGNATION	DELUXE 28	DELUXE 28 SHO	DELUXE 30	DELUXE 30 EFI
MODEL #	921046	921048	921047	921049
STAGE TYPE	TWO STAGE	TWO STAGE	TWO STAGE	TWO STAGE
ENGINE POWER	254CC (12.5 FT/LBS)	306CC (15 FT/LBS)	306CC (15 FT/LBS)	306 CC EFI (15 FT/LBS)
ENGINE BRAND	ARIENS AX	ARIENS AX	ARIENS AX	ARIENS AX
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL
CLEARING WIDTH	28 IN (71.2 CM)	28 IN (71.2 CM)	30 IN (76.2 CM)	30 IN (76.2 CM)
HOUSING HEIGHT	21 IN (53.3 CM)	21 IN (53.3 CM)	21 IN (53.3 CM)	21 IN (53.3 CM)
THROWING DISTANCE	3 - 50 FT (.9 - 15.2 M)	3 - 55 FT (.9 - 16.7 M)	3 - 50 FT (.9 - 15.2 M)	3 - 50 FT (.9-15.2 M)
CHUTE TURNING RADIUS	200°	200°	200°	200°
CHUTE ROTATION	2.5X ICE DRILL	2.5X ICE DRILL	2.5X ICE DRILL	2.5X ICE DRILL
DEFLECTOR CONTROL	REMOTE	REMOTE	REMOTE	REMOTE
HEADLIGHT	LED	LED	LED	LED
TIRE SIZE	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)
TIRE TYPE	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TREAD
STEERING	AUTO-TURN	AUTO-TURN	AUTO-TURN	AUTO-TURN
DRIVE TYPE	DISC-O-MATIC	DISC-O-MATIC	DISC-O-MATIC	DISC-O-MATIC
SPEEDS	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE
GEAR CASE	CAST IRON	CAST IRON	CAST IRON	CAST IRON
GEAR CASE WARRANTY	5YR RES, 1YR COMM	5YR RES, 1YR COMM	5YR RES, 1YR COMM	5YR RES, 1YR COMM
IMPELLER PROFILE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE
IMPELLER DIAMETER	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)
AUGER DIAMETER	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)
AUGER TYPE	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED
SKID SHOES	STEEL REVERSIBLE	STEEL REVERSIBLE	STEEL REVERSIBLE	STEEL REVERSIBLE
SCRAPER BAR	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE
PRODUCT WARRANTY	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM
LENGTH	58.6 IN (148.8 CM)	58.6 IN (148.8 CM)	58.3 IN (148.1 CM)	58.3 IN (148.1 CM)
WIDTH	29.9 IN (75.9 CM)	29.9 IN (75.9 CM)	32.4 IN (82.3 CM)	32.4 IN (82.3 CM)
HEIGHT	45.3 IN (115.1 CM)	45.3 IN (115.1 CM)	45.5 IN (115.6 CM)	45.5 IN (115.6 CM)
WEIGHT	249.8 LBS (113.3 KG)	267.5 LBS (121.3 KG)	275.6 LBS (125 KG)	275.6 LBS (125 KG)
ACCESSORIES AT A GLANCE	HANDWARMER KIT, TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, DRIFT CUTTER KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	HANDWARMER KIT, TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, DRIFT CUTTER KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, DRIFT CUTTER KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, DRIFT CUTTER KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER

PRODUCT SPECIFICATIONS

RAPIDTRAK



DESIGNATION	PLATINUM 24 SHO	PLATINUM 24 SHO EFI GREAT LAKES EDITION™	PLATINUM 30 SHO	PLATINUM 28 RAPIDTRAK™	PLATINUM 24 SHO 90TH ANNIVERSARY EDITION
MODEL #	921063	921066	921064	921057	921933
STAGE TYPE	TWO STAGE	TWO STAGE	TWO STAGE	TWO STAGE	TWO STAGE
ENGINE POWER	369CC (17 FT/LBS)	369CC EFI (17 FT/LBS)	414CC (20 FT/LBS)	369CC (17 FT/LBS)	369CC (17 FT/LBS)
ENGINE BRAND	ARIENS AX	ARIENS AX	ARIENS AX	ARIENS AX	TECUMSEHPower SNOW KING®
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL	120V/RECOIL
CLEARING WIDTH	24 IN (61.0 CM)	24 IN (61.0 CM)	30 IN (76.2 CM)	28 IN (71.2 CM)	24 IN (61.0 CM)
HOUSING HEIGHT	21 IN (53.3 CM)	21 IN (53.3 CM)	21 IN (53.3 CM)	21 IN (53.3 CM)	21 IN (53.3 CM)
THROWING DISTANCE	3 - 55 FT (.9 - 16.7 M)	3 - 55 FT (.9 - 16.7 M)	3 - 55 FT (.9 - 16.7 M)	3 - 55 FT (.9 - 16.7 M)	3 - 55 FT (.9 - 16.7 M)
CHUTE TURNING RADIUS	200°	200°	200°	200°	200°
CHUTE ROTATION	QUICK TURN™	ELECTRIC JOYSTICK	QUICK TURN™	QUICK TURN™	QUICK TURN™
DEFLECTOR CONTROL	REMOTE	ELECTRIC	REMOTE	REMOTE	REMOTE
HEADLIGHT	LED	LED	LED	LED	LED
TIRE SIZE	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)	16 X 4.8 IN (41 X 12 CM)	5.5 IN WIDE TRACK (14 CM)	16 X 4.8 IN (41 X 12 CM)
TIRE TYPE	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TRACK	DIRECTIONAL SNOW TREAD
STEERING	AUTO-TURN	AUTO-TURN	AUTO-TURN	AUTO-TURN	AUTO-TURN
DRIVE TYPE	DISC-O-MATIC	DISC-O-MATIC	DISC-O-MATIC	DISC-O-MATIC	DISC-O-MATIC
SPEEDS	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE
GEAR CASE	CAST IRON	CAST IRON	CAST IRON	CAST IRON	CAST IRON
GEAR CASE WARRANTY	5YR RES, 1YR COMM	5 YR RES, 1YR COMM	5YR RES, 1YR COMM	5YR RES, 1YR COMM	5YR RES, 1YR COMM
IMPELLER PROFILE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE
IMPELLER DIAMETER	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)
AUGER DIAMETER	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)
AUGER TYPE	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED
SKID SHOES	POLY REVERSIBLE	POLY REVERSIBLE	POLY REVERSIBLE	POLY REVERSIBLE	POLY REVERSIBLE
SCRAPER BAR	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE
PRODUCT WARRANTY	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM	3YR RES, 90DAY COMM
LENGTH	58.3 IN (148.1 CM)	58.3 IN (148.1 CM)	58.3 IN (148.1 CM)	58.5 IN (148.6 CM)	58.3 IN (148.1 CM)
WIDTH	26.4 IN (67.1 CM)	26.4 IN (67.1 CM)	32.4 IN (82.3 CM)	30.4 IN (77.2 CM)	26.4 IN (67.1 CM)
HEIGHT	45.9 IN (116.6 CM)	45.9 IN (116.6 CM)	45.9 IN (116.6 CM)	45.3 IN (115.0 CM)	45.9 IN (116.6 CM)
WEIGHT	267 LBS (121.1 KG)	273 LBS (123.8 KG)	274 LBS (124.3 KG)	283 LBS (128.4 KG)	267 LBS (121.1 KG)
ACCESSORIES AT A GLANCE	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, DRIFT CUTTER KIT, SNO-THRO CAB, SNO-THRO COVER	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, DRIFT CUTTER KIT, SNO-THRO CAB, SNO-THRO COVER	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, DRIFT CUTTER KIT, FRONT WEIGHT KIT, SNO-THRO CAB, SNO-THRO COVER	FRONT WEIGHT KIT, DRIFT CUTTER KIT, SNO-THRO CAB, SNO-THRO COVER	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, DRIFT CUTTER KIT, FRONT WEIGHT KIT, SNO-THRO CAB, SNO-THRO COVER

PRODUCT SPECIFICATIONS

RAPIDTRAK

RAPIDTRAK

DESIGNATION	PROFESSIONAL 28	PROFESSIONAL 28 HYDRO EFI RAPIDTRAK™ ALPINE EDITION™	PROFESSIONAL 32	PROFESSIONAL 32 HYDRO RAPIDTRAK™ MOUNTAINEERING EDITION™	PROFESSIONAL 36 HYDRO EFI
MODEL #	926083	926091	926082	926521	926081
STAGE TYPE	TWO STAGE	TWO STAGE	TWO STAGE	TWO STAGE	TWO STAGE
ENGINE POWER	420CC (21 FT/LBS)	420CC EFI (21 FT/LBS)	420CC (21 FT/LBS)	420CC EFI (21 FT/LBS)	420CC EFI (21 FT/LBS)
ENGINE BRAND	ARIENS AX	ARIENS AX	ARIENS AX	ARIENS AX	ARIENS AX
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	120V/RECOIL	12V KEY START/ RECOIL	120V/RECOIL
CLEARING WIDTH	28 IN (71.2 CM)	28 IN (71.2 CM)	32 IN (81.3 CM)	32 IN (81.3 CM)	36 IN (91.4 CM)
HOUSING HEIGHT	23.5 IN (59.7 CM)	23.5 IN (59.7 CM)	23.5 IN (59.7 CM)	23.5 IN (59.7 CM)	23.5 IN (59.7 CM)
THROWING DISTANCE	3 - 60 FT (.9-18.2 M)	3 - 60 FT (.9-18.2 M)	3 - 60 FT (.9-18.2 M)	3 - 60 FT (.9-18.2 M)	3 - 60 FT (.9-18.2 M)
CHUTE TURNING RADIUS	200°	200°	200°	200°	200°
CHUTE ROTATION	QUICK TURN™	ELECTRIC JOYSTICK	QUICK TURN	ELECTRIC JOYSTICK	QUICK TURN
DEFLECTOR CONTROL	REMOTE	ELECTRIC	REMOTE	ELECTRIC	REMOTE
HEADLIGHT	LED	LED	LED	LED	LED
TIRE SIZE	16 X 4.8 IN (41 X 12 CM)	5.5 IN WIDE TRACK (14 CM)	16 X 6.5 IN (41 X 17 CM)	5.5 IN WIDE TRACK (14 CM)	16 X 6.5 IN (41 X 17 CM)
TIRE TYPE	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TRACK	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TRACK	DIRECTIONAL SNOW TREAD
STEERING	AUTO-TURN	AUTO-TURN	AUTO-TURN	AUTO-TURN	AUTO-TURN
DRIVE TYPE	DISC-O-MATIC	HYDROSTATIC	DISC-O-MATIC	HYDROSTATIC	HYDROSTATIC
SPEEDS	6 FORWARD 2 REVERSE	VARIABLE	6 FORWARD 2 REVERSE	VARIABLE	VARIABLE
GEAR CASE	CAST IRON	CAST IRON	CAST IRON	CAST IRON	CAST IRON
GEAR CASE WARRANTY	5YR RES, 5YR COMM	5YR RES, 5YR COMM	5YR RES, 5YR COMM	5YR RES, 5YR COMM	5YR RES, 5YR COMM
IMPELLER PROFILE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE	STEEL 3 BLADE
IMPELLER DIAMETER	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)	14 IN (35.6 CM)
AUGER DIAMETER	16 IN (40.6 CM)	16 IN (40.6 CM)	16 IN (40.6 CM)	16 IN (40.6 CM)	16 IN (40.6 CM)
AUGER TYPE	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED	STEEL SERRATED
SKID SHOES	COMM SKIDS	COMM SKIDS	COMM SKIDS	COMM SKIDS	COMM SKIDS
SCRAPER BAR	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE	STEEL ADJUSTABLE
PRODUCT WARRANTY	3YR RES, 1YR COMM	3YR RES, 1YR COMM	3YR RES, 1YR COMM	3YR RES, 1YR COMM	3YR RES, 1YR COMM
LENGTH	60.3 IN (153.2 CM)	60.3 IN (153.2 CM)	60.3 IN (153.2 CM)	60.3 IN (153.2 CM)	60.3 IN (153.2 CM)
WIDTH	30.2 IN (76.7 CM)	30.2 IN (76.7 CM)	34.2 IN (86.9 CM)	34.2 IN (86.9CM)	38.2 IN (97.0CM)
HEIGHT	46.6 IN (118.4 CM)	46.6 IN (118.4 CM)	46.6 IN (118.4 CM)	46.6 IN (118.4 CM)	46.6 IN (118.4 CM)
WEIGHT	311 LBS (141.1 KG)	339 LBS (153.7 KG)	339 LBS (153.8 KG)	389 LBS (176.5 KG)	320 LBS (145.2 KG)
ACCESSORIES AT A GLANCE	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER	TIRE CHAINS, TRACK DRIVE CONVERSION KIT, FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER



PRODUCT SPECIFICATIONS

RAPIDTRAK

DESIGNATION	KRAKEN™ 32 HYDRO RAPIDTRAK™ EDITION
MODEL #	926520
STAGE TYPE	TWO STAGE
ENGINE POWER	420CC EFI (21 FT/LBS)
ENGINE BRAND	ARIENS AX
STARTING SYSTEM	12V KEY START/ RECOIL
CLEARING WIDTH	32 IN (81.3 CM)
HOUSING HEIGHT	23.5 IN (59.7 CM)
THROWING DISTANCE	3 - 60 FT (.9-18.2 M)
CHUTE TURNING RADIUS	200°
CHUTE ROTATION	ELECTRIC JOYSTICK
DEFLECTOR CONTROL	ELECTRIC
HEADLIGHT	LED & 21" LIGHT BAR CHUTE CAP LIGHT, REAR DOWN LIGHT
TIRE SIZE	5.5 IN WIDE TRACK (14 CM)
TIRE TYPE	DIRECTIONAL SNOW TRACK
STEERING	AUTO-TURN
DRIVE TYPE	HYDROSTATIC
SPEEDS	VARIABLE
GEAR CASE	CAST IRON
GEAR CASE WARRANTY	5YR RES, 5YR COMM
IMPELLER PROFILE	STEEL 3 BLADE
IMPELLER DIAMETER	14 IN (35.6 CM)
AUGER DIAMETER	16 IN (40.6 CM)
AUGER TYPE	STEEL SERRATED
SKID SHOES	COMM SKIDS
SCRAPER BAR	STEEL ADJUSTABLE
PRODUCT WARRANTY	3YR RES, 1YR COMM
LENGTH	60.3 IN (153.2 CM)
WIDTH	34.2 IN (86.9 CM)
HEIGHT	46.6 IN (118.4 CM)
WEIGHT	389 LBS (176.5 KG)
ACCESSORIES AT A GLANCE	FRONT WEIGHT KIT, NON-ABRASIVE SKID SHOES, SNO-THRO CAB, SNO-THRO COVER

DESIGNATION	POWER BRUSH 28	POWER BRUSH 36	HYDRO POWER BRUSH 36
MODEL #	921067	926087	926088
ENGINE POWER	179CC	277CC	277CC
ENGINE BRAND	ARIENS AX	KOHLER® CH395	KOHLER® CH395
STARTING SYSTEM	120V/RECOIL	120V/RECOIL	12V KEY START/ RECOIL
CLEARING WIDTH	28 IN (71.2 CM)	36 IN (91.4 CM)	36 IN (91.4 CM)
TIRE SIZE	16 X 4.8 IN (41 X 12 CM)	16 X 6.5 IN (41 X 17 CM)	16 X 6.5 IN (41 X 17 CM)
TIRE TYPE	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TREAD	DIRECTIONAL SNOW TREAD
STEERING	AUTO-TURN	AUTO-TURN	AUTO-TURN
DRIVE TYPE	DISC-O-MATIC	DISC-O-MATIC	HYDROSTATIC
SPEEDS	6 FORWARD 2 REVERSE	6 FORWARD 2 REVERSE	VARIABLE
GEAR CASE	ALUMINUM	ALUMINUM	ALUMINUM
AUGER DIAMETER	18 IN (45.7 CM) BRUSH DIAMETER	25 IN (63.5 CM) BRUSH DIAMETER	25 IN (63.5 CM) BRUSH DIAMETER
AUGER TYPE	BRUSH	BRUSH	BRUSH
PRODUCT WARRANTY	3YR RES, 90DAY COMM	3YR RES, 1YR COMM	3YR RES, 1YR COMM
LENGTH	65 IN (165.1 CM)	72 IN (183 CM)	72 IN (183 CM)
WIDTH	33 IN (83.8 CM)	44 IN (111.8 CM)	44 IN (111.8 CM)
HEIGHT	44 IN (111.8 CM)	43 IN (109.2 CM)	43 IN (109.2 CM)
WEIGHT	238 LBS (107.9 KG)	373 LBS (169.2 KG)	403 LBS (182.8KG)
ACCESSORIES AT A GLANCE	SNOW CAB, FRONT CASTER WHEEL, DEBRIS DEFLECTOR, TIRE CHAINS, WIRE BRISTLES	SNOW CAB, FRONT CASTER WHEEL, DEBRIS DEFLECTOR, TIRE CHAINS, WIRE BRISTLES	SNOW CAB, FRONT CASTER WHEEL, DEBRIS DEFLECTOR, TIRE CHAINS, WIRE BRISTLES


PRODUCT SPECIFICATIONS

DESIGNATION	MAMMOTH™ 850
MODEL #	951001
ENGINE	KAWASAKI® 850V EFI
HORSEPOWER	28.5 HP
DISPLACEMENT	852 CC
STARTING SYSTEM	12V KEY START
GROUND SPEED	8 MPH FORWARD / 4 MPH REVERSE
TIRES	22X9 TERRA TRAC
DRIVE TYPE	4-WHEEL DRIVE
OPERATED IMPLEMENT ROTATION	ELECTRIC JOYSTICK
LIGHTS	TWO FORWARD LED HEADLIGHTS, ONE REAR LED LIGHT
HANDWARMERS	STANDARD
DRIVE SHAFT	PTO WITH AUTO STAY BACK COLLAR
ATTACHMENT SYSTEM	'SNOWZILLA' QUICK ATTACH SYSTEM
PRODUCT WARRANTY	2 YEAR OR 500 HOURS
LENGTH	58 IN.
WIDTH	35.8 IN
HEIGHT	49.5 IN.
AVAILABLE ACCESSORIES AT A GLANCE	20-GALLON BRINE DE-ICING SYSTEM, SALT SPREADER DE-ICING SYSTEM, HAZARD LIGHT KIT

ATTACHMENTS	48 IN. V-PLOW BLADE COMBO	48 IN. BLADE (PLOW)	44 IN. POWER BROOM
MODEL #	851007	851003	851004
JOYSTICK ADJUSTMENT	0 - 30 DEGREE BLADE ADJUSTMENT	0 - 30 DEGREE BLADE ADJUSTMENT	0 - 20 DEGREE BRUSH ANGLE
HEAD DIAMETER	N/A	N/A	25 IN. BRISTLE
TIRES	N/A	N/A	9 IN. CASTOR TIRES
SCRAPER BAR	REPLACEABLE STEEL SCRAPER EDGE	REPLACEABLE STEEL SCRAPER EDGE	N/A

ATTACHMENTS	36 IN. SNOW BLOWER IMPLEMENT	48 IN. SNOW BLOWER IMPLEMENT
MODEL #	851002	851001
CLEARING WIDTH	36 IN.	48 IN.
GEAR CASE	CAST IRON	CAST IRON
SHOES	COMMERCIAL GRADE	COMMERCIAL GRADE
CHUTE AND CAP ROTATION	ELECTRIC	ELECTRIC
CONNECTOR	QUICK-ATTACH SEALED ELECTRIC AND QUICK-CONNECT PTO	QUICK-ATTACH SEALED ELECTRIC AND QUICK-CONNECT PTO
THROWING DISTANCE	3-60+ FT.	3-60+ FT.

OUTFIT YOUR ARIENS® TO TACKLE ANY FORECAST.



HEATED HAND GRIPS

Stay comfortable in the coldest conditions with these ergonomically designed heated handle grips. Convenient dash controlled on/off switch included.

SNOW CAB

Protect yourself from the elements with a spacious, rugged, steel-frame Ariens Sno-Thro® cab. Freeze resistant windows protect against heavy snow, wind and snow blowback conditions.



TIRE CHAINS

Superior two-link spaced cross chains power over hills, ice and hard-packed snow. They can improve your traction in even the worst conditions.



SNO-THRO® COVER

The Ariens snow cover provides year-round protection for your Ariens snow blower. These covers are constructed of tough, durable, washable and tear-resistant denier polyester.



NON-ABRASIVE SKID SHOE

Durable polyethylene material resists wear while providing protection from scratching and marring the decorative surfaces surrounding your home.



FLOOR MAT

Available in two sizes, Ariens heavy-duty floor mats collect water from melting snow and provide a protective layer between your Sno-Thro® and your floor.



WE HAD ONE SHOT TO DO THIS
RIGHT.



We did more than hit the target. We created a world-class biathlon training center that will not only give Olympic hopefuls the chance to better their skills, but also be a place for recreation the entire community can enjoy. For cross-country skiing, biathlon, roller-skiing, running, hiking and more, there is no finer facility in the Midwest. And it's right here in Brillion Wisconsin. The Ariens Nordic Center. Exactly what you'd expect from the King of Snow.



Take your Ariens® to the next level with OEM accessories and upgrades that turn the best machines on the planet into the perfect machine for your property.

SCAN THIS CODE TO
ORDER YOUR PARTS
AND ACCESSORIES



ARIENS
NORDIC CENTER™
ARIENSNORDIC.COM



ARIENS.COM    

Registered trademark and ™ trademark of AriensCo., Kohler®, Kawasaki®, HydroGear® and TecumsehPower Snow King® and are registered trademarks of their respective companies. The engine horsepower information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower will be less. Visit www.ariens.com for a complete listing of engine manufacturer power rating information. Product features and specifications subject to change without notice. Photos are a representation of the product; actual product may vary.

© 2023 ARIENSCO. ALL RIGHTS RESERVED. 0723

