

# TECHNICAL SPECIFICATIONS

## 2026 KTM 250 DUKE

### ENGINE

Design	1-CYLINDER, 4-STROKE ENGINE
Displacement	249.07 CM <sup>3</sup>
Power	31 PS
Torque	25 NM
Transmission	6-SPEED
CO <sub>2</sub> emissions	63 G/KM
Cooling	LIQUID COOLED
Engine cylinder	SINGLE CYLINDER
EMS	BOSCH EMS WITH RBW
Engine oil	MOTOREX FORMULA 4T 15W/50
Engine stroke	4-STROKE

## CHASSIS

Brake disc diameters (front/rear)	320 / 240 MM
-----------------------------------	--------------

Front brake disc diameter	320 MM
---------------------------	--------

Rear brake disc diameter	240 MM
--------------------------	--------

Rear brake	SINGLE-PISTON FLOATING CALLIPER
------------	---------------------------------

Chain	520 X-RING
-------	------------

Frame design	STEEL TRELLIS FRAME, POWDER COATED
--------------	------------------------------------

Rear subframe design	ALUMINIUM, POWDER-COATED
----------------------	--------------------------

Wheelbase	1357 MM
-----------	---------

## SUSPENSION

Front suspension	WP APEX 43
------------------	------------

Suspension travel (front)	150 MM
---------------------------	--------

Suspension travel (rear)	150 MM
--------------------------	--------

Rear suspension addition	PRELOAD ADJUSTER
--------------------------	------------------

## DIMENSIONS

Seat height

**800 MM**

Weight fully fueled

**165 KG**

Front wheel diameter

**3 "**

Rear wheel diameter

**4 "**