

E20 Specs & Compare

▲ E20 Key Specifications

E20

Horsepower

15 hp

Operating Weight

4167 lbs

Arm Digging Force

2588 lbf

Travel Speed (Maximum)

2.5 mph

Bucket Digging Force

4121 lbf

Dig Depth

100.2 in

Max Dump Height

110.2 in

Reach at Ground Level

14.1 ft

Width

53.5 in

Tail Swing Overhang

0 in

▼ Engine

E20

Horsepower

15 hp

Engine Model

3TNV74F-SPBC1

Maximum Governed RPM

2400 rpm

▼ Performance

E20

Operating Weight

4167 lbs

Weight Class

2 t

Travel Speed - Low

1.3 mph

Arm Digging Force - Standard Arm

2588 lbf

Travel Speed (Maximum)

2.5 mph

Bucket Digging Force

4121 lbf

Rated Lift Capacity

1382 lbs

Lift Radius

118 in

Boom Swing - Left

80 deg

Boom Swing - Right

60 deg

Dig Depth - Standard Arm

100.2 in

Max Dump Height - Standard Arm

110.2 in

Maximum Reach at Ground Level

14.1 ft

▼ **Capacities**

E20

Fuel Tank

5.6 gal

▼ **Hydraulic System**

E20

Auxiliary Pressure

2611 psi

Auxiliary Std Flow

7.9 gpm

▼ **Dimensions**

E20

Width

53.5 in

Tail Swing Overhang - Standard Arm

0 in

▼ **Features**

E20

Hydraulic Quick Coupler

Not Applicable

Air Conditioning

Not Applicable

Swing Boom

Standard

Cab Enclosure

Optional

Cab Heater

Optional

Radio

Optional

Engine Shutdown

Standard

Auxiliary Hydraulics

Standard

Secondary Auxiliary Hydraulics

Not Applicable

Quick Tach System

Not Applicable

Rubber Track

Standard

Selectable Auxiliary Hydraulic Flow

Standard

Angle Blade

Not Applicable