

E55 Specs & Compare

▲ E55 Key Specifications

E55

Horsepower

49.7 hp

Operating Weight

11357 lbs

Arm Digging Force

6987 lbf

Travel Speed (Maximum)

2.8 mph

Bucket Digging Force

9511 lbf

Dig Depth

11.4 ft

Max Dump Height

13 ft

Reach at Ground Level

19.4 ft

Transport Length

208.7 in

Width

77.2 in

Cab Height

100.2 in

Tail Swing Overhang

0.6 in

Turbocharged Engine

Standard

▼ **Engine**

E55

Horsepower

49.7 hp

Engine Model

D18

Maximum Governed RPM

2200 rpm

Turbocharged Engine

Standard

▼ **Performance**

E55

Operating Weight

11357 lbs

Weight Class

5 t

Travel Speed - Low

1.8 mph

Arm Digging Force - Standard Arm

6987 lbf

Travel Speed (Maximum)

2.8 mph

Bucket Digging Force

9511 lbf

Rated Lift Capacity

6746 lbs

Lift Radius

118 in

Boom Swing - Left

75 deg

Boom Swing - Right

50 deg

Dig Depth - Standard Arm

11.4 ft

Max Dump Height - Standard Arm

13 ft

Maximum Reach at Ground Level

19.4 ft

▼ **Capacities**

E55

Fuel Tank

19 gal

▼ **Hydraulic System**

E55

Auxiliary Pressure

3045 psi

Auxiliary Std Flow

20 gpm

▼ **Dimensions**

E55

Length

208.66 in

Overall Transport Length - Standard Arm

208.7 in

Width

77.2 in

Cab Height

100.2 in

Tail Swing Overhang - Standard Arm

0.6 in

▼ **Features**

E55

Air Conditioning

Optional

Swing Boom

Standard

Cab Enclosure

Optional

Radio

Optional

Engine Shutdown

Standard

Auxiliary Hydraulics

Standard

Quick Tach System

Standard

Rubber Track

Standard

Selectable Auxiliary Hydraulic Flow

Standard

Angle Blade

Optional