

E60 Specs & Compare

E60 Key Specifications		
E60 (Long-Arm)	E60 (Extendable Arm)	E60
Horsepower		
55.7 hp	55.7 hp	55.7 hp
Operating Weight		
12315 lbs	12315 lbs	12315 lbs
Arm Digging Force		
6446 lbf	6446 lbf	6446 lbf
Travel Speed (Maximum)		
2.8 mph	2.8 mph	2.8 mph
Bucket Digging Force		
10261 lbf	10261 lbf	10261 lbf
Dig Depth		
13.1 ft	13.1 ft	13.1 ft
Max Dump Height		
14.3 ft	14.3 ft	14.3 ft
Reach at Ground Level		
20.5 ft	20.5 ft	20.5 ft
Transport Length		
218.3 in	218.3 in	218.3 in
Width		
77.2 in	77.2 in	77.2 in

Cab Height

100.1 in

100.1 in

100.1 in

Tail Swing Overhang

11.2 in

11.2 in

11.2 in

Turbocharged Engine

Standard

Standard

Standard

▼ Engine

E60 (Long-Arm)

E60 (Extendable Arm)

E60

Horsepower

55.7 hp

55.7 hp

55.7 hp

Engine Model

D24

D24

D24

Maximum Governed RPM

2200 rpm

2200 rpm

2200 rpm

Turbocharged Engine

Standard

Standard

Standard

▼ Performance

E60 (Long-Arm)

E60 (Extendable Arm)

E60

Operating Weight

12315 lbs

12315 lbs

12315 lbs

Weight Class

6 t

6 t

6 t

Travel Speed - Low

1.8 mph

1.8 mph

1.8 mph

Arm Digging Force - Standard Arm

6446 lbf

6446 lbf

6446 lbf

Travel Speed (Maximum)

2.8 mph

2.8 mph

2.8 mph

Bucket Digging Force

10261 lbf

10261 lbf

10261 lbf

Rated Lift Capacity

6411 lbs

6411 lbs

6411 lbs

Lift Radius

118 in

118 in

118 in

Boom Swing - Left

75 deg

75 deg

75 deg

Boom Swing - Right

50 deg

50 deg

50 deg

Dig Depth - Standard Arm

13.1 ft

13.1 ft

13.1 ft

Max Dump Height - Standard Arm

14.3 ft

14.3 ft

14.3 ft

Maximum Reach at Ground Level

20.5 ft

20.5 ft

20.5 ft

▼ Capacities

E60 (Long-Arm)

E60 (Extendable Arm)

E60

Fuel Tank

19 gal

19 gal

19 gal

▼ Hydraulic System

E60 (Long-Arm)

E60 (Extendable Arm)

E60

Auxiliary Pressure

3045 psi

3045 psi

3045 psi

Auxiliary Std Flow

20 gpm

20 gpm

20 gpm

▼ Dimensions

E60 (Long-Arm)

E60 (Extendable Arm)

E60

Length

218.3 in

218.3 in

218.3 in

Overall Transport Length - Standard Arm

218.3 in

218.3 in

218.3 in

Width

77.2 in

77.2 in

77.2 in

Cab Height

100.1 in

100.1 in

100.1 in

Tail Swing Overhang - Standard Arm

11.2 in

11.2 in

11.2 in

▼ Features

E60 (Long-Arm)

E60 (Extendable Arm)

E60

Air Conditioning

Optional

Optional

Optional

Swing Boom

Standard

Cab Enclosure

Standard

Standard

Optional

Optional

Optional

Cab Heater

Not Applicable

Not Applicable

Not Applicable

Heater Air Conditioning

Optional

Optional

Optional

Radio

Optional

Optional

Optional

Engine Shutdown

Standard

Standard

Standard

Auxiliary Hydraulics

Standard

Standard

Standard

Secondary Auxiliary Hydraulics

Optional

Optional

Optional

Quick Tach System

Standard

Standard

Standard

Rubber Track

Standard

Standard

Standard

Selectable Auxiliary Hydraulic Flow

Standard

Standard

Standard

Angle Blade

Optional

Optional

Optional

