

ZT6000e Specs & Compare

▲ ZT6000e Key Specifications

ZT6000e - 52" Deck

ZT6000e - 61" Deck

Deck Material

10-gauge layer top with 3-gauge and 7-gauge brackets throughout

10-gauge layer top with 3-gauge and 7-gauge brackets throughout

Baffle System

Replaceable, Air Gap

Replaceable, Air Gap

Blade Tip Speed - High

18500 ft/min

18500 ft/min

Blade Tip Speed - Low

17000 ft/min

17000 ft/min

Mower Deck

AirFX Cutting System

AirFX Cutting System

Leading Edge

Adjustable, Front Lip Standard

Adjustable, Front Lip Standard

Cutting Width

52.5 in

61 in

Weight

1446 lbs

1459 lbs

Width (Chute Down)

67.9 in

76.6 in

Height (ROPS Up)

75.4 in**75.4 in**

Height (ROPS Folded)

49.8 in**49.8 in**

Width (Chute Up)

56 in**64.6 in**

Length

82.3 in**83.2 in**

Reverse Speed - Low

3.1 mph**3.1 mph**

Forward Speed - High

10.9 mph**10.9 mph**

Reverse Speed - Medium

3.4 mph**3.4 mph**

Forward Speed - Medium

9 mph**9 mph**

Reverse Speed - High

4.1 mph**4.1 mph**

Forward Speed - Low

7 mph**7 mph**

Castor Tire Type

Pneumatic**Pneumatic**

Front Caster Wheel Size

15 x 6-6**15 x 6.5-6**

Drive Wheel Size

24 x 10.5-12

24 x 10.5-12

Estimated Run Time Range

4-8 hours (Mowable Acres: 16.4 - 20.5 for 52.5" Deck & Mowable Acres: 19.0 - 23.8 for 61" Deck) * **

4-8 hours (Mowable Acres: 19.0 - 23.8 for 61" Deck) * **

Battery Type

Lithium Ion

Lithium Ion

On-Board Charge Time - 120V

12.6 hrs

12.6 hrs - (Estimated Run Time: 4-6+ hrs. depending on grass-cutting conditions)

On-Board Charge Time - 240V

6.3 hrs

6.3 hrs - (Estimated Run Time: 4-6+ hrs. depending on grass-cutting conditions)

Gross Battery Capacity

20.4 kwh

20.4 kwh

System Voltage

58 v

58 v

Seat

High Back, Full Mechanical Suspension Seat

High Back, Full Mechanical Suspension Seat

Seat Adjustment

Seat Slide Lever

Seat Slide Lever

Operator Touch Screen Display

4.3" touchscreen display

4.3" touchscreen display

Fold Down ROPS

▼ Deck

ZT6000e - 52" Deck

Deck Material

10-gauge layer top with 3-gauge and 7-gauge brackets throughout

Baffle System

Replaceable, Air Gap

Blade Tip Speed - High

18500 ft/min

Blade Tip Speed - Low

17000 ft/min

Mower Deck

AirFX Cutting System

Leading Edge

Adjustable, Front Lip Standard

Discharge Chute

Flexible Molded Polymer

Cutting Width

52.5 in

▼ Performance

ZT6000e - 52" Deck

Weight

1446 lbs

▼ Dimensions

ZT6000e - 52" Deck

Height (ROPS Folded)

ZT6000e - 61" Deck

10-gauge layer top with 3-gauge and 7-gauge brackets throughout

Replaceable, Air Gap

18500 ft/min

17000 ft/min

AirFX Cutting System

Adjustable, Front Lip Standard

Flexible Molded Polymer

61 in

ZT6000e - 61" Deck

1459 lbs

ZT6000e - 61" Deck

49.8 in

49.8 in

Width (Chute Up)

56 in

64.6 in

Width (Chute Down)

67.9 in

76.6 in

Height (ROPS Up)

75.4 in

75.4 in

Length

82.3 in

83.2 in

Front and Rear

1.5- x 2.5-inch Steel Tubing; Welded Steel Reinforced Frame

1.5- x 2.5-inch Steel Tubing; Welded Steel Reinforced Frame

▼ Power/Electrical

ZT6000e - 52" Deck

ZT6000e - 61" Deck

Reverse Speed - Low

3.1 mph

3.1 mph

Drive Description

HD Planetary Gearbox w/ integrated parking brake

HD Planetary Gearbox w/ integrated parking brake

Forward Speed - High

10.9 mph

10.9 mph

Reverse Speed - Medium

3.4 mph

3.4 mph

Forward Speed - Medium

9 mph

9 mph

Reverse Speed - High

4.1 mph

4.1 mph

Forward Speed - Low

7 mph

7 mph

▼ **Wheels**

ZT6000e - 52" Deck

ZT6000e - 61" Deck

Castor Tire Type

Pneumatic

Pneumatic

Front Caster Wheel Size

15 x 6-6

15 x 6.5-6

Drive Wheel Size

24 x 10.5-12

24 x 10.5-12

▼ **Electrical System**

ZT6000e - 52" Deck

ZT6000e - 61" Deck

On-Board Charge Time - 120V

12.6 hrs

12.6 hrs - (Estimated Run Time: 4-6+ hrs. depending on grass-cutting conditions)

Estimated Run Time Range

4-8 hours (Mowable Acres: 16.4 - 20.5 for 52.5" Deck & Mowable Acres: 19.0 - 23.8 for 61" Deck) * **

4-8 hours (Mowable Acres: 19.0 - 23.8 for 61" Deck) * **

Battery Type

Lithium Ion

Lithium Ion

System Voltage

58 v

58 v

Gross Battery Capacity

20.4 kwh

20.4 kwh

On-Board Charge Time - 240V

6.3 hrs

6.3 hrs - (Estimated Run Time: 4-6+ hrs. depending on grass-cutting conditions)

▼ Seat

ZT6000e - 52" Deck

ZT6000e - 61" Deck

Seat

High Back, Full Mechanical Suspension Seat

High Back, Full Mechanical Suspension Seat

Seat Adjustment

Seat Slide Lever

Seat Slide Lever

▼ Features

ZT6000e - 52" Deck

ZT6000e - 61" Deck

Operator Touch Screen Display

4.3" touchscreen display

4.3" touchscreen display

Fold Down ROPS

Standard

Standard