

# TECHNICAL SPECIFICATIONS

## 2026 KTM 350 XC-F FACTORY EDITION

### ENGINE

Design	1-CYLINDER, 4-STROKE ENGINE
Displacement	349.7 CM <sup>3</sup>
Transmission	6-SPEED
Fuel-mixture generation	KEIHIN EFI, THROTTLE BODY 44 MM
EMS	KEIHIN EMS
Clutch primary drive teeth	72
Primary drive	24:72
Clutch	WET MULTI-DISC CLUTCH, BREMBO HYDRAULICS
Engine cylinder	SINGLE CYLINDER

## CHASSIS

Frame design	<b>CENTRAL DOUBLE-CRADLE-TYPE 25CRM04 STEEL</b>
Front brake	<b>DISC BRAKE</b>
Rear brake	<b>DISC BRAKE</b>
Rear subframe design	<b>ALUMINUM-REINFORCED POLYAMIDE</b>
Chain	<b>520, NON-SEALED</b>

## SUSPENSION

Front suspension	<b>WP XACT CLOSED CARTRIDGE Ø 48 MM</b>
Rear suspension	<b>WP XACT MONOSHOCK WITH LINKAGE</b>
Suspension travel (front)	<b>300 MM</b>
Suspension travel (rear)	<b>300 MM</b>

## DIMENSIONS

Seat height	<b>954 MM</b>
Ground clearance	<b>343 MM</b>
Tank capacity (approx.)	<b>8.5 L</b>
Weight (without fuel)	<b>104.9 KG</b>

