



VESPA PRIMAVERA TECH 150 – TECHNICAL SPECIFICATIONS

ENGINE Single cylinder 4-stroke, 3 valves, i-get
ENGINE CAPACITY 155 cc
BORE X STROKE 58 mm x 58.6 mm
MAX POWER AT THE CRANK SHAFT 9.2 kW - 12.5 HP - at 7,750 rpm
MAX TORQUE 12.5 Nm at 6,500 rpm
CONSUMPTION 37 km/l
CO2 EMISSIONS 63 g/km
COMPLIANCE
FUEL SYSTEM Electronic injection
COOLING Forced air
STARTER Electric
GEARBOX CVT continuously variable transmission with torque server
CLUTCH Automatic centrifugal dry clutch with vibration dampers
LOAD-BEARING Sheet steel body with welded reinforcements
STRUCTURE
FRONT SUSPENSION Single-sided link arm with coil spring and hydraulic monoshock absorber
REAR SUSPENSION Coil spring with preload adjustable to 4 positions and hydraulic monoshock absorber
FRONT BRAKE Ø 200 mm stainless steel disc with hydraulic control
REAR BRAKE Ø 140 mm drum mechanically operated
ABS SYSTEM Single channel ABS
FRONT TYRE Tubeless 110/70 - 12"
REAR TYRE Tubeless 120/70 - 12"
LENGTH / WIDTH / WHEELBASE 1,870 / 750 / 1,340 mm
SEAT HEIGHT 785 mm
FUEL TANK CAPACITY 7.5 litres
EMISSIONS COMPLIANCE Euro 5+