



Zero-Turn Mowers



PZ AND P-ZT SERIES

Handle the big jobs with quicker turn around.

The PZ Series represents the latest in high-performance mowing. Their drive systems, operator interface and cutting deck designs deliver superior cut quality and clipping dispersal, all at higher ground speeds. Careful consideration of components and design not only provide extended durability, but unprecedented ease of service access.

PZ 72



- High-Performance Kawasaki FX Series Engines
- 7-Gauge Fabricated Deck
- Convenient, Intuitive Ergonomics and Controls
- Optimized Air Flow and Discharge Performance

**PERFORM
LIKE A PRO**
WITH HUSQVARNA



Husqvarna P-ZT Series – Industry Leading Design and Performance.

The P-ZT Series combines the rugged chassis, heavy-duty casters, convenient interface and clean service access from the PZ Series, with new commercial-duty cutting decks and integrated drive systems. The open design allows for better access to service areas and the frame also incorporates tie-down points for securing the unit during transport.



HIGH PRODUCTIVITY

The deck design was developed using CFD (Computational Fluid Dynamics) to optimize air flow for superior cut quality and discharge performance. In addition P-ZT Series mowers are built with a 10-gauge fabricated deck.


EXTENDED DURABILITY

Cast-iron lift arms and spindles, premium commercial engines and oversized hydro systems all combine to make a product that will not only be productive, but will stay in the field longer.



SMART DESIGN

Simplicity of design and execution allows for better utilization of available space, cleaner access and a service friendly environment.



OPTIONAL ACCESSORIES

Versatile accessories allow tough jobs to become easy. From collection systems, to light kits and mulching kits, these options allow users to face any mowing challenges.



COMFORTABLE & PRODUCTIVE



The specially designed suspension seat provides maximum support, even over extended periods.

A combination of mechanical suspension and Elastomeric Vibration Control (EVC) technology, smooth out the rough terrain to keep the operator in comfortable control.



Low, Wide Stance
Increases Stability

Rubber Deck
Discharge Chute

MZ AND M-ZT SERIES

The economical, commercial zero-turn mower.

MZ and M-ZT Series zero-turn mowers from Husqvarna takes commercial value to a whole new level. The intuitive operator interface, 13-gauge 2" x 3" heavy-duty steel frame and commercial-rated hydraulic system provide the ultimate entry level commercial mowing experience. With durable steel decks that are mulch and collection capable, MZ and M-ZT mowers are the practical choice for all of your property maintenance needs.



MZ Series

- Large 22"-23" Rear Tires
- Mega-sized Welded Steel Frame
- Commercial-Rated Hydraulic Drive Systems
- Simple Foot-Operated Deck Lift
- Fabricated 11-Gauge Steel Deck (Select models)



**PERFORM
LIKE A PRO**

WITH HUSQVARNA



POWERFUL BRIGGS & STRATTON ENGINE

The powerful new 810 cc Endurance Commercial Series features cyclonic air filtration, improved cylinder head cooling, standard oil coolers and strengthened bearing areas for increased durability (on select models).

PEDAL-ASSISTED CUTTING DECK LIFT

The ergonomically designed deck lifting system offers easy, quick and precise cutting height adjustment from the operator's seat.



ROLL OVER PROTECTION SYSTEM (ROPS)

The practical, foldable ROPS protects the user and can be lowered in areas with low-hanging branches. Standard on M-ZT models.



COMFORTABLE STEERING

Dual levers with foam-padded hand grips and viscous dampeners reduce vibration and create a comfortable operator experience.



HEAVY-DUTY CONSTRUCTION

The commercial-quality cast-iron spindle housings are designed to provide years of trouble-free service.



RZ SERIES

Rugged performance for any size of property.

For manoeuvrability, efficiency and convenience in a homeowner zero-turn mower package, the RZ Series really delivers. True zero-turn mower performance with twin, maintenance-free integrated transmissions, heavy-duty wide front casters and a rugged tube steel frame. Air Induction™ cutting decks with a reinforced deck trim allow side ejection, optional mulch and are collection capable. Convenient control placement, foam padded steering levers and an adjustable seat make RZ Series mowers easy and enjoyable to operate.



- **SmartSwitch™ and ReadyStart® for Ride System – Automotive Like Starting.** (RZ 46i only)
- **Rugged 1.5" x 2" Tube Frame Design**
- **Convenient Seat Slide Spring Suspension**
- **Fully Adjustable and Dampened Steering Levers**
- **Fabricated Decks Featuring Twin Sheets of 11-Gauge Steel (on select models)**
- **High-Performance, Air Induction™ Cutting Decks**



**HUSQVARNA'S
EXCLUSIVE
SMARTSWITCH.TM
CONVENIENCE AT
THE TOUCH OF
A FINGER.**

Available on the RZ 46i



The new SmartSwitchTM ignition brings the convenience of one-touch starting, real-time feedback and "keyless" security to lawn equipment. No more complicated starting procedures, lost keys or concerns of leaving unattended.



One-Touch Start and Stop



Instant Battery Status



One-Touch Headlights



One-Touch Reverse Mowing

**READYSTART[®] FOR
RIDE SYSTEM – ENJOY
AUTOMOTIVE LIKE
STARTING.**



The automatic choke senses engine temperature and delivers the right amount of fuel for starting – every time. No more choking, no more flooding, no more hassles. It even makes cold weather starting easier.

RZ Series



RZ Compact



EASY SERVICEABILITY

We've designed our RZ Series residential mowers to be as easy to maintain as they are to operate. The removable foot plate provides easy access to deck components.

COMPACT DESIGN

The versatile design of our RZ Compact mower takes up almost the same room in a garage as a typical 21" mower. (30" shown). In addition, you'll enjoy worry-free performance with maintenance free, integrated zero-turn transmissions.



Fully Adjustable
and Dampened
Steering levers

Convenient Seat Slide
Spring Suspension

Professional
Tread Tires

Feather Light Deck Lift

Removable Foot Pan
for Easy Servicing

Rugged 1.5" x 2"
Tube Frame Design

RZ 5424

High-Performance, Air Induction[™] Cutting Decks

Convenient Water Hose Connection

Husqvarna Zero-Turn Mowers | Specifications

PZ Series Mowers

SPECIFICATIONS	P-ZT 48	P-ZT 54	P-ZT 60	PZ 60	PZ 72
Engine	Kawasaki FX	Kawasaki FX	Kawasaki FX	Kawasaki FX	Kawasaki FX
Hp* / Cylinder / cc	22 / V-Twin / 726	23.5 / V-Twin / 726	24.5 / V-Twin / 852	25.5 / V-Twin / 852	31 / V-Twin / 999
Cutting Width (in. / cm)	48 / 122	54 / 137	60 / 152	60 / 152	72 / 183
Deck Construction	10-Gauge Fabricated	10-Gauge Fabricated	10-Gauge Fabricated	7-Gauge Fabricated	7-Gauge Fabricated
Fuel Tank (gal. / L)	11 / 41.6	11 / 41.6	11 / 41.6	11 / 41.6	11 / 41.6
Drive System	ZT3400 Hydro-Gear	ZT3400 Hydro-Gear	ZT3400 Hydro-Gear	Hydro-Gear 16 cc with Fan/Parker Motors	Hydro-Gear 16 cc with Fan/Parker Motors
Top Speed (mph / km/h)	10 / 16.1	10 / 16.1	10 / 16.1	12 / 19.3	12 / 19.3
Productivity (acres / hectare/hr)	3.9 / 1.6	4.2 / 2.0	4.9 / 2.0	5.8 / 2.3	7.0 / 2.8
ROPS Kit	Standard (foldable)	Standard (foldable)	Standard (foldable)	Standard (foldable)	Standard (foldable)
Part Number	966 66 38-02	966 61 34-02	966 61 35-02	966 61 43-01	966 61 47-01

MZ Series Mowers

SPECIFICATIONS	MZ 5424S	MZ 52	MZ 52	MZ 61
Engine	Kawasaki FR	Kohler 7000	Kawasaki FX	Briggs & Stratton Endurance Series
Hp* / Cylinder / cc	24 / V-Twin / 726	25 / V-Twin / 725	23 / V-Twin / 726	27 / V-Twin / 810
Cutting Width (in. / cm)	54 / 137	52 / 132	52 / 132	61 / 155
Deck Construction	12-Gauge Stamped	11-Gauge Fabricated	11-Gauge Fabricated	11-Gauge Fabricated
Fuel Tank (gal. / L)	3.5 / 13.2	5.0 / 18.9	5.0 / 18.9	5.0 / 18.9
Drive System	Dual Hydro-Gear ZT2800	ZT3100 Hydro-Gear	ZT3100 Hydro-Gear	ZT3100 Hydro-Gear
Top Speed (mph / km/h)	6.5 / 10.5	8.5 / 13.7	8.5 / 13.7	8.5 / 13.7
Productivity (acres / hectare/hr)	2.5 / 1.0	3.5 / 1.4	3.5 / 1.4	4.2 / 1.7
ROPS Kit	N/A	Optional	Optional	Optional
Part Number	967 00 39-03	967 27 74-01	967 27 74-02	967 27 75-01

SPECIFICATIONS	M-ZT 52	M-ZT 52	M-ZT 61	M-ZT 61
Engine	Briggs & Stratton Endurance Series	Kawasaki FS	Briggs & Stratton Endurance Series	Kawasaki FS
Hp* / Cylinder / cc	26 / V-Twin / 810	22 / V-Twin / 726	27 / V-Twin / 810	23 / V-Twin / 726
Cutting Width (in. / cm)	52 / 132	52 / 132	61 / 155	61 / 155
Deck Construction	11-Gauge Fabricated	11-Gauge Fabricated	11-Gauge Fabricated	11-Gauge Fabricated
Fuel Tank (gal. / L)	5.0 / 18.9	5.0 / 18.9	5.0 / 18.9	5.0 / 18.9
Drive System	ZT3400 Hydro-Gear	ZT3400 Hydro-Gear	ZT3400 Hydro-Gear	ZT3400 Hydro-Gear
Top Speed (mph / km/h)	10 / 16.1	10 / 16.1	10 / 16.1	10 / 16.1
Productivity (acres / hectare/hr)	4.2 / 1.7	4.2 / 1.7	4.9 / 2.0	4.9 / 2.0
ROPS Kit	Standard	Standard	Standard	Standard
Part Number	967 17 70-05	967 17 70-06	967 17 70-07	967 17 70-08

RZ Series Mowers SmartSwitch™ Feature

SPECIFICATIONS	RZ 46i	RZ 46215	RZ 5424	RZ 4222F	RZ 4824F
Engine	Briggs & Stratton Endurance Series	Kawasaki FR	Briggs & Stratton Endurance Series	Briggs & Stratton Endurance Series	Kawasaki FR
Hp* / Cylinder / cc	23 / V-Twin / 724	21.5 / V-Twin / 726	24 / V-Twin / 724	22 / V-Twin / 656	24 / V-Twin / 726
Cutting Width (in. / cm)	46 / 117	46 / 117	54 / 137	42 / 107	48 / 122
Deck Construction	13-Gauge Stamped	13-Gauge Stamped	12-Gauge Stamped	11-Gauge Fabricated	11-Gauge Fabricated
Fuel Tank (gal. / L)	3.5 / 13.2	3.5 / 13.2	3.5 / 13.2	3.5 / 13.2	3.5 / 13.2
Drive System	Dual Hydro-Gear EZT	Dual Hydro-Gear EZT	Dual Hydro-Gear EZT	Dual Hydro-Gear EZT	Dual Hydro-Gear EZT
Top Speed (mph / km/h)	6.5 / 10.5	6.5 / 10.5	6.5 / 10.5	6.5 / 10.5	6.5 / 10.5
Productivity (acres / hectare/hr)	2.4 / 1.0	2.4 / 1.0	2.8 / 1.1	2.2 / 0.9	2.5 / 1.0
Part Number	967 27 76-01	967 00 98-03	966 65 93-02	966 65 94-01	967 00 38-01

RZ Compact Series Mower

SPECIFICATIONS	RZ 4219
Engine	Briggs & Stratton Endurance Series
Hp* / Cylinder / cc	19.5 / Single / 500
Cutting Width (in. / cm)	42 / 107
Deck Construction	13-Gauge Stamped
Fuel Tank (gal. / L)	3.0 / 11.4
Drive System	Dual Hydro-Gear EZT
Top Speed (mph / km/h)	6.5 / 10.5
Productivity (acres / hectare/hr)	2.2 / 0.9
Part Number	966 80 90-02

*All engine values are rated by the manufacturer. The power rating of the engines indicated is the average net power output (at specified RPM) of a typical production engine for the engine model measured to SAE standard J1349/ISO1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.



Husqvarna®

For more information and to see our complete product range please visit husqvarna.ca