



Aluminum Open Trailers

Light as a butterfly



Opening windows of opportunity in fuel efficiency and payload increase



Utility



Auto & Equipment



Freight

Auto & Equipment Trailers



**Heavy Duty Equipment Series
Light Trailers
for Heavy Loads**

| Model | Deck | Floor | Hitch | Jack | Axles | Tires | Brakes | GVWR | Payload |
|---------|-----------|-------|---------|---------|---------|-----------|--------|----------|----------|
| AWL1400 | 14' x 82" | 2x10 | 2-5/16" | 7000 lb | 3500 lb | 205/75 15 | 1 axle | 7000 lbs | 5593 lbs |
| AWL1600 | 16' x 79" | 2x10 | 2-5/16" | 7000 lb | 5200 lb | 225/75 15 | 2 axle | 9990 lbs | 8210 lbs |
| AWL1800 | 18' x 79" | 2x10 | 2-5/16" | 7000 lb | 5200 lb | 225/75 15 | 2 axle | 9990 lbs | 7988 lbs |

These trailers come standard as bumper pull with a 2-5/16" ball coupler. All models are available in optional gooseneck as shown.

Premium Car Trailers

- Non Oxidizing
- Slide in Ramps
- LED Lights
- 4' Beavertail
- Stainless Axle Mounts
- Checkerplate Fenders
- Rear Stabilizer Legs



| Model | Deck | Floor | Hitch | Jack | Axles | Tires | Brakes | GVWR | Payload |
|---|-----------|-------|---------|---------|---------|-----------|--------|----------|----------|
| <i>Auto trailers include 4' beavertail, checkerplate fenders, slide in ramps, D-rings and flip down stabilizer legs</i> | | | | | | | | | |
| AWL1400A | 14' x 82" | 2x10 | 2-5/16" | 7000 lb | 3500 lb | 205/75 15 | 1 axle | 7000 lbs | 6020 lbs |
| AWL1600A | 16' x 79" | 2x10 | 2-5/16" | 7000 lb | 3500 lb | 205/75 15 | 1 axle | 7000 lbs | 5748 lbs |
| AWL1800A | 18' x 79" | 2x10 | 2-5/16" | 7000 lb | 3500 lb | 205/75 15 | 1 axle | 7000 lbs | 5592 lbs |
| <i>Tilt deck trailers include hydraulic power up & down, electric over hydraulic pump and reservoir</i> | | | | | | | | | |
| AWL1400TL | 14' x 82" | 2x10 | 2-5/16" | 7000 lb | 3500 lb | 205/75 15 | 1 axle | 7000 lbs | 5420 lbs |
| AWL1600TL | 16' x 79" | 2x10 | 2-5/16" | 7000 lb | 5200 lb | 225/75 15 | 2 axle | 9990 lbs | 8065 lbs |
| AWL1800TL | 18' x 79" | 2x10 | 2-5/16" | 7000 lb | 5200 lb | 225/75 15 | 2 axle | 9990 lbs | 7480 lbs |

**Tilt Deck Equipment Trailers
Hydraulic Power Up & Down
12v Trickle Charge Powerpack
Manual Over-Center Deck Lock**



Flat Deck Trailers



**Aluminum C-Channel Construction
1/4" Plate Gussets
Stainless Steel Axle Mounts and Front Nose Cone**

| Model | Deck | Floor | Hitch | Jack | Axles | Tires | Brakes | GVWR | Payload |
|-----------|------------|-------|---------|---------|---------|-----------|--------|-----------|----------|
| AWL1400DO | 14' x 102" | 2x10 | 2-5/16" | 7000 lb | 3500 lb | 205/75 15 | 1 axle | 7000 lbs | 5410 lbs |
| AWL1600DO | 16' x 102" | 2x10 | 2-5/16" | 7000 lb | 5200 lb | 225/75 15 | 2 axle | 9990 lbs | 8180 lbs |
| AWL1800DO | 18' x 102" | 2x10 | 2-5/16" | 7000 lb | 6000 lb | 235/85 16 | 2 axle | 12000 lbs | 9650 lbs |
| AWL2000DO | 20' x 102" | 2x10 | 2-5/16" | 7000 lb | 6000 lb | 235/85 16 | 2 axle | 12000 lbs | 9320 lbs |

*Aluminum Deck-Over Trailers:
Hauling freight the fuel efficient way*



| Model | Deck | Floor | Hitch | Jack | Axles | Tires | Brakes | GVWR | Payload |
|-----------|------------|-------|---------|---------|---------|-----------|--------|-----------|------------|
| AWL1604DO | 20' x 102" | 2x10 | 2-5/16" | 7000 lb | 7000 lb | 235/85 16 | 2 axle | 14000 lbs | 11,310 lbs |
| AWL2004DO | 24' x 102" | 2x10 | 2-5/16" | 7000 lb | 7000 lb | 235/85 16 | 2 axle | 14000 lbs | 10,905 lbs |
| AWL2204DO | 26' x 102" | 2x10 | 2-5/16" | 7000 lb | 7000 lb | 235/85 16 | 2 axle | 14000 lbs | 10,473 lbs |
| AWL2404DO | 28' x 102" | 2x10 | 2-5/16" | 7000 lb | 7000 lb | 235/85 16 | 2 axle | 14000 lbs | 10,020 lbs |

AWL2404DO shown with the following options:

- 2 5/16" gooseneck hitch
- Twin jacks and aluminum tongue box
- Ratchet rail with 6 slider ratchets
- Flip over ramps with center pop-up
- Aluminum rims



Landscape & Utility

Features:

- Durable
- Light Weight
- Non-Oxidizing
- Checkerplate Sides
- Sealed LED Lighting
- Non-Corrosive Barrier



| Model | Deck | Sides | Floor | Tailgate | Lights | Hitch | Jack | Axles | Tires | Brakes | GVWR | Payload |
|---|----------|-------|-------|------------|--------|--------------|---------|----------|-----------|----------|----------|----------|
| AWL860 | 5' x 8' | 14" | wood | 4' ramp | LED | 2" ball | 2000 lb | 1 x 3500 | 175/80 13 | optional | 2706 lbs | 2138 lbs |
| AWL1060 | 5' x 10' | 14" | wood | 4' ramp | LED | 2" ball | 2000 lb | 1 x 3500 | 175/80 13 | optional | 2706 lbs | 2050 lbs |
| AWL1072 | 6' x 10' | 14" | wood | 4' ramp | LED | 2" ball | 2000 lb | 1 x 3500 | 205/75 14 | optional | 2990 lbs | 2274 lbs |
| AWL1272 | 6' x 12' | 14" | wood | 4' ramp | LED | 2" ball | 2000 lb | 1 x 3500 | 205/75 14 | optional | 2990 lbs | 2136 lbs |
| AWL1472 | 6' x 14' | 14" | wood | 4' ramp | LED | 2" ball | 2000 lb | 1 x 3500 | 205/75 14 | optional | 2990 lbs | 1998 lbs |
| Tandem Axle Landscape Trailers include 4 Equipment Tie-Down D-Rings | | | | | | | | | | | | |
| AWL1272T | 6' x 12' | 14" | wood | 4' HD ramp | LED | 2 5/16" ball | 2000 lb | 2 x 3500 | 205/75 14 | 1 axle | 6000 lbs | 4920 lbs |
| AWL1472T | 6' x 14' | 14" | wood | 4' HD ramp | LED | 2 5/16" ball | 2000 lb | 2 x 3500 | 205/75 14 | 1 axle | 6000 lbs | 4790 lbs |
| AWL1672T | 6' x 16' | 14" | wood | 4' HD ramp | LED | 2 5/16" ball | 2000 lb | 2 x 3500 | 205/75 14 | 1 axle | 6000 lbs | 4510 lbs |



Weberlane Manufacturing

5036 Line 82, RR 4

Listowel, ON Canada N4W 3G9

Tel: 519-291-5035 - Fax: 519-291-5281

Email: sales@weberlane.com

www.weberlane.com

Authorized Dealer:

