

• AMPHIBIOUS • ALL SEASON • ALL TERRAIN • SIX PASSENGERS



SINCE 1967



2015
Personal Utility Vehicles

EXTREME TERRAIN VEHICLE SOLUTIONS



Argo 6x6
Frontier EFI

Argo 8x8
Frontier EFI

Argo 8x8
750HDi

Argo 8x8
XT Models

ARGO is built to outperform in extreme, challenging terrains.

ARGO is dedicated to freedom and independence. Begin your next adventure with the amphibious, all season, all-wheel drive, off-road ARGO. Go wherever your dreams lead you – through virtually any terrain, over hills, water, ice and snow. Unsurpassed in versatility and reliability, the ARGO carries you, your friends and supplies to those far away and remote locations. With ARGO, go ahead and dare to dream.



NEW ARGO 8x8 FRONTIER EFI.



NEW ARGO 8x8 trailer for hauling material or transporting additional equipment.



NEW Sure Grip Gun Rack.



NEW 3,500 lb. (1,588 kg) winch for increased performance.



NEW Universal Mounting System to easily install sprayers, tanks and other equipment.



NEW ARGO Roof provides protection against the elements and greater operator comfort. (mounts onto ARGO ROPS)

Optional Extras: Chain lubrication system to reduce maintenance. High torque transmission for better performance in extreme terrains.

Fishing, waterfowl and hunting enthusiasts agree... ARGO is the best way to go!

Fully Amphibious without Vehicle Preparation

ARGO vehicles are designed to float on bodies of water and flooded areas allowing transport for up to 4 passengers or a total load capacity of 1,000 lb. (454 kg). The specially designed tires propel the ARGO at a speed of 3 mph (5 kph).

Designed for Those Who Truly Appreciate the Outdoors


The ARGO is your essential off-road vehicle for hunting and exploration. The ARGO combines many of the advantages you get from a snowmobile, 4x4 ATV, 6x6 UTV and a small boat. Take your friends and all the equipment you need to track the best game. You'll still have plenty of space to take home whatever you bag.

Stability

The lightweight design provides safe operation in challenging terrain and allows 9" (225 mm) of ground clearance at the center of the vehicle. The specified load capacity of ARGO models is maintained in most off-road applications while the load capacity of UTV and other vehicles often is considerably reduced to allow for safe operation in challenging terrain.

Driver Operation and Control

Specific ARGO models feature a technologically advanced, direct drive triple differential ADMIRAL steering transmission, feeding even torque to all 8 of the big 25" (635 mm) ARGO tires. Operating in high range, these superior extreme terrain vehicles steer smoothly through challenging terrain. In low range, the ARGO can turn within its own length with minimal effort, allowing for extremely tight turns.* The ARGO has excellent approach and departure angles to easily overcome obstacles.



Safety

The low center of gravity and all-wheel drive provide sure-footed traction and maneuverability through demanding weather and terrain conditions. ARGO models are equipped with a standard emergency/parking brake and a skid plate for lower body protection is available as a standard or optional feature.

ARGO models can be equipped with an optional rollover protective structure (ROPS) with integral driver / passenger seat belts and optional windshield.

Safety!

...always in Season!

Seat belts must be worn by all occupants if a ROPS is installed however, they must be unfastened before water entry. For safety, we recommend wearing approved helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.



ENVIRONMENTAL IMPACT: From the unique tread pattern of the tires to the low ground pressure, every ARGO model is designed to minimize its environmental footprint.



ARGO vehicles go from land to water without vehicle preparation!



The all season, all terrain ARGO provides safe transport across ice and snow.



Jim and Eva Shockey - world renowned hunters rely on ARGO vehicles. www.jimshockey.com



ARGO vehicles operate in deep snow and offer space for 4-6 passengers plus gear.



ARGO gets the work done around your home, cottage, farm or woodlot.

The rugged ARGO can tow, carry a load, and allows you to work in areas and terrain that are inaccessible. The ARGO is the perfect multi-passenger vehicle for wilderness exploration, scenic tours, photo safaris and everything in-between. Outfitters, lodges and ecotour operators can offer their customers a unique and reliable outdoor experience. The ARGO is also a proven performer for Public Sector, Utilities and Resource Management.



Tour operators, hunt clubs and outfitters use the reliable ARGO to go where others can't follow.



An ARGO equipped with a plow can be used to clear snow and perform additional tasks around the farm.



Property owners and hobby farmers enjoy the ARGO all year round - and the ARGO can pull a trailer weighing up to 2,000 lb. (907 kg)



The all terrain ARGO 8x8 transports personnel and equipment to remote accident sites and can evacuate the injured.



The ARGO can safely cross ponds or small streams with up to 4 passengers.



The ARGO provides safe and economical transportation for personnel and equipment.

Argo 8x8 750HDi

Overview

The ultimate machine for those who don't like compromise solutions! This ARGO has it all – a powerful yet quiet, liquid cooled, fuel injected engine, efficient ADMIRAL steering transmission and large 25" (635 mm) wheels combine to give this machine great top speed handling and best-in-class extreme terrain capability while carrying its full payload. It is equally well-suited for hard work and hard play.

Features

- Innovative triple-differential ADMIRAL transmission with independent steering brakes
- Optional high torque transmission for extreme terrain performance
- Increased steering efficiency for more and constant power to the wheels
- Electronic Fuel Injection provides:
 - Increased fuel efficiency
 - Reliable cold weather starting
 - Improved high altitude performance
 - On-board diagnostics
- Large rear cargo capacity
- Long wheel base for increased ride comfort over rough terrain
- Large triple-sealed outer axle bearings
- Front and rear bearing extensions
- 8-wheel traction with low centre of gravity for extra stability
- Electronic ignition
- Self-adjusting hydraulic brakes with vented discs
- Low emissions

This 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin liquid cooled 748cc, 30 hp (22 kW) Kohler Aegis LH 775 engine with electronic fuel injection. It has a load capacity of up to 1,150 lb. (522 kg) on land or 1,000 lb. (454 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,800 lb. (816 kg).


Optional suspension seats available



25" (635 mm) ARGO tires with proprietary tread design

Optional entry step available

Full skid plate for lower body protection



Convenience Group

Handlebar steering
Hydraulic brakes

Spacious design

Argo 8x8 750HDi

EU
VERSION
AVAILABLE*

This Special Edition 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin liquid cooled 748cc, 30 hp (22 kW) Kohler Aegis LH775 engine with fuel injection. It has a load capacity of up to 1,000 lb. (454 kg) on land or 850 lb. (386 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,800 lb. (816 kg).

Overview

This top-of-the-line extreme terrain vehicle features a powerful yet quiet, liquid cooled, fuel injected engine, efficient ADMIRAL steering transmission and large 25" ARGO wheels. This exciting machine easily navigates in thick mud, flooded areas or water while carrying or hauling all the equipment and gear you need.

Special Features

- 3-way adjustable suspension seating with rear grab handles
- High / low beam headlights
- Front-mounted horn
- 7-pin electrical trailer connection
- Entry step
- Signal / side marker lamps
- Side view mirror
- Heavy duty alternator
- Optional seat belts



NEW

*This vehicle is also available as ARGO 8x8 750 HDi EU featuring road approval in Europe. Comes with a front hitch mount.

For all vehicle configurations, rubber tracks are available for better traction in soft terrain or snow.

Appearance and specifications subject to change without notice. Vehicles shown with optional accessories. See specification page and ARGOoutv.com for more details.

Argo 8x8 750EFI


This 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin liquid cooled 748cc, 30 hp (22 kW) Kohler Aegis LH 775 engine with electronic fuel injection. It has a load capacity of up to 1,150 lb. (522 kg) on land or 1,000 lb. (454 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,800 lb. (816 kg).

Overview

Great multipurpose vehicle for hunting, personal utility use and commercial applications. The large 25" (635 mm) wheels will take a full load over rocks and stumps with ease while providing extra stability and floatation in water. The powerful 30 hp (22 kW) liquid cooled engine will pull even the heaviest game out of the bush, or carry equipment and gear. The engine starts at the turn of the key, even on the coldest morning, thanks to the electronic fuel injection.


Features

- Electronic Fuel Injection provides:
 - Better fuel economy
 - Reliable cold weather starting
 - Improved high altitude performance
 - On-board diagnostics
- Large rear cargo capacity
- Long wheel base for better ride comfort over rough terrain
- Large triple-sealed outer axle bearings
- Front and rear bearing extensions
- 8-wheel traction with low centre of gravity for extra stability
- Proven, state-of-the-art automatic continuously variable transmission with high and low range forward and reverse
- Optional high torque transmission for extreme terrain performance
- Electronic ignition
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



ARGO Limited Warranty

One year for vehicles, 3 years for Kohler engines and 2 years for Briggs & Stratton engines. Extended warranty plans available. Visit www.ARGOutv.com/warranty for details.



Optional Convertible Top

25" (635 mm) ARGO tires with proprietary tread design shown with optional rubber tracks

Full skid plate for lower body protection

Argo 8x8 700HD



This 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin liquid cooled 674cc, 24 hp (17 kW) Kohler Aegis LH 690 engine. It has a load capacity of up to 1,150 lb. (522 kg) on land or 1,000 lb. (454 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,800 lb. (816 kg).

Overview

The quiet and smooth liquid cooled engine in combination with the efficient ADMIRAL steering transmission make this machine a joy to drive. It is easy to control running at top speed on a gravel road yet it can haul big loads through extreme terrain and water.

Features

- Innovative triple-differential ADMIRAL transmission with independent steering brakes
- Increased steering efficiency for more and constant power to the wheels
- Optional high torque transmission for extreme terrain performance
- Optional suspension seats
- Large rear cargo capacity
- Long wheel base for increased ride comfort over rough terrain
- Large triple-sealed outer axle bearings
- Front and rear bearing extensions
- 8-wheel traction with low centre of gravity for extra stability
- Electronic ignition
- Self-adjusting hydraulic brakes with vented discs
- Low emissions

NEW

***This vehicle is also available as ARGO 8x8 700 HD EU featuring road approval in Europe.**

For all vehicle configurations, rubber tracks are available for better traction in soft terrain or snow.

Appearance and specifications subject to change without notice. Vehicles shown with optional accessories. See specification page and ARGOutv.com for more details.

Argo 8x8 Frontier EFI

NEW


This 8-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin air cooled 747cc, 23 hp (17 kW) Kohler Command Pro engine with electronic fuel injection. It has a load capacity of up to 1,000 lb. (454 kg) on land or 900 lb. (408 kg) on water, can transport 6 passengers on land, 4 on water and features a towing capacity of 1,400 lb. (635 kg).

Overview

The most affordable ARGO 8x8 vehicle features great performance in difficult terrain and has excellent water crossing capabilities. Great load carrying capacity and powerful towing capabilities at an attractive price.

Features

- Electronic Fuel Injection provides:
 - Better fuel economy
 - Reliable cold weather starting
 - Improved high altitude performance
 - On-board diagnostics
- Large rear cargo capacity
- Long wheel base for smooth ride comfort over rough terrain
- Large triple-sealed outer axle bearings
- Front bearing extensions
- 8-wheel traction with low centre of gravity for extra stability
- Electronic ignition
- Proven, state-of-the-art automatic continuously variable transmission with high and low range forward and reverse
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



Convenience Group Handlebar steering



Spacious design



When equipped with tracks, XT models are not fully amphibious, however water crossing is possible with a fording depth of 26" (660 mm).



Argo 8x8 XT Models

These 8-wheel drive amphibious off-road vehicles feature Kohler diesel or EFI engines plus ODG patented, triple differential, ADMIRAL transmissions. The main chassis of these vehicles has been engineered using field-proven technology, allowing for increased payloads and greater durability.

For complete information on the ARGO 8x8 XT Models visit our Web site at:
www.ARGOutv.com/catalog/XT-models

ENVIRONMENTAL IMPACT: From the unique tread pattern of the tires to the low ground pressure, every ARGO model is designed to minimize its environmental footprint.

For all vehicle configurations, rubber tracks are available for better traction in soft terrain or snow.

Appearance and specifications subject to change without notice. Vehicles shown with optional accessories. See specification page and ARGOutv.com for more details.



Argo 6x6 750 HDi

NEW


This 6-wheel drive amphibious off-road vehicle is powered by a 4 stroke OHV V-Twin air cooled 747cc, 23 hp (17.2 kW) Kohler Command Pro engine. It has a load capacity of up to 700 lb. (318 kg) on land or 500 lb. (227 kg) on water, can transport 4 passengers on land, 2 on water and features a towing capacity of 1,400 lb. (635 kg). Rear seat weight restriction of 140 lb. (64 kg) applies.

Overview

Powerful top-of-the-line ARGO 6x6 extreme terrain vehicle for challenging terrain, deep mud, flooded areas and snow. For even better performance rubber tracks are available. State-of-the-art triple differential steering transmission provides a smooth ride, easy turns and quick response to overcome obstacles when it counts. Best in category towing capacity allows you to transport all the gear you need.

Features

- Innovative triple-differential ADMIRAL transmission with independent steering brakes
- Increased steering efficiency for more and constant power to the wheels
- Large triple-sealed outer axle bearings
- Front and rear bearing extensions
- Full skid plate for lower body protection
- 6-wheel traction with low centre of gravity for extra stability
- Electronic ignition and back-up recoil starter
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



Argo 6x6 Frontier EFI

NEW

This 6-wheel drive amphibious off-road vehicle is powered by a 4-stroke OHV V-Twin air cooled 694cc, 19 hp (14.2 kW) Kohler Command Pro engine. It has a load capacity of up to 700 lb. (318 kg) on land or 500 lb. (227 kg) on water, can transport 4 passengers on land, 2 on water and features a towing capacity of 1,400 lb. (635 kg). Rear seat weight restriction of 140 lb. (64 kg) applies.

Overview

Our most affordable 6x6 vehicle features great performance in difficult terrain and water crossing capabilities. Ideal for fishing, hunting and family fun. Seats up to 4 passengers. The ARGO 6x6 Frontier EFI is our best value extreme terrain vehicle.

Features

- 6-wheel traction with low center of gravity for extra stability
- Proven, state-of-the-art automatic continuously variable transmission with high and low range forward and reverse
- Electronic ignition and back-up recoil starter
- Self-adjusting hydraulic brakes with vented discs
- Low emissions



ARGO 6X6 FRONTIER EFI shown with optional chrome paint steel parts

For all vehicle configurations, rubber tracks are available for better traction in soft terrain or snow.

World Leader In Amphibious Vehicles

ARGO is the best selling all season, off-road amphibian in the world! No other vehicle satisfies so many needs. Hunters, outdoor enthusiasts, property owners, farmers, search & rescue teams, utility and exploration companies all benefit from ARGO's versatile and unique abilities. ARGO goes where others can't follow!

Proven Track Record

ARGO vehicles are manufactured by ODG in New Hamburg, Ontario, Canada at ODG's 121,500 sq.ft. (11,350m²) facility. Since 1962, ODG has been an innovative manufacturer of gears and transmissions, amphibious extreme terrain vehicles, and rovers for future lunar exploration. ODG introduced the world famous amphibious ARGO in 1967 and has sold more than 50,000 vehicles around the globe. Our dedicated team of engineers, production and technical support staff has made ARGO the most reliable, amphibious, off-road, utility vehicle you will ever drive.

Solid Investment

The all season capabilities of ARGO models provide optimized utilization resulting in fast payback on your investment. Proper operation and adherence to a scheduled maintenance program will ensure maximum uptime and usage for years to come.



ARGO DVDs

All DVDs contain brochures in PDF format.

ARGO Personal Utility Vehicle DVD

678-143

Includes the following ARGO videos: Models - 8x8 750 HDi, 8x8 700 HD, 8x8 Frontier EFI, 6x6 750 HDi and 6x6 Frontier EFI. Applications and capabilities as well as ARGO Rubicon Trail Challenge, ARGO Adventures, and Chile Volcano Expedition.

ARGO Hunting DVD

678-144

Experience the ultimate hunting vehicle: Models - 8x8 XT Models, 8x8 750 HDi, 8x8 700 HD, 8x8 Frontier EFI, 6x6 750 HDi and 6x6 Frontier EFI, ARGO Hunting with Jim Shockey, Alan Warren, The Outdoor Quest, Southern and Outdoor Experience.

ARGO Commercial DVD

678-145

ARGO and Centaur at Work including detailed model information on ARGO 8x8 XT Models, 8x8 750 HDi, 8x8 700 HD, 8x8 Frontier EFI and 8x8 Centaur. Applications and capabilities.

ARGO Tri-lingual DVD

678-115

Experience extreme off-road performance with ARGO and Centaur. Contains ARGO 8x8 750 HDi, model overview, applications and capabilities in English, French and Spanish.

Availability and content subject to change without notice.

For more information on all ARGO promotional items ask your local dealer or visit www.ARGOutv.com

ARGO Clothing and Collectibles

Order online at

www.ARGOGear.com



Sitting back and trolling for walleye!



Enjoy year round access to your cabin, cottage or chalet!



ARGO takes you and your friends deep into the backcountry.



Where we proudly build the ARGO.



Tracks add greater maneuverability in difficult and varied terrain. www.argoutv.com/catalog/tracks



Maximize the utilization of your ARGO with a snow plow and trailer.



For greater speed on water add an outboard bracket and up to 9.9 hp motor.



A bedliner will protect your ARGO and facilitate transportation of equipment and tools.



An ARGO equipped with search and rescue solutions can reach and evacuate injured in remote terrain.

ACCESSORIES		6 X 6		8 X 8			
		FRONTIER EFI	750 HDi	FRONTIER EFI	700 HD	750 EFI 750 HDi	750 HDi SE
COMFORT							
Convertible Top		649-51	649-51	849-51	849-40	849-40	849-40
Convertible Half-Top		N/A	N/A	N/A	849-45	849-45	849-45
Heater		N/A	N/A	N/A	848-170	848-170	848-170
Rear Bench Seat		N/A	N/A	849-80	849-80	849-80	849-80
Suspension Seats		N/A	N/A	N/A	*	*	Included
Windshield		648-79	648-79	648-79	848-171	848-171	848-171
Windshield Wiper		648-91	648-91	648-91	648-91	648-91	648-91
CONVENIENCE							
Alternator		N/A	N/A	N/A	850-54	850-54	Included
Auto Chain Lubrication System	1 hour interval	N/A	850-213HD6-1	850-213HD8-1	850-213HD8-1	850-213HD8-1	850-213HD8-1
	15 min. interval	N/A	850-213HD6	850-213HD8	850-213HD8	850-213HD8	850-213HD8
Cargo Tie Down Rings		614-06	614-06	614-06	614-06	614-06	614-06
Entry Step		N/A	N/A	848-173	848-173	848-173	Included
Gas Can Holder		867-01	867-01	867-01	867-01	867-01	867-01
Gun Rack (Sure Grip)		848-200	848-200	848-200	848-200	848-200	848-200
Handrails		639-26	639-26	839-35	839-30	839-30	839-30
Helicopter Lift Kit**		865-00	865-00	865-00	865-00	865-00	865-00
Mounting Assembly (Brushguard/Winch)		622-107	622-107	622-108	622-108	622-108	Included
Outboard Motor Bracket		617-09	617-09	617-10	617-10	617-10	617-10
Power Winch		622-143	622-143	622-142	622-142	622-142	622-105SE
Receiver Winch (Wiring & Rear Hitch)		622-96	622-96	622-96	622-96	622-96	622-96
Remote Control (Winch)		622-137	622-137	622-137	622-137	622-137	622-137
Snow Plow Kit		657-21***	657-21	657-21	657-21	657-21	657-21
Tire Holder		868-01	868-01	868-01	868-01	868-01	868-01
Tow Hook		642-00	642-00	642-00	642-00	642-00	Included
Trailer		CONTACT RETAILER FOR OPTIONS					
Universal Mounting System		N/A	N/A	959-10	959-10	959-10	959-10
Utility Bracket		821-25	821-25	821-25	821-25	821-25	N/A
Utility Rack		821-35	821-35	821-35	821-35	821-35	N/A
Utility Storage Pouch		621-35	621-35	621-35	621-35	621-35	621-35
PROTECTION							
Battery Shut Off		850-242	850-242	850-242	850-242	850-242	850-242
Bilge Pump		638-40	638-40	638-40	638-40	638-40	638-40
Brake Cooling Fan		602-75	N/A	602-75	864-01	864-01	864-01
Brake / Tail Lights		624-10	624-26	624-10	624-26	624-26	Included
Brushguard		642-50	642-50	642-50	642-49	642-49	Included
Brushguard for ROPS		642-80	642-80	642-80	642-80	642-80	N/A
Cargo Bedliner		N/A	N/A	866-01	866-01	866-01	N/A
Debris Screen		N/A	N/A	N/A	848-195	848-195	848-195
Fog Lights		648-92	648-92	648-92	648-92	648-92	648-92
Hood Fan		602-75	602-75	602-75	602-71	602-71	602-71
Mudflap		N/A	N/A	625-10	625-10	625-10	625-10
Reverse Back-up Alarm Kit		850-99	850-99	850-99	850-99	850-99	850-99
Roll Bar		648-15	648-15	N/A	N/A	N/A	N/A
Roll Bar Lights		648-90	648-90	N/A	N/A	N/A	N/A
Roof		N/A	N/A	863-26	863-26	863-26	863-26
ROPS c/w 2 Seat Belts		648-47	648-47	849-90-2	849-90-2	849-90-2	N/A
ROPS & Rear Bench Seat		N/A	N/A	849-90-4	849-90-4	849-90-4	N/A
Skid Plate		663-12	Included	863-13	Included	Included	Included
Storage Cover		621-21	621-21	821-40	821-40	821-40	821-40
TRACKS							
18" (457 mm) Rubber Tracks		625-50	625-50	825-50-1	825-50-1	825-50-1	825-50-1
13" (330 mm) Standard Tracks****		615-43	615-43	815-42K	815-42K	815-42K	815-42K
18" (457 mm) Super Tracks****		625-43	625-43	825-42K	825-42K	825-42K	825-42K
Super Track Ice Cleats		625-20	625-20	825-20	825-20	825-20	825-20
Rubber Track Ice Cleats		N/A	N/A	825-21	825-21	825-21	825-21
SEARCH & RESCUE							
Basket Mount Adapter (Ferno RE 1125)*****		N/A	N/A	N/A	850-101	850-101	N/A
Stretcher Mount Frame (Ferno #9)		N/A	N/A	N/A	850-300	850-300	N/A
Stretcher - Ferno #9		N/A	N/A	N/A	015-3204ARG	015-3204ARG	N/A
* Factory Installed Option. **Requires 25" Tires. *** Requires Front Bearing Extensions. ****Standard and Super Tracks require the use of ARGO AT189 24x10.00-8NHS Tires. ***** Requires Stretcher Mount Adapter (850-300)							

* Factory Installed Option. **Requires 25" Tires. *** Requires Front Bearing Extensions.
 ****Standard and Super Tracks require the use of ARGO AT189 24x10.00-8NHS Tires.
 ***** Requires Stretcher Mount Adapter (850-300)

COMFORT



Convertible Top

Protects occupants from the weather. Has removable side and rear doors and stores folded down with boot cover. Requires fold-down windshield. (Optional roll bar light cannot be used with full convertible top).



Convertible Half-Top

Protects operator and side passenger from the elements. Features removable side and rear doors, allowing easy access to the rear cargo compartment area. Requires fold-down windshield.



Suspension Seats

3-way adjustable suspension seats for increased ride comfort.



Windshield

Scratch-resistant acrylic in an aluminum frame, features mounting hole for the optional windshield wiper accessory.

Windshield Wiper

Complete with everything needed to assemble and fit to your ARGO windshield. The wiper motor mounts quickly and easily, requiring no drilling on newer style predrilled windshields.

CONVENIENCE

Auto Chain Lubrication System

(Not shown) Increases chain life and reduces maintenance requirements. Available in one hour (standard) or fifteen minute (heavy duty) intervals.

Cargo Tie-Down Rings

(Not shown) Six rings mount around the rear compartment (four rings for 6x6 models).




Entry Step

Convenient and easy access to the vehicle. Can be mounted in four different positions.



Gas Can Holder

Adjustable gas can holder mounted at the rear of the vehicle.



Gun Rack (Sure Grip)

Provides convenient and safe storage. Absorbs the shock of rough terrain and keeps your sights accurate.



Handrails

Tubular steel rails mount around the body, providing hand-hold points for rear passengers.



Helicopter Lift Kit

Axle mounted at 4 corners, quick release point for helicopter sling connection.



Outboard Motor Bracket

This one-piece bracket mounts at the bumper and onto the trailer hitch bracket. Mounting location is slightly off-center and accepts an outboard motor of up to 9.9 hp for increased propulsion in water.



WARN Power Winch

For vehicle recovery or to raise and lower plow blade. 3,500 lb. (1,588 kg) capacity, reversing with free wheeling out, 40' (12 m) cable with 30' (9 m) nylon strap. Safety switch disables winch unless ignition is on.



Rear Receiver Winch Accessory

Mounts into the 8x8 trailer hitch receiver, extending the versatility of your winch. Includes instructions and wire harness for installation.

Wireless Winch Remote Control

Wireless and compact, this unit can control remote use of winch from a location of up to 50' (15.24 m) for added convenience and versatility.



Snowplow Kit

81" (2 m) wide steel blade features multi-angle positions. Attaches to front bearing extension housings. A snowplow will maximize the utilization of your ARGO. Note: Requires power winch.



Tire Holder

Easy to install. Convenient spare tire holder is mounted to the rear of the vehicle.



Tow Hook

Easy to install. Allows winch cables or towing straps to be attached to your ARGO.



Trailers (Amphibious)

4-wheel 600 lb. (272kg) load capacity. 8-wheel 1,400 lb. (635kg) load capacity. Complete with 24" (610 mm) or 25" (635 mm) tires. Contact Retailer for more information.

Universal Mounting System

(See photo on page 2) Quick change, up to 750 lb. (340 kg) capacity, universal mount. Bolts directly to main chassis offering a secure structure for third party equipment.



Utility Bracket

Two "rugged gear" utility hooks and barrel holder. Safely secures objects such as shovels, fishing rods, paddles, etc. to the outside or inside of your ARGO.



Utility Rack

Two formed flatbar brackets, four "rugged gear" utility hooks, and mounting hardware. Allows two rifles or shotguns to be carried on the inside of your ARGO.



Utility Storage Pouch

Dome snaps attach to backrest for convenient storage space. Ideal for keeping first aid kits, tools, electronics and other items safe, clean and easily accessible.

PROTECTION

Battery Shut-Off

(Not shown) Positive battery cable interrupt located under the driver seat. Disconnects battery to prevent accidental battery drain.

Bedliner

(Photo on page 10) Protect your cargo storage space. Simple installation, removable and easy to clean.



Bilge Pump

Highly recommended for amphibious use of any ARGO. Operated by a dash mounted switch, the pump quickly removes water from the lower body.

Brake Cooling Fan (Not shown)

105 CFM fan directing cool air to the service brakes.

Brake/Tail Lights

Complete wire harness and all necessary mounting hardware.



Roll Bar Lights

2 rubber mounted, shock resistant 3"x5" (76 mm x 127 mm) weather-proof lamps, easily installed on your existing roll bar.



Skid Plate

Formed from black high-density polyethylene, the skid plate protects the lower body from rocks and debris.



Storage Protective Covers

Fits all production models without roll bar or ROPS.

TRACKS



Rubber Tracks

18" (457 mm) width provides optimum floatation and minimal ground pressure. Exceptional traction. Lightweight, durable construction and low rolling resistance ensures smooth, quiet operation in difficult terrain conditions.

HD Rubber Tracks (Not shown)

Centaur and XT models only) These tracks feature UHMW-PE guides, aluminum backing washers, and HD hinge lacing.



Standard Tracks

13" (330 mm) wide thermoplastic rubber segments go over 24" (610 mm) ARGO tires, reducing ground pressure for travel over snow or flooded areas.



Super Tracks

18" (457 mm) wide thermoplastic rubber segments go over 24" (610 mm) ARGO tires, to provide optimum floatation over deep snow.

Ice Cleats for Tracks (Not shown)

Steel cleats increase traction on ice and hard-packed snow.

SEARCH & RESCUE



ARGO Mount Adapter Solutions

Accepts Ferno RE1125 or Ferno #9. Fits ARGO 8x8 700 HD and 750 HDI. Mount adapter can be adjusted for repositioning of front bench seating. Note: Front bench backrest is folded down when basket or stretcher are deployed.

THE MOST VERSATILE OFF-ROAD VEHICLES IN THE WORLD

Vehicle		6 X 6 FRONTIER EFI	6 X 6 750 HDi	8 X 8 FRONTIER EFI	8 X 8 700 HD	8 X 8 750 EFI	8 X 8 750 HDi	8 X 8 750 HDi SE	8 X 8 XTI
Engine		Kohler Command Pro			Kohler Aegis LH 690	Kohler Aegis LH 775			
Engine Warranty		3 year							
Type		4 cycle OHV V-Twin gasoline engine, electronic ignition, full pressure lubrication and oil filter							
Horsepower		19 or 23 ¹⁰	23	24	30				
Displacement		694cc or 747cc ¹⁰	747cc	674cc	748cc				
Cooling		Air Cooled			Liquid Cooled				
Starting		Electric							
Brakes		Hydraulic							
Steering		One-piece, ergonomic handlebar							Multi-position, one-piece, ergonomic handlebar
		Steering control features hand brake. For safety and ease of handling, the ARGO steering transmission provides continuous torque to all axles.							
Controls		Right-hand twist grip throttle. Light switch and ignition switch. (ARGO 8x8 700HD also feature a dash-mounted choke control.)							
Clutch		Belt-driven, Continuously Variable Transmission (CVT) maximizes engine power to the transmission.							
Transmission		Planetary ⁹	ADMIRAL ⁸	Planetary ⁹	ADMIRAL ⁸	Planetary ⁹	ADMIRAL ⁸		
Drive System		Roller chains drive machined sprockets that are spline-fit onto 1 1/4" diameter axles and are protected with triple-sealed greaseable bearings.							
Frame		Formed steel channel construction, welded for high strength and durability. Polyester powder-coated for lasting protection.							
Body		Vacuum formed High Molecular Weight Polyethylene							
Full Skid Plate		Optional	Standard	Optional	Standard				
Load Capacity	On Land	700 lb. (318 kg) total ²		1,000 lb. (454 kg) total	1,150 lb. (522 kg) total			1,000 lb. (454 kg) total	1,500 lb. (680 kg) total
	Rear Compartment	140 lb. (64 kg) max.							
	On Water	500 lb. (227 kg) total		900 lb. (408 kg) total	1,000 lb. (454 kg) total			850 lb. (386 kg) total	1,000 lb. (454 kg) total
Towing Capacity ³		1,200 lb. (544 kg)	1,400 lb. (635 kg)		1,800 lb. (816 kg)				2,000 lb. (907 kg)
Seating Capacity ⁴	On Land	4 persons			6 persons				2 persons - 4 optional
	On Water	2 persons			4 persons				2 persons
Fuel Capacity		7.1 US gallons (27 litres) See-through polyethylene fuel tank. 8 hrs. operation ⁵							9.5 U.S. gal. (36 litres) 8-10 hrs. operation ⁵
Speed ⁶	On Land	22 mph (35 km per hour)		19 mph (30 km per hour)	20 mph (32 km per hour)				17 mph (27 km per hour)
	On Water ⁷	3 mph (5 km per hour)							
Shipping Weight		880 lb. (399 kg)	950 lb. (431 kg)	1,090 lb. (476 kg)	1,250 lb. (567 kg)	1,260 lb. (572 kg)	1,410 lb. (640 kg)	1,600 lb. (726 kg)	
Dimensions (L X W X H)	(inch)	95 x 58 x 45.8		119 x 58 x 46.5	119 x 60 x 46				114 x 65 x 49
	(mm)	2,413 x 1,473 x 1,163		3,020 x 1,473 x 1,180	3,020 x 1,525 x 1,170				2,896 x 1,651 x 1,245
Axle Bearing Extensions	Front - Optional	Front - Standard							
	Rear - Optional	Rear - Standard	Rear - Optional	Rear - Standard					
Instrumentation		LCD Digital Gauge Cluster: Speedometer, Odometer, Voltmeter, Hour Meter, Tachometer, Low Oil Pressure and Parking Brake Reminder Lights (ARGO 8x8 FRONTIER EFI also features a Check Engine Light)			LCD Digital Gauge Cluster: Speedometer, Odometer, Voltmeter, Hour Meter, Tachometer, Engine Coolant Temperature, Low Oil Pressure and Parking Brake Reminder Lights (ARGO 8x8 750 HDi & 750 HDi SE also feature a Check Engine Light)			Analog Gauge Cluster (see Web site for details)	
Tires		ARGO AT189 24x10.00-8NHS			ARGO AT189 25x12.00-9 NHS				
Ground Pressure		1.7 psi (13.5 kPa) using tires 0.67 psi (4.6 kPa) using tracks							
Ground Clearance	Tires	9.5" (240 mm)		9" (230 mm)	9.5" (240 mm)				9" (230 mm)
	Tracks	10.5" (265 mm)		10" (255 mm)	10.5" (265 mm)	11" (279 mm)			10" (255 mm)
Operating Conditions		All weather, all terrain, -40°F to +104°F (-40°C to +40°C)							

AVAILABLE ARGO COLORS *Colors in this brochure are reproduced with great care, but may vary slightly from actual ARGO vehicle colors. ARGO 8x8 XTI is only available in Tundra, Yellow, Red, Black and INFINITY Camo™.



COLOR OPTIONS FOR ALL STEEL PARTS

Ultra Chrome and other colors or custom coatings available on request.

Appearance and specifications subject to change without notice.



220 Bergey Court, New Hamburg
ON, Canada N3A 2J5
Toll Free: **1-877-274-6288**
Tel: (519) 662-4000
Fax: (519) 662-2421
www.ARGOxtv.com



- Capacity includes occupants, cargo, outboard motor and fuel, and installed accessories. Max. outboard motor size 7.4 kW (9.9 hp).
- Total payload is 700 lb. (318 kg) with max. 140 lb. (64 kg) allocated to rear compartment.
- Towing capacity is approximate and depends on type of surface, load on vehicle as well as incline. Max Hitch Tongue Load (when equipped with hitch) 100 lb. (45 kg) for all models
- Subject to rear compartment load capacity limitations.
- Fuel consumption depends on load and operating conditions.
- All speeds are approximate and depend on conditions.
- Always wear approved Personal Floatation Device (PFD) when operating in water or on ice.
- ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.
- Planetary differential transmission with High and Low range; Forward, Neutral, Reverse.
- Dependent on engine selection.

Some vehicle applications shown are for demonstration purposes, originating from third parties and not available from ARGO. In all cases vehicle load limits have been considered. For safety, always wear approved helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO. When equipped with tracks, XT models are not fully amphibious, however water crossing is possible with a fording depth of 26" (660 mm). 678-003 • Printed in Canada 3/2015

Safety! *...always in Season!*

tread lightly!
ON LAND AND WATER



Proud to be located in
Canada's
Technology
Triangle

