

ENGINE	1000
Туре	976 cc, V-twin, liquid-cooled, SOHC, 8-valve (4-valve / cyl)
Bore & Stroke	91 x 75 mm
Fuel Delivery System	iTC™ with EFI and 54 mm Throttle Body, 2 Siemens† VDO injectors
Starting System	Electric
Transmission	CVT, sub-transmission with high, low, park, neutral & reverse. Standard engine braking
Drive Train	Selectable 2WD / 4WD shaft driven with Visco-Lok‡ QE auto-locking front differential

CHASSIS	
Frame	Steel
Cage Type	2-in. (5.1 cm) diameter, high-strength steel, ROPS-approved
Steering Wheel Adjustment	Adjustable tilt steering
Front Suspension Type / Shocks	Double A-arm with dive-control geometry / Motion Control shocks
Front Suspension Travel	10 in. (25.4 cm)
Rear Suspension Type / Shocks	Torsional Trailing arm Independent rear suspension (TTI) with external sway bar / Motion Control shocks
Rear Suspension Travel	10 in. (25.4 cm)
Front Brakes	Dual 220 mm ventilated disc brakes with hydraulic twin-piston (32 mm) calipers
Rear Brakes	Dual 214 mm ventilated disc brake with hydraulic single-piston (32 mm) caliper
Tires / Front	Maxxis Bighorn 2.0 [†] 27 x 9 x 14 in. (68.6 x 22.9 x 35.6 cm)
Tires / Rear	Maxxis Bighorn 2.0 27 x 11 x 14 in. (68.6 x 27.9 x 35.6 cm)
Wheels	Cast-aluminum

WARRANTY	
Factory	6 months limited warranty
Extended	B.E.S.T. available from 6 to 30 months

Dry Weight	1,562 lb (708 kg)
L x W x H (in.)	147.8 x 58.6 x 75.4 in.
L x W x H (cm)	375.3 x 148.9 x 191.6 cm
Wheelbase	105.3 in. (267.3 cm)
Ground Clearance	11 in. (27.9 cm)
Towing Capacity	1,500 lb (680 kg)
Cargo Box Capacity	Total: 600 lb (272 kg) Upper: 400 lb (181 kg) Lower: 200 lb (91 kg)
Cockpit Storage	Glove box: 4.5 gal (17.2 L) Center console: 0.3 gal (1.3 L)
Fuel Capacity	10 gal (37.8 L)
FEATURES	
Instrumentation	Multifunction digital gauge: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, sport mode, ECO** mode, seat belt and 4 x 4 indicator, diagnostics, clock, auto

shut off

Prewired for winch

Anti-theft System Electrical

Lighting

DC Outlet

Digitally Encoded Security System (D.E.S.S. $^{\text{\tiny{M}}}$)

240-W from four 60-W projectors with tail lights / brake light

Lighter type in console, standard connector in the back (15-A)

DIMENSIONS

Extended

B.E.S.T. available from 6 to 30 months

©2014 Bombardier Recreational Products Inc (BRP). All rights reserved. ™, ® and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the U.S.A., the products are distributed by BRP US Inc. ‡ Visco-Lok is a trademark of GRN Viscodrive GmbHn. ↑ All other trademarks are the property of their respective owners. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Read the side-by-side vehicle (SSV) Operator's Guide and watch the Safety DVD before driving. For your safety, wear a helmet, eye protection and other protective gear. Fasten lateral net and seat belt at lall times. Always remember that indiging and alcohol/drugs don't mix. SSV is for off-road use only. Never ride on paved surfaces or public roads. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. Never engage in stunt driving and avoid excessive speed.





COMMANDER MAX DPS

- Rotax® V-Twin engine Double A-arm front suspension with
- dive-control geometry

 Torsional Trailing arm Independent rear suspension (TTI) with external sway bar
- Tri-Mode Dynamic Power Steering (DPS)
 Visco-Lok QE
- 14-in. cast-aluminum wheels
- 27-in. Maxxis Bighorn 2.0 tires
 Intelligent Throttle Control (iTC)
- Industry's exclusive Dual-Level™ cargo box
 Adjustable driver seat and tilt steering
- 2-in. (5.1 cm) diameter ROPS-approved cage
 Quick-attach side nets
 625-W magneto
 10 gal (37.8 L) gas tank



COLOR AND ENGINE OPTION

Yellow / 1000

COMMANDER MAX XT

ADDED FEATURES

- 4,500-lb (2,041 kg) WARN[†] winch with roller fairlead, wired remote control and integrated winch remote
- Heavy-duty front bumperRugged bed rails
- Mudguards
- Analog / digital gauge
 Custom steering wheel with brushed-aluminum center part
- Industry-exclusive NEXT G-1 Vista[†] Camo color option
- Brushed Aluminum water dipped plastic color option

COLOR AND ENGINE OPTIONS

- **NEW** Brushed Aluminum / 1000
- Yellow / 1000
- **Camo / 1000**





39" LED LIGHT BAR (240 WATTS)

- Complete 10-W LED Cree light bar kit with 21,600 lumens.
- Sitting protected inside the cage area, this light offers a mix of flood and spot lenses.
 This kit comes with brackets for installation.
- Not compatible with full windshields.



SPORT ROOF WITH SKYLIGHT

Roof for protection against the elements without compromising exposure to natural outside light.



SPORT ALUMINUM DOORS

- Made of lightweight aluminum.
- Rotary latch and rear hinge opening for ease of ingress / egress in the cockpit.
- Powder coated black.



4-POINT DRIVER AND PASSENGERS HARNESSES

- 2" shoulder and hip straps with automotive style buckle.
- Removable upper mounting point to keep the removable seat feature.
- Sewn-on shoulder pads and leather pad on hips.
 ROHVA compliant.



