≣MAVERICK™ X® xc

HIGHLIGHTS

- 101-hp Rotax® 1000R V-twin engine with high-flow dynamics
- 60 in. (152.4 cm) overall width
- Tri-Mode Dynamic Power Steering (DPS™)
- Visco-Lok[‡] QE auto-locking front differential
- Intelligent Throttle Control (iTC™)
- Continuously Variable Transmission (CVT) with Zylon†-reinforced belt
- Mid-engine layout for mass centralization
- Double A-arm front suspension with 12 in. (30.5 cm) of travel
- Torsional Trailing A-arms independent (TTA) rear suspension with 12 in. (30.5 cm) of travel

- Front sway bar
- Front and rear FOX[†] 2.0 PODIUM[†] C shocks
- 12-in. aluminum beadlock wheels with 27-in. Maxxis Bighorn 2.0† tires
- High-strength, 200-lb (91 kg) multipurpose rear rack with LinQ[™] quick-attach system
- Analog / Digital gauge
- · Adjustable driver's seat and tilt steering
- Passenger handhold and grab bar
- X-package seat trims and graphics



Light Grey & Octane Blue / 1000R

ENGINE	1000R
Туре	101 hp, Rotax 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC) with Electronic Fuel Injection (EFI)
Transmission	CVT with Zylon-reinforced belt, L / H / N / R / P, standard engine brake
Drive Train	Selectable 2WD / 4WD with Visco-Lok QE auto-locking front differential
Power Steering	Tri-Mode Dynamic Power Steering (DPS)

SUSPENSIONS	
Front Suspension	Double A-arm with sway bar 12 in. (30.5 cm) travel
Front Shocks	FOX 2.0 PODIUM C Piggyback with compression adjustment
Rear Suspension	Torsional Trailing A-arms independent (TTA) with sway bar 12 in. (30.5 cm) travel
Rear Shocks	FOX 2.0 PODIUM C Piggyback with compression adjustment

BRAKES	
Front	Dual 220 mm ventilated disc brakes with hydraulic twin-piston calipers
Rear	Dual 214 mm ventilated disc brakes with hydraulic single-piston calipers

TIRES / WHEELS	
Front Tires	Maxxis Bighorn 2.0 27 x 9 x 12 in. (68.6 x 22.9 x 30.5 cm)
Rear Tires	Maxxis Bighorn 2.0 27 x 11 x 12 in. (68.6 x 27.9 x 30.5 cm)
Wheels	12-in. aluminum beadlock

DIMENSIONS / CAPACITIES		
LxWxH	118.8 x 60 x 72.2 in. (301.7 x 152.4 x 183.4 cm)	
Wheelbase	84.3 in. (214.1 cm)	
Ground Clearance	11 in. (28 cm)	
Dry Weight*	1,290.8 lb (585 kg)	
Rack Capacity	200 lb (91 kg) with LinQ quick-attach	
Storage Capacity	Glove box: 4.5 gal (17.2 L) Under driver seat: 3.5 gal (13.1 L) Center console: 0.3 gal (1.3 L)	
Towing Capacity	N/A	
Fuel Capacity	10 gal (37.8 L)	

FEATURES			
Gauge	Multifunction Analog / Digital: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, sport mode, ECO™ mode, seat belt and 4 x 4 indicator, diagnostics, clock, auto shut off	Protection	N/A
		Instrumentation	Lighter type DC outlet in console, standard connector in the back (15-A)
		Lighting	240 W from four 60-W projectors with tail lights / brake lights
Winch	Prewired for winch	Anti-theft System	Digitally Encoded Security System (D.E.S.S.™)

WARRANTY	
Factory	6-months limited warranty
Extended	Up to 30 months B.E.S.T. coverage

