

# 2013 OUTLANDER™



## STANDARD SPECIFICATIONS

| ENGINE CHOICE           | 500  | 650        | 800R       | 1000 DPS*  |
|-------------------------|--|------------|------------|------------|
| Type                    | 499.6 cc   | 649.6 cc   | 799.9 cc   | 976 cc     |
|                         | V-twin, liquid-cooled, SOHC, 8-valve (4-valve / cyl)                                   |            |            |            |
| Bore & Stroke           | 82 x 47 mm   | 82 x 62 mm | 91 x 62 mm | 91 x 75 mm |
| EFI System / Carburetor | 46 mm Throttle Body, 2 Siemens™ VDO injectors  |            |            |            |
| Starting System         | Electric   |            |            |            |
| Transmission            | CVT, sub-transmission with high, low, park, neutral & reverse. Standard engine braking |            |            |            |
| Drive Train             | Selectable 2w / 4w shaft driven with Visco-Lok† front differential*                    |            |            |            |

### CHASSIS

|                                |  |             |             |               |
|--------------------------------|--|-------------|-------------|---------------|
| Frame                          | SST G2   |             |             |               |
| Front Suspension Type / Shocks | Double A-arm   |             |             |               |
| Front Suspension Travel        | 9 in (229 mm)  |             |             |               |
| Rear Suspension Type / Shocks  | Torsional Trailing arm Independent (TTI)                               |             |             |               |
| Rear Suspension Travel         | 9.3 in (236 mm)  |             |             |               |
| Front Brake                    | Dual 214 mm ventilated disc brakes with hydraulic twin-piston calipers |             |             |               |
| Rear Brake                     | Single 214 mm ventilated disc brake with hydraulic twin-piston caliper |             |             |               |
| Tires / Front                  | 26 x 8 x 12 in (660 x 203 x 305 mm)                                    |             |             |               |
| Tires / Rear                   | 26 x 10 x 12 in (660 x 254 x 305 mm)                                   |             |             |               |
| Wheels                         | Steel Black  | Steel Black | Steel Black | Cast-aluminum |

### DRY WEIGHT

|                 |                 |                 |                 |
|-----------------|-----------------|-----------------|-----------------|
| 713 lb (324 kg) | 726 lb (330 kg) | 729 lb (331 kg) | 759 lb (345 kg) |
|-----------------|-----------------|-----------------|-----------------|

### DIMENSIONS

|                  |   |
|------------------|---|
| L x W x H (in)   | 86 x 46 x 44 in                               |
| L x W x H (mm)   | 2,184 x 1,168 x 1,118 mm                      |
| Wheelbase        | 51 in (1,295 mm)                              |
| Seat Height      | 34.5 in (877 mm)                              |
| Ground Clearance | 11 in (279 mm)                                |
| Towing Capacity  | 1,300 lb (590 kg)                             |
| Rack Capacity    | Front: 100 lb (45 kg)<br>Rear: 200 lb (90 kg) |
| Storage          | Rear storage 5.7 US gal (21.4 L)              |
| Fuel Capacity    | 5.4 US gal (20.5 L)                           |

### FEATURES

|                   |   |
|-------------------|---|
| Instrumentation   | Multi-function digital LCD gauge: Speedometer, tachometer (bar graph RPM, bottom bar numerical RPM), odometer, trip & hour meters, diagnostic center, gear position, engine hour meter, 4x4 indicator, temperature and engine lights, fuel gauge, clock, auto shut off after 15 minutes |
| Anti-theft System | Digitally Encoded Security System (D.E.S.S.™)   |
| Electrical        | Prewired for winch  |
| Lighting          | 230-watt from twin 60-watt projectors and dual 55-watt reflectors with tail light / brake light   |
| DC Outlet         | Lighter type in console, standard connector in the back (15A)   |

©2012 Bombardier Recreational Products Inc (BRP). All rights reserved.™, ® and the BRP logo are registered trademarks of BRP or its affiliates. \* With Visco-Lok OE on DPS model† Visco-Lok is a trademark of GRN ViscoDrive GmbH. All other trademarks are the property of their respective owners. Products are distributed in the U.S.A. by BRP US Inc. Because of our ongoing commitment to product quality and innovation, BRP reserves the right at anytime to discontinue or change specifications, price, design, features, models or equipment without incurring any obligation. Ride responsibly. BRP highly recommends that all ATV drivers take a training course. For safety and training information, see your dealer or, in U.S.A. call the ATV Safety Institute at 1 (800) 887-2887. In Canada, call the Canadian Safety Council at 1 (613) 739-1535 ext 227. ATVs can be hazardous to operate. For your safety: the operator and passenger should wear a helmet, eye protection and other protective clothing. Always remember that riding and alcohol / drugs don't mix. Never ride on paved surfaces or public roads. Never engage in stunt driving. Avoid excessive speeds and be particularly careful on difficult terrain. ATVs with engine sizes of greater than 90cc are recommended for use only by those age 16 and older. Never carry passengers on any ATV not specifically designated for such use.

**can-am**



## STANDARD FEATURES

### OUTLANDER

- Rotax® V-Twin engine options
- Continuously Variable Transmission (CVT) with engine braking
- Surrounding Spar Technology (SST G2) frame with Geometric Contact Control
- Double A-arm front suspension with dive-control geometry
- Torsional Trailing arm Independent (TTI) rear suspension
- Visco-Lok auto-locking differential
- 230-W lighting from headlights
- High-strength, multi-function racks with LinQ quick-attach accessory system
- 5.7 US gallon (21.4 L) water-resistant rear storage box
- Digitally Encoded Security System (D.E.S.S.)
- Multi-function digital gauge

#### COLOR AND ENGINE OPTIONS

Viper Red ■ 800R / 650 / 500



## PACKAGE OPTIONS

### NEW OUTLANDER DPS™

#### ADDED FEATURES

- Tri-mode Dynamic Power Steering (DPS)
- Visco-Lok QE
- 12-inch cast-aluminum wheels

#### COLOR AND ENGINE OPTIONS

Yellow ■ 1000 / 800R / 650 / 500



### OUTLANDER XT™

#### ADDED FEATURES

- Tri-mode Dynamic Power Steering (DPS)
- Visco-Lok QE
- 12-inch cast-aluminum wheels with machined finish
- 26-inch Carlisle™ ACT radial tires
- 3000-lb (1,361 kg) WARN™ winch with roller fairlead, wired remote control and integrated remote storage
- Heavy-duty front and rear bumpers
- Handlebar wind deflectors
- 625 watts magneto

- Industry-exclusive NEXT G-1 Vista™ Camo color option
- Pure Magnesium Metallic painted plastic color option

#### COLOR AND ENGINE OPTIONS

Viper Red ■ 800R / 650 / 500  
Yellow ■ 1000 / 800R / 650 / 500  
Camo ■ 1000 / 800R / 650  
Pure Magnesium Metallic ■ 1000 / 800R / 650



### OUTLANDER XT-P

#### ADDED FEATURES

- Front and rear FOX™ PODIUM™ Performance RC2 HPG piggyback shocks
- Tri-mode Dynamic Power Steering (DPS)
- Visco-Lok QE
- 12-inch cast-aluminum beadlock wheels
- 26-inch Carlisle ACT radial tires
- 3000-lb (1,361 kg) WARN winch with roller fairlead, wired remote control and integrated remote storage
- Heavy-duty front & rear bumpers

- Aluminum taper-profile handlebar with wind deflectors and square pad
- Black painted plastic
- 625 watts magneto
- Analog / digital gauge

#### COLOR AND ENGINE OPTIONS

Black with Yellow side panels ■ 1000 / 800R



### OUTLANDER X™ mr

#### ADDED FEATURES

- Front and rear Air Control Suspension (ACS) with FOX Air Assist HPG shocks
- 30-inch Gorilla Axle Silverback™ tires
- 14-inch ITP™ SS312 cast-aluminum wheels
- Tri-mode Dynamic Power Steering (DPS)
- Visco-Lok QE
- Relocated radiator
- 3000-lb (1,361 kg) WARN winch with roller fairlead, wired remote control and integrated remote storage
- Heavy-duty front & rear bumpers
- Aluminum taper-profile handlebar with wind deflectors and square pad

- Mud-riding footrests
- Mudguards
- 625 watts magneto
- Analog / digital gauge
- 59-inch wheel base
- NEW Industry-exclusive NEXT G-1 Vista Camo color option
- NEW X package coloration, graphics and seat cover

#### COLOR AND ENGINE OPTIONS

Camo ■ 1000  
Yellow and Black with X package graphics ■ 1000



# 2013 OUTLANDER™—GENUINE ACCESSORIES

## LINQ PREMIUM 124 L TRUNK BOX WITH REAR LIGHT

This extra large innovative Trunk Box carries up to three helmets (124 L) and has a key locking latch. It is made of heavy-duty polypropylene and has weather-resistant lid gaskets to seal out dust and moisture. The Trunk Box is offered with the LinQ system meaning it can be installed or removed in a snap, with no tools. The colored panels can also be changed to match the body color of your vehicle.

## FRONT & REAR LINQ RACK EXTENSIONS

These strong, durable Extension Racks install easily on the Outlander thanks to the LinQ system, requiring no tools. It helps keep your cargo more securely in place.



## FRONT & REAR BUMPERS

The front and rear bumpers will provide additional protection against the elements. Tough and durable, they can be added on the vehicle to give your Outlander the look of an XT model.

## MUDGUARDS

It's a must to ride in the mud. Made out of injected plastic parts that perfectly fit your Outlander fenders, they offer more protection from dirt and debris.

## UNDERBELLY PROTECTION

Aluminum plates made with high strength 5052 H32 aluminum and plastic deflector to protect your frame from the unexpected — a must-have for rugged terrains.

## DELUXE FAIRING

The Deluxe Fairing provides not only wind protection, but a series of innovative features:

- Quick toolless removal once the base brackets are mounted on the handlebar
- 2 Cup holders
- Optional GPS mounting kit
- Add-on windshield can be replaced
- Optional mirrors
- Optional auxiliary windshield lighting



## WINTER ACCESSORIES

Enjoy your Can-Am ATV all year long with our complete line-up of winter accessories such as our year-round Apache 360 track system and our wide selection of snow plows, easy to use and specially designed for your Can-Am ATV.



## HUNTING ACCESSORIES

When hunting season starts, you need to be ready with the right accessories specifically designed for your hunting trips such as our gun boot with mount using the LinQ system, part of the Can-Am accessories by Kolpin collection. Make sure that your camouflage is perfect with our complete choice of clothing and accessories that match your vehicle.

Shop at  
[store.can-am.brp.com](http://store.can-am.brp.com)  
or at your authorized Can-Am dealer.

**can-am**

