# SAFETY DATA SHEET



1. Identification

**Product identifier** Husqvarna Dielectric Bar and Chain Oil

Other means of identification

**Product code** 599695301 [Factory], 599727201 [Aftermarket]

Recommended use Chain oil **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier Husqvarna Group

**Address** 9335 Harris Corners Parkway

Charlotte, NC 28269

USA

Telephone number 800-487-5951

**Emergency telephone** +1-760-476-3961 (Access code 333721)

number

2. Hazard identification

Physical hazards Not classified. Not classified. **Health hazards** 

Label elements

**Hazard symbol** None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statement** 

**Precautionary statement** 

Observe good industrial hygiene practices. Prevention

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Other hazards None known.

Supplemental information None.

# 3. Composition/information on ingredients

The components are not hazardous or are below required disclosure limits.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and

delayed

Treat symptomatically.

medical attention and special

Indication of immediate

treatment needed

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

Husqvarna Dielectric Bar and Chain Oil 956766 Version #: 01 Revision date: -Issue date: 21-January-2021

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

A solid stream of water or foam directed into hot, burning liquid can cause frothing. Burning may produce carbon monoxide and carbon dioxide.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Cool containers exposed to heat with water spray and remove container, if no risk is involved.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Material will burn in a fire. General fire hazards

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Use only in well-ventilated areas. Avoid inhalation of oil mist and contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Do not eat, drink or smoke when using the product. Be aware of potential for surfaces to become slippery. Observe good industrial hygiene practices. Maximum handling temperature 60°C (140°F). "Empty" containers retain product residue (liquid or vapour) and can be dangerous. Do not cut or weld on empty drums unless they are thoroughly cleaned.

Conditions for safe storage, including any incompatibilities Keep away from ignition, flame and heat sources. Store in a cool, dry, well-ventilated place. Store away from incompatible materials.

### 8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH	Threshold	Limit	Values
-----------	-----------	-------	--------

Components	Туре	Value	Form
Highly refined petroleum oil	TWA	5 mg/m3	Inhalable fraction.
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Sch	edule 1, Table 2)	
Components	Туре	Value	Form
Highly refined petroleum oil	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
	IVVA	5 mg/ms	IVIIST.
Canada. Manitoba OELs (Reg. 217		· ·	IVIIST.
Canada. Manitoba OELs (Reg. 217 Components		· ·	Form
	/2006, The Workplace Safety	And Health Act)	
Components	72006, The Workplace Safety A Type TWA	And Health Act) Value 5 mg/m3	Form Inhalable fraction.
Components Highly refined petroleum oil	72006, The Workplace Safety A Type TWA	And Health Act) Value 5 mg/m3	Form Inhalable fraction.
Components Highly refined petroleum oil Canada. Quebec OELs. (Ministry o	/2006, The Workplace Safety / Type TWA f Labor - Regulation respecti	And Health Act)  Value  5 mg/m3  ng occupational health and s	Form Inhalable fraction. afety)

Husqvarna Dielectric Bar and Chain Oil 956766 Version #: 01 Revision date: -Issue date: 21-January-2021

# Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)

15 minute

Components Type Value

8 hour 5 mg/m3

Biological limit values

Highly refined petroleum oil

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

10 mg/m3

established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear nitrile or neoprene gloves for routine industrial use. Use triple gloves for spill response.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment. Selection and use of

respiratory protective equipment should be in accordance with OSHA General Industry Standard

29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical stateLiquid.FormClear liquid.ColourBrown.

Odour Mild petroleum odour.

Odour threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Wide range

range

Flash point 150.0 °C (302.0 °F)
Evaporation rate Not determined.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper Not available.

(%)

Vapour pressure Not determined.
Vapour density Not determined.

Solubility(ies)

Solubility (water) Negligible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 67 cSt

Viscosity temperature 40 °C (104 °F)

Other information

**Explosive properties** Not explosive. Oxidising properties Not oxidising. VOC Not determined.

# 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

products vapours.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Eye contact

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

**Product Species Test Results** 

Husqvarna Dielectric Bar and Chain Oil (CAS -)

**Acute Dermal** 

LD50 > 5000 mg/kg

Inhalation

LC50 > 20 mg/l, 4 hours

Oral

LD50 > 5000 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

#### Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Not classified. Carcinogenicity

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

956766 Version #: 01 Revision date: -Issue date: 21-January-2021

## 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product Species Test Results

Husqvarna Dielectric Bar and Chain Oil (CAS -)

Acute

Algae EC50 Algae and aquatic plants > 100 mg/l

Aquatic

Acute

Crustacea EL50 Daphnia magna > 100 mg/l, 48 hours Fish LL50 Fish > 100 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

No data available.

Mobility in soil

The product is insoluble in water.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

**TDG** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Not established.

# 15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

International regulations

**Stockholm Convention** 

Not applicable.

**Rotterdam Convention** 

Not applicable.

Husqvarna Dielectric Bar and Chain Oil 956766 Version #: 01 Revision date: - Issue date: 21-January-2021

# **Kyoto Protocol**

Not applicable.

## **Montreal Protocol**

Not applicable.

## **Basel Convention**

Not applicable.

## 16. Other information

Issue date 21-January-2021

Revision date - Version No. 01

Disclaimer Husqvarna Group cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

SDS Canada

956766 Version #: 01 Revision date: - Issue date: 21-January-2021