

FEATURES AND OPTIONS - 4005 SERIES

● = Standard ● = Optional

| Features and options* | 4905 / 24R 30' | 4905 / 16R 30' | 4905 / 12R 30' | 4705 / 36R 20' | 4705 / 24R 30' |
|--|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Planter frame and toolbar | Front fold | Front fold | Front fold | Front fold | Front fold |
| Sections | 3 | 3 | 3 | 3 | 3 |
| Flexibility | 21° Up / 21° Down | 21° Up / 21° Down | 21° Up / 21° Down | 15° Up / 15° Down | 15° Up / 15° Down |
| Row markers | ● | ● | ● | ● | ● |
| Flip axle | ● | — | — | — | — |
| Hydraulic weight transfer (active hydraulic weight transfer w/bulk fill scale and Blue Drive) | ● | ● | ● | ● | ● |
| Number of rows per wing | 8 | 5 | 3 | 12 | 8 |
| Two-point hitch | ● | ● | ● | — | — |
| CAT 4 drawbar hitch | ● | ● | ● | ● | ● |
| CAT 5 drawbar hitch | — | — | — | ● | ● |
| PTO hydraulic pump | ● | ● | ● | ● | ● |
| Seed handling | | | | | |
| Bulk fill hoppers - total capacity | 120 bu. | 90 bu. | 80 bu. | 120 bu. | 120 bu. |
| Bulk fill scale package | ● | ● | ● | ● | ● |
| Transmission and drive system | | | | | |
| Blue Drive electric drive | ● | ● | ● | ● | ● |
| Hydraulic drive | ● | ● | ● | — | — |
| Ground contact drive | ● | ● | ● | — | — |
| Displays and control | | | | | |
| Blue Vantage display (standard with Blue Drive) | ● | ● | ● | ● | ● |
| Ag Leader InCommand 1200 | ● | ● | ● | — | — |
| Ag Leader electronics package | ● | ● | ● | — | — |
| Ag Leader 7500 GPS Receiver | ● | ● | ● | ● | ● |
| Electric single row clutches | ● (ground/hyd) | ● | ● | — | — |
| Down pressure | | | | | |
| True Depth hydraulic down force | ● | ● | ● | ● | ● |
| Pneumatic down pressure | ● | ● | ● | ● | ● |
| Metering | | | | | |
| True Speed high speed electric drive meter | ● | ● | ● | ● | ● |
| True Rate vacuum meter | ● | ● | ● | ● | ● |
| Attachments | | | | | |
| Yetter air adjustable row cleaners | ● | ● | ● | ● | ● |
| Spoked gauge wheels | ● | ● | ● | ● | ● |
| Spiked closing wheels | ● | ● | ● | ● | ● |
| Rubber V closing wheels | ● | ● | ● | ● | ● |
| Cast iron closing wheels | ● | ● | ● | ● | ● |
| Row unit mounted no-till coulters | ● | ● | ● | ● | ● |
| Residue wheels | ● | ● | ● | ● | ● |
| Granular chemical with hopper | ● | ● | ● | ● | ● |
| Fertilizer | | | | | |
| Liquid fertilizer tanks | ● | ● | ● | ● | ● |
| Liquid fertilizer openers | ● | ● | ● | — | — |
| Liquid fertilizer tube in-furrow | ● | ● | ● | ● | ● |
| Piston pump packages | ● | ● | ● | — | — |
| Centrifugal pump packages | — (ground/hyd) ● (electric dr) | — (ground/hyd) ● (electric dr) | — (ground/hyd) ● (electric dr) | — (ground/hyd) ● (electric dr) | — (ground/hyd) ● (electric dr) |
| Miscellaneous | | | | | |
| Cameras - planter mounted (up to 4) | ● | ● | ● | ● | ● |
| Auxiliary work light package | ● | ● | ● | ● | ● |
| Rear trailer hitch | ● | ● | ● | — | — |

*Not all features/options are available with all sizes or configurations. Some features/options available only through Dealer Parts.

● = Standard ● = Optional

| Features and options* | 3705 | 3665 | 3605 | 3505 | 3205 | 3145 | 3115 | 3005 |
|---|-------------------------------------|-----------------------------------|---------------------------------|-------------------|-------------------------------------|---------------------------------|----------------|--------------|
| Planter frame and toolbar | Front fold | Pivot fold | Pivot fold | Pivot fold | Wing fold | Stack fold | Mounted | Rigid |
| Sections | 2 | 3 | 3 | 1 | 2 | 1 | 1 | 1 |
| Flexibility | Center flex 15° up / 15° down | Wing flex 13° up / 13° down | Wing flex 7° up / 7° down | Rigid | Center flex 13° up / 12° down | Wing flex 8° up / 8° down | Rigid | Rigid |
| Split rows | — | ● | ● | ● | — | — | — | ● |
| Even row split row | — | ● | ● | ● | — | — | — | — |
| Row markers | ● | ● | ● | ● | ● | ● | ● | ● |
| Hydraulic weight transfer (active hydraulic weight transfer w/bulk fill scale and Blue Drive) | — | ● | ● | — | — | — | — | — |
| 2-point adapter | — | ● | ● | ● | — | — | — | — |
| PTO hydraulic pump (standard with Blue Drive) | ● | ● | ● | ● | — | — | — | — |
| Seed handling | | | | | | | | |
| Bulk fill hoppers - total capacity | 110 bu. | 110 bu. | 80 bu. | 50 bu. | — | — | — | — |
| Bulk fill scale package | ● | ● | ● | ● (Blue Drive) | — | — | — | — |
| Row unit hoppers - 1.9 bu. | — | — | ● | ● | ● | ● | ● | ● |
| Transmission and drive system | | | | | | | | |
| Blue Drive electric drive | — | ● | — | ● | — | — | — | — |
| Hydraulic drive | — | — | ● | — | — | — | — | — |
| Ground contact drive | ● | — | ● | ● | ● | ● | ● | ● |
| Displays and controls | | | | | | | | |
| Blue Vantage display (standard with Blue Drive) | — | ● | — | ● | — | — | — | — |
| Ag Leader InCommand 1200 | ● | ● | ● | ● | ● | — | — | — |
| Ag Leader electronics package | ● | ● | ● | ● | ● | — | — | — |
| KPM III electronic seed monitor | ● | ● | ● | ● | ● | ● | ● | ● |
| Ag Leader 7500 GPS receiver | ● | ● | ● | — | ● | — | — | — |
| Electric single row clutches | ● | ● | ● | ● | ● | — | — | — |
| Down pressure | | | | | | | | |
| True Depth hydraulic down force | — | ● | ● | ● | — | — | — | — |
| Pneumatic down pressure | ● | ● | ● | ● | — | — | — | — |
| Heavy duty down pressure springs | ● | ● | ● | ● | ● | ● | ● | ● |
| Metering | | | | | | | | |
| True Speed high speed electric drive meter | — | ● | — | ● | — | — | — | — |
| True Rate vacuum meter | ● | ● | ● | ● | ● | ● | ● | — |
| Brush meter 2.0 | — | ● | ● | ● | ● | ● | ● | ● |
| Finger pick-up meter | — | ● | ● | ● | ● | ● | ● | ● |
| Attachments | | | | | | | | |
| Spoked gauge wheels | ● | ● | ● | ● | ● | ● | ● | ● |
| Spiked closing wheels | ● | ● | ● | ● | ● | ● | ● | ● |
| Rubber V closing wheels | ● | ● | ● | ● | ● | ● | ● | ● |
| Cast iron closing wheels | ● | ● | ● | ● | ● | ● | ● | ● |
| Row unit mounted no-till coulters | ● | ● | ● | ● | ● | ● | ● | ● |
| Residue wheels | ● | ● | ● | ● | ● | ● | ● | ● |
| Granular chemical with hopper | ● | ● | ● | ● | ● | ● | ● | ● |
| Fertilizer | | | | | | | | |
| Liquid fertilizer tanks | ● | ● | ● | ● | ● | — | — | ● |
| Dry fertilizer packages | — | — | ● | ● | — | — | — | ● |
| Notched single disc opener package | — | ● | ● | ● | ● | — | — | ● |
| Heavy-duty single disc opener package | — | ● | ● | ● | ● | — | — | ● |
| Liquid fertilizer tube in-furrow | — | ● | ● | ● | ● | — | — | ● |
| Liquid fertilizer piston pump pkgs | ● | ● | ● | ● | ● | — | — | ● |
| Miscellaneous | | | | | | | | |
| Cameras - planter mounted (up to 4) | — | ● | — | ● | — | — | — | — |
| Auxiliary work lights | — | ● | ● | ● | — | — | — | — |
| Rear trailer hitch | — | ● | ● | ● | — | — | — | — |

*Not all features/options are available with all sizes or configurations. Some features/options available only through Dealer Parts.

MODEL DIMENSIONS AND WEIGHTS

| | 4905 | | | 4705 | | 3705 | 3665 | |
|---|--------------------------|----------------------|---------------------|--------------------|--------------------|--------------------|--------------|--------------|
| | 24R 30" | 16R 30" | 12R 30" | 36R 20" | 24R 30" | 24R 20" | 16R 30" | 12R 30" |
| Length | | | | | | | | |
| Planting - row unit hoppers | — | — | — | — | — | — | — | — |
| Planting - bulk fill hoppers | 28' 10" ¹ | 21' 11" ¹ | 19' 4" ¹ | 30' 1" | 30' 1" | 27' 4" | 26' 3" | 23' 9" |
| Transport - row unit hoppers | — | — | — | — | — | — | — | — |
| Transport - bulk fill hoppers | 43' 8" ¹ | 33' 5" ¹ | 29' 5" ¹ | 43' 2" | 43' 2" | 32' 0" | 49' 2" | 39' 2" |
| Width | | | | | | | | |
| Planting - row unit hoppers | — | — | — | — | — | — | — | — |
| Planting - bulk fill hoppers | 62' 5" | 43' 4" | 33' 4" | 60' 10" | 60' 10" | 43' 11" | 42' 11" | 32' 11" |
| Transport - row unit hoppers | — | — | — | — | — | — | — | — |
| Transport - bulk fill hoppers | 12' 0" | 12' 0" | 12' 0" | 16' 2" | 16' 2" | 13' 0" | 11' 2" | 11' 2" |
| Height | | | | | | | | |
| Planting - row unit hoppers | — | — | — | — | — | — | — | — |
| Planting - bulk fill hoppers | 9' 3" | 8' 11" | 8' 9" | 10' 4" | 10' 4" | 8' 7" | — | — |
| Transport - row unit hoppers | — | — | — | — | — | — | — | — |
| Transport - bulk fill hoppers | 12' 0" ² | 11' 9" ³ | 11' 7" ³ | 12' 4" | 12' 4" | 13' 0" | 12' 11" | 12' 11" |
| Weight (empty) | | | | | | | | |
| Base machine - row unit hoppers ⁸ | — | — | — | — | — | — | — | — |
| Base machine - bulk fill hoppers ⁸ | 31,525-33,770 lbs. | 21,490-22,930 lbs. | 17,070-18,000 lbs. | 32,000-37,400 lbs. | 30,000-34,820 lbs. | 19,700-21,000 lbs. | 25,718 lbs.* | 22,380 lbs.* |
| Hitch - row unit hoppers | — | — | — | — | — | — | — | — |
| Hitch - bulk fill hoppers | 10,146 lbs. ⁴ | 7,380 lbs. | 5,260 lbs. | 8,000 lbs. | 9,620 lbs. | — | — | — |

| | 3205 | 3145 | |
|--|------------------|------------------------------|------------------------------|
| | 12R 30" | 16R 30" | 12R 30" |
| Length | | | |
| Planting - row unit hoppers | 17' 9" | 5' 3" / 9' 5" ⁵ | 5' 3" / 9' 5" ⁵ |
| Transport - row unit hoppers | 17' 9" | 5' 3" / 9' 5" ⁵ | 5' 3" / 9' 5" ⁵ |
| Width | | | |
| Planting - row unit hoppers | 31' 4" | 40' 0" | 30' 0" |
| Transport - row unit hoppers | 16' 2" | 21' 1" ⁶ / 23' 0" | 16' 1" ⁶ / 17' 9" |
| Height | | | |
| Planting - row unit hoppers | — | — | — |
| Transport - row unit hoppers | 9' 1" | 12' 6" ⁶ / 15' 6" | 12' 2" ⁶ / 13' 2" |
| Weight (empty) | | | |
| Base machine - row unit hoppers ⁸ | 7,500-8,066 lbs. | 7,480-8,109 lbs. | 6,236-6,794 lbs. |

| | 3605 | | 3505 | |
|---|---------------|---------------|-----------------------------|------------------|
| | 16R 30" | 12R 30" | 8R 30" | 6R 30" |
| Length | | | | |
| Planting - row unit hoppers | 24' 0" | 21' 0" | 19' 8" | 19' 8" |
| Planting - bulk fill hoppers | 24' 0" | 21' 0" | 19' 8" | – |
| Transport - row unit hoppers | 46' 10" | 36' 10" | 26' 5" | 23' 9" |
| Transport - bulk fill hoppers | 46' 10" | 36' 10" | 26' 5" | – |
| Width | | | | |
| Planting - row unit hoppers | 41' 2" | 31' 2" | 21' 10" | 16' 10" |
| Planting - bulk fill hoppers | 41' 2" | 31' 2" | 21' 10" | – |
| Transport - row unit hoppers | 11' 2" | 11' 2" | 11' 2" | 11' 2" |
| Transport - bulk fill hoppers | 11' 2" | 11' 2" | 11' 2" | – |
| Height | | | | |
| Planting - row unit hoppers | – | – | – | – |
| Planting - bulk fill hoppers | 8' 2" | 8' 2" | 8' 0" | – |
| Transport - row unit hoppers | 11' 5" | 11' 5" | 10' 6" | 10' 6" |
| Transport - bulk fill hoppers | 12' 6" | 12' 6" | 12' 0" | – |
| Weight (empty) | | | | |
| Base machine - row unit hoppers ⁸ | 23,033 lbs.** | 18,180 lbs.** | 5,886-6,269 lbs. | 5,163-5,443 lbs. |
| Base machine - bulk fill hoppers ⁸ | 24,033 lbs.* | 19,180 lbs.* | 6,919-11,520 lbs. | – |
| Hitch - row unit hoppers | – | – | – | – |
| Hitch - bulk fill hoppers | – | – | 2,260 lbs (with Split Rows) | – |

| | 3115 | | | 3005 | | |
|--|------------------|------------------|------------------|------------------------------|------------------------------|------------------------------|
| | 8R 30" | 6R 36-40" | 6R 30" | 8R 30" | 6R 30" | 4R 30" |
| Length | | | | | | |
| Planting - row unit hoppers | 5' 3" | 5' 3" | 5' 3" | 11' 4" / 13' 8" ⁷ | 11' 4" / 13' 8" ⁷ | 11' 4" / 13' 8" ⁷ |
| Transport - row unit hoppers | 5' 3" | 5' 3" | 5' 3" | 11' 4" / 13' 8" ⁷ | 11' 4" / 13' 8" ⁷ | 11' 4" / 13' 8" ⁷ |
| Width | | | | | | |
| Planting - row unit hoppers | 21' 10" | 21' 0" | 17' 8" | 21' 10" | 17' 8" | 12' 8" |
| Transport - row unit hoppers | 21' 10" | 21' 0" | 17' 8" | 21' 10" | 17' 8" | 12' 8" |
| Height | | | | | | |
| Planting - row unit hoppers | – | – | – | – | – | – |
| Transport - row unit hoppers | – | – | – | – | – | – |
| Weight (empty) | | | | | | |
| Base machine - row unit hoppers ⁸ | 3,092-3,407 lbs. | 2,560-2,854 lbs. | 2,483-2,763 lbs. | 4,874-5,548 lbs. | 3,864-4,398 lbs. | 2,538-2,948 lbs. |

1. Add 2' 9" to length with drawbar hitch; add 1' 2" to length for 2-point hitch
2. Includes row markers, flip axle and fertilizer
3. Includes row markers and fertilizer
4. Hitch weight reduced by 1,500 lbs when flip axle is engaged (may vary with other installed options)

5. With dual lift assist package
6. Without markers
7. With double-frame
8. Base machine weight depends on how machine is equipped (meters, drives, hoppers, etc.)

* Typical configuration (split row, marker)
** Typical configuration