



2P LINE



Rua Dr. Luiz Miranda, 1.650 - 17580-000 - Pompeia - SP - Brazil - Tel.: +55 14 3405 2100 - Fax: +55 14 3452 1306 - E-mail: [export@jacto.com.br](mailto:export@jacto.com.br) [www.jacto.com.br](http://www.jacto.com.br)

 PROTECT THE ENVIRONMENT. WHEN DISCARDING THIS LEAFLET, DO NOT LITTER THE STREET.



Images are for illustration purposes only and may have different optional accessories and versions. Check available settings at a dealer near you. This leaflet does not void the need to read the operator's manual closely. Jacto may change settings, versions and models offered in this leaflet at any time. 06/2015. 930002171

# 2P LINE

## VERSATILE EQUIPMENT WITH LOW MAINTENANCE COST

**2P Line** was designed to provide uniform spraying with high daily operational productivity and reduced maintenance cost.







## CORAL 2P CHASSIS ARBUS

### 2,000-LITER TANK

Highly resistant polyethylene tank. Inner and outer polished surfaces make cleaning easier. Resists impacts and corrosion. Screw cap.

### SPRAY GUN

Equipped with two spray guns and long-range hoses.



### PLATFORM

Modern and safe platform for the operator. Easier application and transport.





**CORAL 2P** CHASSIS COLUMBIA

## SPRAY GUN

Equipped with two spray guns and long-range hoses.

## 2,000-LITER TANK

Highly resistant polyethylene tank. Inner and outer polished surfaces make cleaning easier. Resists impacts and corrosion. Screw cap.

## PLATFORM

Modern and safe platform for the operator. Easier application and transport.







TANK



2,000-liter polyethylene corrosion-resistant tank. Sight glass with graduated scale and mechanical agitation system.

CLEAN WATER TANK



Clean water tank with capacity for 12 liters offers more comfort and protection to the operator.

CHEMICAL CONTAINER  
RINSE NOZZLE



Rinses inside chemical containers under pressure with water from the tank. Incorporates chemical residues from containers to the tank chemical mixture. Greater safety for the operator and the environment

FILTER



With quick closing to make cleaning easier. Filtering system has stainless steel screens



## 2P LINE

### TECHNICAL SPECIFICATIONS



#### CORAL 2P ARBUS

#### CORAL 2P COLUMBIA

Dimensions		
- Length x width x height	4.45 x 1.75 x 1.85 m	3.65 x 1.90 x 1.75 m
- Track width	1.4 to 1.55 m (optional)	1.4 to 1.80 m
- Axles	Fixed axle; Adjustable track width (optional)	Adjustable track width
-Clearance	0.39 / 0.26 m (optional)	0.55 m
- Tires	7.5 x 16 ; 11 L 15 (optional)	7.5 x 16
- Weight	560 kg	555 kg
Tank		
-Capacity	2000 L	2000 L
-Material	Polyethylene	Polyethylene
-Agitator	Mechanical	Mechanical
Clean water tank		
-Capacity	15 L	15 L
-Material	Polyethylene	Polyethylene
Pump		
-Model	JP-75 / JP-100 / JP-150	JP-75 / JP-100 / JP-150
-Pumping capacity	75 l/min / 100 l/min	75 l/min / 100 l/min / 150 l/min
-Maximum working pressure	300psi	300 psi
Chemical filter		
-Model	FVS 100	FVS 100 / FVS 200
-Capacity	100 l/min	100 l/min / 200 l/min
-Mesh	60	60 / 40
Spray Lance		
-Hose	2 x 3/8" - 50 m	2 x 3/8" - 50 m
-Model	2 x 1130	2 x 1130
Working speed		
-Maximum power consumption	2 to 6 km/h 4 cv (JP-75)	2 to 6 km/h 4 cv (JP-75)
Optional items		
	Filler unit	Filler unit Spray gun