

Commercial Forage Box Rear or Front/Rear Unload

Series 8200



Rugged.

Art's Way's Commercial Forage Box is built to withstand the harse conditions of the harvest season.

Massive Capacity

The 8200 is a full 8 feet wide on the INSIDE. Check out our 22 or 24 foot models.

Built Tough Components

Four beaters are standard on the commercial forage box allowing for an even front unload feed. This also eliminates the front spillage.

Our apron chain uses 667XH links to handle the large loads for this box. Control the apron speed from your tractor cab.

Front Unload

The Commercial Forage Box will unload as fast as your bagger or blower can handle the feed.

Hydraulic End Gate

The end gate is controlled with your tractor hydraulics and is operated when you engage the apron chain for rear unload.

Central Grease Banks


An easy to reach grease bank on each side allows you to keep the beaters running smoothly without having to locate a ladder.

Rear Unload

Unload the entire box in under a minute, all from the seat of your tractor. Night unloading made easy with optional rear light kit.

Cross Conveyor

The 24" cross conveyor is required on the front/ rear unload model. This allows easier unload into other equipment.
















The next generation of Forage Boxes.

This hydraulically controlled forage box is ideal for custom chopping operations. All functions can be controlled from inside the tractor cab; from laying out the cross conveyor extension to the speed of your apron chain. Easily switch from front to rear unload with a set of hydraulics hoses and one gear bolt. This box is built to handle all day and night hauling.





Tandem Chasis

Our chasis comes standard with flotation tires, suspension, and hydraulic brakes. Pair with the optional fenders to keep field mud away from your box. This chasis is rated at 29 tons to handle even your biggest loads.





Simple Beater System

60 and 80 Heavy drive chains operate the four standard beaters all fitted with tensioning systems.

Road Lights

Equipped with road lights and reflectors as well as a stainless steel shell, you won't be missed heading to the field with this forage box.



Weighing your haul is a breeze with our easy to move jack. Put into place and hand crank on one of two speeds. Easily trail behind your tractor through fields and on the roadways.

Truck Mount Model also available*



Product Specifications

Optional Scales (Avery Weigh-Tronix 640XL)	4 Load Cells, 15,000 lbs, per cell rating
Jack	2 Speed Jack
Rated Capacity	29 Tons
Sides	3/4" LED Clearance Lights
Rear	4-red LED 2 x 6 Oval
Transport Lights	180 Degree Visability, 4 per side
Suspension	3 Ply Leaf Springs, 50 in. OC 5 in. O. D. x 5/8 in Wall Axle Tube
Hitch	Swivel & Adjustable Height, 2,800 lb tongue weight
Brakes	Hydraulic Drum Brakes
Rims	24 in. x 22.5 in. 10 Bolt Hub Pilot, 7/8 in. Studs
Tires	700/40/22.5
Rear Door Latch, Hydraulics	Tailgate cylinders are integrated into motor supply lines for fully automatic operation.
Safety Clutch	Hydraulic Valve (Returns all oil to tractor)
Metering Augers	3 Large (18.5 in. Dia) & 1 Small (10.5 inch Dia.)
Cross Feed Options Standard Discharge 24 Cross Conveyer Extension	58 inches from center of trailer 80 inches from center of trailer
Cross Feed Apron Chain	CA550-HD
Aprong Chain	667XH
Upright Tube Spacing	24 inches On Center
Inside Height of Box	94.75 inches
Indise Width of Box	96 inches
Empty Weight	19,040 lbs.
Capacity	1,516 cubic feet
Overall Height	12 feet 11 inches
Overall Width (with tires)	10 feet 3 inches
Overall Length	33 feet 10 inches
Floor Length	23 feet 10 inches



Product Options

Chasis or Truck Mount

Purchase with our heavy duty chasis equipped with flotation tires, suspension, and hydraulic brakes rated for 29 tons.

Choose to mount on your truck for one machine operation with our truck mount saddles.



Scale Indicator

•Pair your scale weigh bars order with an Avery Weigh-Tronix 640XL indicator.

Working Options

- Fenders
- •Rear Work Lights







Commercial Forage Box Rear or Front/Rear Unload



Series 8200

