

**WINTER DOESN'T PLAY
NICE, WHY SHOULD YOU?**

Built for full-size vehicles, the Arctic HD-P is the workhorse of the fleet. This popular plow, like all of our poly plows, uses a combination of slick polyethylene skin and advanced blade design mechanics to initiate a rolling motion that throws even the stickiest, wettest snow faster and further. Decreased resistance means less wear on your vehicle's power train and increased fuel economy.

**7 LASER-CUT, STEEL
REINFORCING RIBS**

back our frictionless poly moldboard with the strength of steel

4 TENSION SPRINGS

keep the blade upright and offer ample room for addition of a shock absorber kit, if desired

**QUIK*LINK® IV
ATTACHMENT**

**HOT-DIPPED
GALVANIZED
STEEL FRAME**

provides added resistance to abrasion, water and rust, making our plows virtually maintenance free

**QUIK*LINK® III
ATTACHMENT**

THREE 3/4" OPEN PINS

secure the blade to the quadrant and A-frame assembly, eliminating pin seizure, and easing pin replacement

3/8" POLYETHYLENE MOLDBOARD

throws snow further and faster resulting in less resistance and vehicle wear, and improved fuel economy

6" DEFLECTOR

keeps snow down on the blade and away from the driver's windshield

**HARDENED HIGH
CARBON STEEL
CUTTING EDGE**

with top hole bolt pattern

DISH-SHAPED SKID SHOES
improve surface clearance while plowing forward

MEET THE REST OF THE ARCTIC PRODUCT LINE

arcticsnowplows.com



LD-P



SD-P



HD-P



HDXL-P



XHD-P



HDTE-P



HDVTE-P



HD-VAW



HDSSTE-P



HD-S



PP-S

WHY CHOOSE POLY?

Arctic's high density polyethylene moldboards combine the durable, slick characteristics of poly with advanced blade design mechanics to throw more of even the stickiest, wettest snow further and faster. This not only results in more snow being moved more quickly, it also minimizes forward resistance – meaning decreased wear on power trains and increased fuel economy. **Contact your Arctic Dealer to learn more about the high-tech, low-maintenance benefits of poly.**



M3493 SERIES HYDRAULIC POWER UNIT

The M3493 electric hydraulic system, with a 1.5" x 6" lift cylinder offers proven performance and reliability in a compact size. This unit was built for the low mount lift frame and has an operating pressure of 2000 psi and the crossover relief valves are set at 3000 psi. This pump is compatible with all our control systems.



QUIK*LINK® III & IV MOUNTING KIT

Featuring an adjustable jack stand, our mounting systems allow you to remove the entire plow assembly as a single unit with the lift frame intact. Arctic's QUIK*LINK® III & IV system makes the already-simple mounting system even easier to use by replacing the two mounting pins with a simple single, spring-loaded locking bar.

HAND HELD

This ergonomic controller has 4 rubber faced buttons, and a float light in the middle. An automatic shut-off eliminates accidental use or drained batteries.

STANDARD CONTROLLER



MPX WIRING



MODULE CONTROL SYSTEM

Easier installation, Universal Wiring Harness and Control Module to allow the use of different Arctic Snowplows simply by changing controllers. (note (*) Vehicles and plows must be MPX system compatible). Required for most newer vehicles.

ARCTIC HD-P SPECIFICATIONS

Plow Name	HD90-P	HD96-P
Length	90"	96"
Moldboard Height	29"	29"
Material	3/8" Poly	3/8" Poly
Plowing Width (Full Angle)	78"	83"
Complete Weight	*674 lbs	*691 lbs
Mounting Type	Detachable	Detachable
Removable Lights and Power Unit	Yes	Yes

* Weight does not include frame mounting kit

OPTIONAL ACCESSORIES



SINGLE HALOGEN BULB (H9003)



DUAL HALOGEN BULB (H7, H1)



CURB GUARD



EXTEND. BL. GUIDES



LICENSE PLATE BRACKET



POLY CUTTING EDGE



SHOCK ABSORBER



PROWLING EXTENSIONS

QUIK*LINK® is a registered trade-mark of Arctic Equipment Manufacturing Corporation.

LEGAL DISCLAIMER: Vehicles intended to be equipped with Arctic equipment must comply with the vehicle manufacturers' specifications for equipment application. Please consult your vehicle dealer before purchase and installation. The purchaser assumes all vehicle risk associated with the attachment and operation of Arctic equipment. Arctic reserves the right to change specifications without prior notification.

**TOUGHER
THAN A
CANADIAN
WINTER**

Arctic Equipment
Manufacturing Corporation

Toll Free **888 413 0019**
www.arcticsnowplows.com

**HEAVY DUTY WITH
EXTRA ARMOR.**

Built for full-size heavier vehicles, the **Arctic HDXL-P** offers all the same great features as the Arctic HD-P in a wider, heavier package. In addition to the slick polyethylene skin, open pins, and a hardened, high-carbon cutting edge, the **Arctic HDXL-P** is reinforced with a horizontal steel support. It's the workhorse of our fleet, with extra armor.

**7 LASER-CUT, STEEL
REINFORCING RIBS**
back our frictionless poly moldboard with the strength of steel

**HOT-DIPPED GALVANIZED
STEEL FRAME**

provides added resistance to abrasion, water and rust, making our plows virtually maintenance free

3/8" POLYETHYLENE MOLBOARD
throws snow further and faster resulting in less resistance and vehicle wear, and improved fuel economy

**HORIZONTAL BLADE
REINFORCEMENT**
provides additional strength across the wider blade

6" DEFLECTOR
keeps snow down on the blade and away from the driver's windshield

**DOUBLE LIFT
CHAINS**
for extra lift strength and safety

**QUIK*LINK® III
ATTACHMENT**

4 TENSION SPRINGS
keep the blade upright and offer ample room for addition of a shock absorber kit, if desired


THREE 3/4" OPEN PINS
secure the blade to the quadrant and A-frame assembly, eliminating pin seizure, and easing pin replacement

**DISH-SHAPED
SKID SHOES**
improve surface clearance while plowing forward

**1/2" X 6"
HARDENED HIGH
CARBON STEEL
CUTTING EDGE**
with top hole bolt pattern



QUIK*LINK® IV
ATTACHMENT



MEET THE REST OF THE ARCTIC PRODUCT LINE



LD-P



SD-P



HD-P



HDXL-P



XHD-P




HDTE-P



HDVTE-P



HD-VAW



HDSSTE-P



HD-S



PP-S

WHY CHOOSE POLY?

Arctic's high density polyethylene moldboards combine the durable, slick characteristics of poly with advanced blade design mechanics to throw more of even the stickiest, wettest snow further and faster. This not only results in more snow being moved more quickly, it also minimizes forward resistance – meaning decreased wear on power trains and increased fuel economy. **Contact your Arctic Dealer to learn more about the high-tech, low-maintenance benefits of poly.**



M3493-05 SERIES HYDRAULIC POWER UNIT

The M3493-05 electric hydraulic system, with a 2" x 6" lift cylinder offers proven performance and reliability. Compatible with the Hi Boy mounting kit, this power unit has one of the highest outputs in the industry. Standard operating pressures are 1350 psi and the crossover relief valves are set at 3000 psi. This pump is compatible with all of our control systems.




QUIK*LINK® III & IV MOUNTING KIT

Featuring an adjustable jack stand, our mounting systems allow you to remove the entire plow assembly as a single unit with the lift frame intact. Arctic's QUIK*LINK® III & IV system makes the already-simple mounting system even easier to use by replacing the two mounting pins with a simple single, spring-loaded locking bar.

ARCTIC HDXL-P SPECIFICATIONS

Plow Name	HDXL102-P	HDXL108-P
Length	102"	108"
Moldboard Height	29"	29"
Material	3/8" Poly	3/8" Poly
Plowing Width (Full Angle)	88"	94"
Complete Weight	*776 lbs	*788 lbs
Mounting Type	Detachable	Detachable
Removable Lights and Power Unit	Yes	Yes

STANDARD CONTROLLER



HAND HELD

This ergonomic controller has 4 rubber faced buttons, and a float light in the middle. An automatic shut-off eliminates accidental use or drained batteries.

MPX WIRING



MODULE CONTROL SYSTEM

Easier installation, Universal Wiring Harness and Control Module to allow the use of different Arctic Snowplows simply by changing controllers.
(note (*) Vehicles and plows must be MPX system compatible).
Required for most newer vehicles.

OPTIONAL ACCESSORIES



SINGLE HALOGEN BULB (H9003)



DUAL HALOGEN BULB (H7, H11)



CURB GUARD



EXTEND. BL. GUIDES



LICENSE PLATE BRACKET



POLY CUTTING EDGE



SHOCK ABSORBER



PROWLING EXTENSIONS

QUIK*LINK® is a registered trade-mark of Arctic Equipment Manufacturing Corporation.

LEGAL DISCLAIMER: Vehicles intended to be equipped with Arctic equipment must comply with the vehicle manufacturers' specifications for equipment application. Please consult your vehicle dealer before purchase and installation. The purchaser assumes all vehicle risk associated with the attachment and operation of Arctic equipment. Arctic reserves the right to change specifications without prior notification.

**TOUGHER
THAN A
CANADIAN
WINTER**

Arctic Equipment
Manufacturing Corporation

Toll Free **888 413 0019**
www.arcticsnowplows.com