

WOODS ZERO-TURN MOWERS



FZ25D

Comfort and performance
with Woods legendary cut quality

WOODS
Woods Equipment Company

WOODS DECKS

Mow'n Down the Competition



TrueFloat™ Deck

Full float, side-discharge mowing decks; decks "float" both up and down and side-to-side to follow contour of ground for better cut; anti-scalp roller standard

Standard Folding ROPS

Roll Over Protection System is 36.7" wide and 53.8" high with 2" x 2" tubing



Standard Dual Tail Wheel

Improves stability for a smoother ride (FZ22K option)



MXV-Baffle Deck

MXV-Baffle™ creates strong suction, lifting grass for a precision cut and keeping dust under the deck

PowerTilt™ Deck

Powered tilt allows deck to be raised for cleaning and maintenance. Includes powered deck height adjustment. Controls are conveniently located on tractor console.

WOODS

Comfort and performance

Ideal for long periods of mowing, when maximum productivity and comfort are important. Snow thrower, winter enclosure, and broom attachment deliver year-round versatility.

FZ25D

Specifications	FZ22K	FZ23B	FZ28K	FZ25D
Engine Horsepower	22 gas	23 gas	28 gas	25 diesel
Engine Type	Kawasaki V-Twin OHV	Biggs Vanguard V-Twin OHV	Kawasaki V-Twin OHV	Kubota 3-cylinder Liquid-cooled
Lubrication	Full pressure with spin-on filter			
Air Filter System	Dual-clean/pleated with foam pre-cleaner		Heavy-duty canister style – dual element	
Fuel Capacity	8.5 gallons			11 gallons
Speed (forward)	9 mph	10 mph		12 mph
Drive System	Hydro-gear transaxle, model ZT3400, spin-on automotive style oil filter	Twin hydrostatic pumps and separate wheel motors; spin-on automotive style oil filter – uses 20W50 weight oil		
Drive Tires	23 x 8.5-12 (required with 48" deck), 23 x 10.5-12 turf, or 23 x 10.5-12 Chevron			
Decks Available	MX – 48", 54", 61"	MX – 54", 61"	MX – 54", 61"	MX – 54", 61"
Deck Design	Fabricated 5" deep deck with welded bumper, patented V-Baffle system, TrueFloat deck, 3-bearing greasable spindles			
Cutting Height	1" – 5"			
Blade Tip Speed	17,700 fpm for 48"; 16,500 fpm for 54"; 17,800 fpm for 61"	17,800 fpm for 54"; 18,400 fpm for 61"		
Deck Tilt/Height Adjust	Patented PowerTilt option on MX deck with power height adjustment			
Est. Weight w/61" Deck	1,240 lbs	1,457 lbs	1,472 lbs	1,480 lbs
Features	Fully adjustable suspension seat, cup holder, storage compartment, hour meter, flexible ShrubSaver, discharge chute			
Options Available	Mulching kits, blower-driven grass collection system and snow thrower 50", dozer blade 60", sweeper 60", cab (excludes FZ22K), headlights, tire chains			
Warranty	2 years / 2000 hours			

New FZ22K Versatility and Productivity at an Affordable Price



FZ22K

ATTACHMENTS



Grass and Leaf Collection System

15 cubic foot with metal hopper; dump from seat; blower-driven to ensure grass and leaves discharge to hopper



Snow Thrower

Single stage 50-inch swath; manual discharge chute turns 180-degrees; adjust angle from seat (no cab for FZ22K)



Brooms, 60" FSW6000F

Fixed angle model; angles 30-degrees to the right

FSW6000T

Adjustable angle model; angles 25-degrees to left or right; includes electrical lift



Dozer Blade, 60"

With 25° angle, right or left



ACCESSORIES



Headlight Kit

Improve visibility when working at dusk or after dark



Winter Enclosure

Stay warm while moving snow, includes manual wiper (headlights and power wiper optional); requires ROPS



Sunshade

Stay cooler with this hard plastic shade (requires ROPS)

ADDITIONAL ACCESSORIES

Mulching Kit

Designed to leave behind finely shredded clippings of grass and leaves

Extended Footrest

Ride with even greater comfort (will not work with winter enclosure, blade or broom).

TIRE OPTIONS

Turf Tread Tires

Turf tread tires with low ground pressure provide traction to protect your lawn.

Chevron Tread Tires

Chevron tread pattern offers high traction on slopes and rough terrain.



Woods care™

Maintain the quality and performance of your Woods equipment with WoodsCare genuine replacement parts, paint, and lubricants. Available from your authorized Woods dealer.

Woods Equipment A Blount International Company
2606 South Illinois Route 2, Oregon, Illinois 61061 tel 800-319-6637 woodsequipment.com

Warning! Some images may show safety shields removed to provide a better view. Equipment should never be operated with any safety shield removed. Some machines in this brochure may be shown with optional equipment. Always operate machines in accordance with supplied operator's manuals. ©2012 Woods Equipment Company. All rights reserved. WOODS and the Woods logo, Mow'n Machine and the Mow'n Machine logo are trademarks of Woods Equipment Company. All other trademarks, trade names, or service marks not owned by Woods Equipment Company that appear in this brochure are the property of their respective companies or mark holders. Specifications subject to change without notice.

B06010 Revised December 2012

WOODS
Woods Equipment Company



Printed in the USA with soy ink on paper using recycled content