

# Product range and News 2018



[www.vaderstad.com](http://www.vaderstad.com)





# Where farming starts

Together with farmers all over the world, we have spent the last three generations creating machines that make any farmland find its full potential. The high quality Väderstad planters, seed drills and tillage equipment give farmers a head start by covering more ground in shorter time without losing perfection.

Together we make you an even more successful farmer.



# Carrier 300-400

Carrier 300-400 is a rigid disc cultivator, available in 3, 3.5 and 4 metre working widths. Depending on configuration, the machine can be delivered either as a mounted or trailed version.


Carrier 300-400 mixes in residues, and leaves a perfectly levelled working result. The frame provides a stable and durable machine that sits very close to the tractor, saving on front ballast and reducing the compaction risk.



## Packers




SteelRunner



SoilRunner



RubberRunner



CageRunner



# No compromises


Impressive weight per disc




450mm  
Disc

470mm  
TrueCut disc


CrossCutter  
Disc




3-4m




2-12cm




>85hp



125mm



CrossBoard Heavy  
(Trailed models)



One disc - One arm

Trailed or mounted - you choose  
(Trailed option only available with  
RubberRunner)

Great mobility



BioDrill turns Carrier  
into a seed drill



# Carrier X 425-625

Carrier X 425-625 is a mounted foldable disc cultivator with discs positioned in an x-shape, available in 4.25, 5.25 or 6.25 metre working width. It can be fitted with 450 or 470mm diameter discs.


It has excellent contour following and impressive penetration ability for its weight. The working depth is set from the tractor cab, enabling adaptation to varying conditions in the field.



## Packers



SteelRunner







SoilRunner



CageRunner HeavyDuty



# Heavy-duty depth precision



Heavy-duty design

The discs are positioned in an x-shape

Hydraulic working depth setting

One disc - One arm

Carrier X for harsh environments  
The kit includes a galvanised frame, piston rod protection, a hydraulic wing lock and stainless steel hydraulic couplings.



450mm Disc



470mm TrueCut disc



CrossCutter Disc

NEW!

Adjustable disc angles

Easy to manoeuvre





# Carrier 420-820

Carrier 420-820 is a trailed disc cultivator, available in working widths between 4.2 and 8.2 metres. It can be fitted with 450 or 470mm discs.

Whether you require a stale seedbed, levelling of ploughed land or cover crop incorporation, the wide range of front tools offer versatility to different farming requirements.



## Front tools



CrossCutter Knife



Straw harrow



CrossBoard

## Packers



SteelRunner



RubberRunner







# The multitasking implement



450mm Disc    470mm TrueCut disc    CrossCutter Disc


Adjustable axles optimise working result



Highly versatile

One disc - One arm

Easy to manoeuvre



BioDrill turns Carrier into a seed drill



# Carrier 925-1225

Carrier 925-1225 is a very robust trailed disc cultivator, available in 9.25 and 12.25m working width. It can be fitted with 450 or 470mm discs. With a high working speed, it has a capacity of up to 16 hectares per hour, resulting in low capital costs per hectare. The wide range of front tools offer versatility to different farming requirements.




## Front tools



CrossCutter Knife



Straw harrow



CrossBoard

## Packers



SteelRunner



# Extreme capacity






Adjustable axles optimise working result



450mm Disc

470mm TrueCut disc

CrossCutter Disc




The obvious choice for 12m CTF

Even weight – even result

One disc - one arm

Heavy duty frame with a long working life



BioDrill turns Carrier into a seed drill

# Carrier L and XL 425-825

Carrier L/XL 425-825 is a trailed disc cultivator, available in working widths between 4.25 to 8.25m. It can be fitted with 510 or 610mm discs, with adjustable disc angles.

The sizes of the discs make Carrier L/XL 425-825 well suited for deeper cultivation, incorporating large amounts of crop residues or breaking up pasture. A wide range of front tools increases the versatility of the machine.



## Front tools



CrossCutter Knife



Straw harrow



CrossBoard

## Packers



SteelRunner







Double SteelRunner



Double SoilRunner



# Versatility in disc cultivation



One disc - one arm

Highly versatile





# Carrier L and XL 925-1225







Carrier L/XL 925-1225 is a trailed disc cultivator, available with 9.25 or 12.25m working width. It can be fitted with 510 or 610mm discs. The sizes of the discs make them well suited to incorporate large amounts of crop residues even at depth. The disc angle can be adjusted according to working depth. With a high working speed, it has a working capacity of up to 16 hectares per hour. This lowers the capital costs per hectare to minimum.





# Enormous depth capacity

Adjustable axles optimise working result




Even weight – even result

Easy and safe to transport

Heavy duty frame for a long working life

The obvious choice for 12m CTF



BioDrill turns Carrier L/XL into a seed drill



# Ferox 500-900





The light cultivator Ferox 500-900 has vibrating tines working down to 12cm. It can be equipped with 5 or 6 axles and an additional levelling CrossBoard as option. Ferox is a high quality universal tool for medium deep tillage and seedbed preparation.

**NEW!**






# The all-round implement



Robust construction

Depth setting  
from cab



CrossBoard Heavy  
levels the field

High ground clearance

Vibrating tines



# Swift 400-870





Swift is a trailed tine cultivator, designed to perform at peak level in both wet and dry years. The models in the product family span from 4.0 to 8.7 metre working width.

You benefit from a spacious design, which can handle large quantities of crop residues. The narrow tine spacing resulting in an intensive mixing and even working result.





# High capacity - low draught requirement



Depth setting from cab


Unique frame construction



Wide choice of points and shins

Vibrating tines

MixIn - double mixing and crumbling





# Cultus 300-400

The 3-4m tine cultivator Cultus 300-400 has powerful tines working down to 25cm depth.

You benefit from a spacious frame construction offering impressive mixing capabilities.


Cultus is the ideal cultivator for those looking for high quality working results, performance and durability.



## Packers




SteelRunner



SoilRunner



RubberRunner  
(option for trailed model)








CageRunner

# Intensive cultivation

Depth setting from cab


Frame designed for high throughflow



MixIn doubles the effect

Wide choice of points and shins

Very effective tines



BioDrill turns Cultus into a seed drill



Trailed models equipped with RubberRunner



# Opus 400-700

The trailed powerful tine cultivator Opus 400-700 is designed to create an intense mixing and loosening down to 30cm working depth.

Opus is a powerful and versatile tine cultivator with an impressive capacity, able to handle large amounts of crop residues while keeping the draught requirement moderate.



## Packers



SteelRunner









Double SteelRunner




Double SoilRunner

# Power and versatility



BioDrill turns Opus into a seed drill



The fertiliser kit allows for fertiliser incorporation together with cultivation

**NEW!**



# TopDown 300-900

TopDown 300-900 is a high intensity multipurpose cultivator, performing both a full-scale shallow cultivation and a deep cultivation in one single pass.

By adapting the working result to different conditions in the field, TopDown is a highly versatile multipurpose cultivator with an unmatched performance.

TopDown reduce passes, preserves ground moisture, increases capacity and lowers the establishment costs.



## Packers



SteelRunner



Double SteelRunner



Double SoilRunner






# Unmatched performance



450mm Disc  
470mm TrueCut disc

Heavy-duty frame



Multiple operations in one pass




One disc - one arm

Wide choice of points and shins

MixIn - double mixing and crumbling



BioDrill turns TopDown into a seed drill



The fertiliser kit allows for fertiliser incorporation together with cultivation





# NZ Mounted 400-500

NZ Mounted is a mounted tine harrow available in 4 or 5 metre working width.


Thanks to its ingenious pivoting hitch, NZ Mounted is able to move independently from the tractor, thereby offering an exceptional contour following comparable to a trailed machine.

With AgrillaNova tines fitted on four axles and a tine spacing of 9cm, you benefit from an intensive seedbed preparation.







# Seedbed preparation with high precision




4-5m



10cm



>65hp




9cm

Low coupling weight

Offset mounted support wheels  
for precise depth control

Unique pivoting  
hitch

Versatile following  
harrow



CrossBoard levels the field




# NZ Aggressive 500-1000

NZ Aggressive 500-1000 is a seedbed tine harrow, available in working widths from 5 to 10 metres. It has a levelling CrossBoard followed by tines with 7.5cm spacing, distributed across 5 or 6 axles. The highly intensive cultivation saves passes whilst retaining ground moisture. You benefit from a high carrying capacity, giving a constant working depth and enabling early entry into the field.



## Front tools



CrossBoard Heavy


## Rear tools



CrossBoard light







Following harrow




Crumble roller



# Multitasking seedbed preparation



Differentiated bogie lowers vibrations



CrossBoard levels the field

Vibrating tines for perfect results




# Rollex 450-620

Rollex 450-620 is a roller, available in 4.5, 5.0 or 6.2 metre working width. By combining versatility with high quality and productivity, Rollex has become a popular concept. You benefit from high quality design and perfect working results on the field.



## Front tools



CrossBoard Heavy

## Roller rings







Cambridge




Crosskill

# The versatile roller



BioDrill turns Rollex into a seed drill



Easy to transport

Unique roller suspension maximises working life

Heavy-duty construction

CrossBoard Heavy for perfect levelling




# Rexius 500-1230

Rexius 500-1230 is a heavy-duty roller, available in six different models from 5.0 to 12.3 metre working width. Rexius has a heavy-duty construction, resulting in a long working life and minimal downtime on the field. With a weight up to 650kg per working metre, you benefit from an improved consolidation.



## Front tools



CrossBoard Heavy  
(Now also for Rexius 1230)

**NEW!**

## Roller rings



Cambridge



Cambridge HeavyDuty








Crosskill



SteelRunner

# The heavy-duty roller

Unique roller suspension  
maximises working life





# RexiusTwin 450-1030

RexiusTwin is the heaviest furrow cultivator on the market, available in working widths from 4.5 to 10.3 metres. It offers impressive results in both the heaviest and lightest soils.

RexiusTwin cuts, crushes, levels, and consolidates the soil in a single pass whilst maintaining soil structure and creating a weatherproof surface.

You benefit from great capacity and good conditions for the coming crop.








# From ploughed to seedbed in one pass

Heavy construction, providing up to 1660kg of weight per metre

Long working life



Cutting and loosening

CrossBoard crushes and levels

The OffSet packer works in all conditions



# Rapid 300-400C/S

The 3 or 4m wide box seed drill Rapid 300-400, is available either as the seed-only version Rapid 300-400S or as the combi version Rapid 300-400C.

Thanks to its versatility the machine is able to handle multiple crops, grass leys and cover crops, as well as micro granulates or slug pellets.

You benefit from reliable results and a modern design, allowing easy access throughout the machine.



## Front tools



CrossBoard Heavy



CrossBoard Heavy System Disc Aggressive



System Agrilla CrossBoard Heavy



System Disc Aggressive







System Disc CrossBoard Light



System Disc CrossBoard Heavy

# Versatility is key





# Rapid A 400-800S

The pneumatic seed drill Rapid A 400-800S is a powerful drill ready for future farming.

The three seed drills in the product family are seed-only versions equipped with a high precision metering system.

Rapid A 400-800S is designed with the driver in focus, while never compromising on the important seeding precision and crop quality.



## Front tools



CrossBoard Heavy



System Disc



System Agrilla CrossBoard Light







System Disc Aggressive CrossBoard Light



System Disc CrossBoard Light


# Ready for future farming



Pivot packer

Wide range of front tools

Rapid single disc seed coulters



Rapid A 400-800S with the mountable small seeder BioDrill 360



# Rapid A 600-800C/J

The seed drills in the product family Rapid A 600-800C/J has pneumatic seed transport with a very high drilling capacity.

The machine is available either as the combi-version Rapid A 600-800C, or as the seed-only version Rapid A 600-800J. All models have an extensive hopper capacity of 6000 litres.

Rapid A 600-800C/J combine an impressive capacity with easy manoeuvring and great results.



## Front tools



CrossBoard Heavy



System Disc








System Agrilla CrossBoard Heavy



System Disc CrossBoard Heavy

# Extreme capacity





# Spirit R 300S

Spirit R 300S is a pneumatic seed drill, available with 3 metre working width.

Spirit R 300S has all the benefits of a small seed drill, while taking advantage of the innovative technology and high precision from the larger models.

You benefit from high capacity, precision, user-friendliness and reliability on the field.



## Front tools







System Disc Aggressive



CrossBoard Heavy System Disc Aggressive

# High technology – agile format



Large, easy to fill seed hopper

E-Control user-friendly wireless control

Spirit double disc coulters system

Active coulters pressure

Large OffSet packer wheels

Electrical Fenix III metering system pneumatic distribution

Half machine shut-off

x-shaped front tool ensures straight track behind the tractor

Pivot packer



# Spirit 400C/S

Spirit 400 is a 4 metre wide pneumatic seed drill, available either as the seed-only version Spirit 400S or as the combi version Spirit 400C.

The heavy-duty frame guarantees a long working life, while the high precision metering and large seed hopper provide an impressive result with less downtime on the field.



## Front tools



CrossBoard Heavy



System Disc Aggressive






CrossBoard Heavy System Disc Aggressive



FIX - Combi models

# Precision and reliability

Large hopper capacity




Electrical metering and pneumatic distribution

Spirit double disc coulters system

Large OffSet packer wheels

x-shaped front tool ensures straight track behind the tractor

Save passes with BioDrill





# Spirit 600-900S

The pneumatic seed drill Spirit 600-900S is available in 6, 8 or 9 metre working widths.

It is a universal seed drill for high capacity drilling in conventional and minimum tillage.

Spirit 600-900S is equipped with innovative solutions that increases the precision and simplifies the operations on the farm.



## Front tools



CrossBoard Heavy







System Disc Aggressive



CrossBoard Heavy System Disc Aggressive

# Maximum drilling output



Fan integrated in the seed hopper - lower rotational speed and quieter operation

Large hopper with great access

E-Control user-friendly wireless control

Half machine shut-off

Electrical metering and pneumatic distribution

Hydraulic following harrow, controlled from the cab


Spirit double disc couler system

Active couler pressure

OffSet packer wheels

x-shaped front tool ensures straight track behind the tractor

Save passes with BioDrill





# Spirit 600-900C

Spirit 600-900C is a pneumatic seed drill for both seed and fertiliser, available in 6, 8 or 9 metre working widths.

The 5000 litre hopper with large opening, result in fewer fills. Both the fertiliser and seed metering have impressive capacity.

Spirit 600-900C is equipped with innovative solutions that increases the precision and simplifies the operations at the farm.



## Front tools






FIX



Nordic

# Precision and capacity



Fan integrated in the seed hopper - lower rotational speed and quieter operation

Electrical metering and pneumatic distribution

Hydraulic following harrow, controlled from the cab

Automatic headland management

Spirit double disc coulters system

Active coulters pressure


Offset packer wheels

High capacity hydraulic fertiliser metering

x-shaped front tool ensures straight track behind the tractor

Half machine shut-off

Save passes with BioDrill





# Tempo R 4-6

Tempo R 4-6 is a mounted high-speed planter available with 4 or 6 row units, and fertiliser metering as option.

With easily adjustable row spacing, it is possible to plant numerous crops with the same machine, enabling greater usage.

Additionally, a rigid frame benefits from fewer moving parts, minimal weight and reduced maintenance without compromising the excellent precision Tempo R offers.






# High precision – robust design



4-6



450-800mm



>70hp



70litre

E-Control user-friendly wireless control

Easy to manoeuvre

Designed for multiple crops

Gilstring Seed Meter with PowerShoot - superior precision at high speeds

Robust row units

Electrical individual row shut-off

Hydraulic weight transfer

Floating row cleaners

**NEW!**

Small seeds kit





# Tempo T 6-7

Tempo T is a mounted high-speed planter available with 6 or 7 row units, and fertiliser metering as an option.

With easily adjustable row spacing, it is possible to plant numerous crops with the same machine, enabling greater usage.

The telescopic frame gives unprecedented precision, while at the same time making the machine very easy to handle and transport.




# Telescopic precision



6-7



500-800mm



>100hp



70litre

E-Control user-friendly wireless control

Great mobility

Fertiliser metering with high capacity

One machine - multiple crops

Gilstring Seed Meter with PowerShoot - superior precision at high speeds



Robust row units

Electrical individual row shut-off

Hydraulic weight transfer

Floating row cleaners

**NEW!**

Small seeds kit



# Tempo F 6-8

Tempo F is a trailed high-speed planter, available with 6 or 8 row units and fertiliser application as an option.

The placement and design of the support wheels maintain the seed depth in all conditions which ensures an even crop.

Tempo F offer very high fertiliser capacity with individual row shut-off, resulting in minimal downtime and fertiliser savings.



# Maximum responsiveness


E-Control user-friendly wireless control



6-8



700-800mm



>100hp



70litre

High capacity fertiliser hopper



Gilstring Seed Meter with PowerShoot - superior precision at high speeds

Intelligent wheel adaptation

Robust row units

Electrical individual row shut-off

Hydraulic weight transfer

Floating row cleaners



**NEW!**

Small seeds kit



# Tempo V 6-12

The mounted high-speed planter Tempo V is available with 6 to 12 row units, including odd numbers.

The ability to use the same machine for multiple crops often means that two traditional planters can be replaced. This increases usage and lowers the hectare costs.

In combination with the front hopper FH 2200, Tempo V is able to combi-drill fertiliser at high speed.




# Maximum versatility



6-12




450-800mm



>250hp



70litre



Great mobility

E-Control user-friendly wireless control

One machine - multiple crops

Robust row units

Gilstring Seed Meter with PowerShoot - superior precision at high speeds

Electrical individual row shut-off



FH 2200 - High capacity fertiliser metering with Fenix III metering system

Hydraulic weight transfer

Floating row cleaners



**NEW!**

Small seeds kit



# Tempo R 12-18

Tempo R 12-18 is a rigid, mounted high-speed planter available with 12 or 18 row units, and fertiliser metering as an option. With easily adjustable row spacing, it is possible to plant numerous crops with the same machine, enabling greater usage. The three-point linkage provides excellent manoeuvrability and short headlands. Additionally, a rigid frame benefits from fewer moving parts, minimal weight and reduced maintenance without compromising the excellent precision Tempo R offers.




# Robust capacity



12-18



450-800mm



>250hp



70litre



E-Control user-friendly wireless control

One machine - multiple crops

Transport wheels for wider models

Robust row units

Gilstring Seed Meter with PowerShoot - superior precision at high speeds

Electrical individual row shut-off



FH 2200 - High capacity fertiliser metering with Fenix III metering system

Hydraulic weight transfer

Floating row cleaners



NEW!

Small seeds kit



# Tempo L 12-18


Tempo L is a trailed high-speed planter with an enormous capacity, available with 12, 16 or 18 row units. Tempo L doubles the capacity of a traditional planter. Most importantly, the crop is established with higher precision. Tempo L sets a new standard for high capacity planting.




# Enormous capacity - superior precision



12-18



500-800mm



>250hp



90-100litre

E-Control user-friendly wireless control

Robust frame construction

High capacity fertiliser output

Hydraulic wing pressure

Telescopic wheel axle



Hydraulic row unit pressure

Robust row units

Gilstring Seed Meter with PowerShoot - superior precision at high speeds

Electrical individual row shut-off

**NEW!**



Tempo L 12-18 seed-only models available

Hydraulic weight transfer

**NEW!**

Floating row cleaners




Small seeds kit



# Väderstad E-Control

## Full control at your fingertips

The modern iPad-based control system Väderstad E-Control wirelessly connects to the Väderstad machine enabling full access to its functions and data. You benefit from user-friendly remote setup and calibration, as well as real-time monitoring and control.



### The portable office

Väderstad E-Control is a fully portable control system ready to be used when and where it is required. When calibrating the Väderstad seed drill or planter, you can take the portable iPad out of the tractor and control the calibration from outside. When your day is over you can take the iPad to the office and start planning the next days work.

### Always up to date

At Väderstad, we find it very important to support and service all our customers to the fullest. Therefore, all E-Control software updates are easy to download free of charge. With E-Control, you are always sure to benefit from the latest technology and the newest innovative solutions from Väderstad.

### Combined control with ISOBUS Task controller

Using Väderstad E-Control together with a ISOBUS terminal allows for automatic GPS section control and variable seed rate.



For the season 2018, the following terminals are compatible as ISOBUS Task controller:

- John Deere 2630
- John Deere 4600
- Trimble FMX
- Trimble TMX
- Case AFS Pro 700
- New Holland IntelliView IV
- Ag Leader InCommand
- Ag Leader Integra
- TopCon X25/X30
- Fendt Varioterminal
- CCISOBUS CCI 200



### State of the art graphics

The high-resolution iPad-display presents all the information clearly and the outstanding graphics makes every operation easier to use.

### The gateway makes it all happen

The iPad is wirelessly connected to the machine via a gateway, which is mounted on the machine. The gateway creates its own wireless network so there is no need for Internet access.

### Simplicity at low cost

All machine data is stored in the gateway on the machine, and not in the iPad. This means that your data will always be secured. If the iPad should stop functioning, it is easily replaced with a new one. You benefit from a relatively low display cost, as well as the possibility to use the same iPad for multiple machines on the farm.





Item no. 999901-ENVV ver. 17

Väderstad Holding AB is the owner of a number of intellectual property rights, such as patents, trademarks and design rights.  
The product(s) featured in this document may be protected by one or more such rights.



[www.vaderstad.com](http://www.vaderstad.com)