

Cultivators

Walco\Douglas



SPECIFICATIONS

◆ Working Width	60"	72"	84"
◆ Overall Width	60 ½"	72 ½"	84 ½"
◆ Weight	164 lb.	193 lb.	222
◆ Heat Treated Tines	9 Tines	11 Tines	13
◆ 3 Point Fixing	Cat. 1	Cat. 1	Cat. 1

Disc

Walco\Douglas



SPECIFICATIONS

LIGHT DUTY DISC

Tubular Frame 2 x 2 - Sealed bearing or Cast bearing

- ◆ **12 Blade x 16"** **Adjustable 4'-6" to 4'-10"**
Weight 488 lb.
- ◆ **16 Blade x 18"** **Adjustable 5'-6" to 6'**
Weight 539 lb.
- ◆ **20 Blade x 18"** **Adjustable 6'-10" to 7'-6"**
Weight 606 lb.

Shown in picture: Heavy Duty Weight 860 lb.
 - Tubular Frame 2 x 3 - 7.5' wide - Sealed Bearing
 - 20 Blade x 20"
 - Approx. Width 8' 2"

Landscape Rake

Walco\Douglas



SPECIFICATIONS

THE YARD RAKE

Features heavy duty spring steel tines with angling adjustment.

Available in: 4' width – 202 lb.
 5' width – 221 lb.
 6' width – 239 lb.
 7' width – 260 lb.



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST.GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcoqc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999



BOX SCRAPER

Features two cutting edges with bevelling on both sides for long wear and versatility. (for pushing and pulling)

Available in:
4', 5', 6' & 8' widths - Standard



HEAVY DUTY BOX SCRAPER

Reversible cutting edge made of high carbon ½" x 6" steel. Scarifier shanks forged and heat treated. Maximum bend in scarifiers insures Good digging ability.

5.5', 6', 7' & 8' widths - Heavy Duty
8' width Exrta Heavy Duty



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST.GERMAIN DE GRANTHAM, QUÉBEC J0C

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065


Tel: (507) 663-9090 Fax (507) 663-0999

One Furrow Plows

For Compact Tractors

Potato Plow

- ◆ Weight - 65 lb.




Plows

- ◆ Single Bottom Plow features an adjustable pull bar and predrilled holes for easy adaptability of coulters.
- ◆ 1" x 4" steel plow frames with shear bolt protection for rugged durability. Coulters and depth gauge wheels are optional
- ◆ Weight – 225 lb.




Also available in two furrow



Dirt Scoop

- ◆ Reversible 3 point Category I
- ◆ Manual trip, Adjustable pull pins, formed pan
- ◆ Welded front cutting edge, Simple to operate
- ◆ 30" Wide x 31" x 10 1/2"
- ◆ Capacity – 10 Cubic Feet
- ◆ Weight - 182 lb.



Boom Pole

- ◆ Fits category 1, three point hitch tractor.
- ◆ 6' in length. 2 1/2" round tubing.
- ◆ Weight 75 lb.



www.walcoequipment.com

HEAD OFFICE

20 ARTHUR STREET NORTH, ELMIRA, ONTARIO N3B 1Z9

TEL: (519) 669-4025 FAX: (519) 669-1436

ORDER DESK

e-mail: orders@walcoequipment.com

TEL: (519) 669-1401 FAX (519) 669-3499

QUEBEC OFFICE

364 RTE.122 ST.GERMAIN DE GRANTHAM, QUÉBEC JOC

TEL: (819) 395-5115 Fax (819) 395-2624

e-mail: walcogc@walcoequipment.com

WALCO USA

4469 292nd St. E. Box 57 Randolph MN 55065

Tel: (507) 663-9090 Fax (507) 663-0999