



# B 80 W Bp (disc)

Walk-behind scrubber drier with traction drive. Ideal for cleaning floors at 23,000-32,300  $ft^2/hr$ . Configured with disc brushes and sweeping function of 26-30" working widths.

### 1 Four batteries to choose from

- Battery types: low maintenance 260 Ah, 330 Ah, 335 Ah or 312 AGM.
- The charging curve of the built-in charger is perfectly adjusted to the various battery types.

## 2 Auto fill-in

- Time-saving filling of the fresh water tank.
- Filling via the fresh water hose stops automatically when the tank is full.

# 3 Automatic lowering and raising of the brush head and squeegee

- Brush head and squeegee are lowered automatically depending on the selected cleaning programme.
- Practical: squeegee is raised automatically when reversing.

#### 4 Brush head with disc system

- With 65 or 75 cm working width.
- Simple operation: unlocking the brush via foot pedal, locking by lowering the machine or clipping in manually.

## **TECHNICAL DATA AND EQUIPMENT**

## KARCHER



#### B 80 W Bp (disc) **Technical data** Brush working width 26 × 30 in in 37 Vacuum working width Fresh / waste water tank gal 21,13 Max. area performance ft²/hr 24219 Brush speed 210 rpm Rated input power w 2200 Traction motor w 575 lbs Weight without battery 29322 Dimensions (L x W x H) in 63,66 × 31,89 × 45,43 Equipment Disc brush FACT DOSE Traction drive Battery type maintenance-free Traction motor w 575 Included in delivery.

## KARCHER

Kik Key, grey         2         5.035-348.0         grey         1         peccess           Cover for tank flushing system         3         4.035-369.0         73 cm         1         piece(s)         1           Filling hose         4         6.680-124.0         1.5 m         1         piece(s)         1           Filling hose         4         6.680-124.0         1.5 m         1         piece(s)         1           Kik key, white         5         4.035-076.0         white         1         piece(s)         1           Kik key, white         5         4.035-064.0         white         5         1         1           Set RFID Schluessel gelb         6         4.035-408.0         white         5         1         1           Set RFID Schluessel gelb         6         4.035-408.0         white         5         1         1           Set RFID Schluessel gelb         6         4.035-408.0         white         1         1         1           XAERCHER replacement Fleet         8         2.643-347.0         1         1         1         1           Jouw CaN         10         5.035-408.0         red         1         1         1         1 <t< th=""><th></th><th></th><th></th><th><b>,</b></th><th>5</th><th></th><th>6</th><th></th><th></th></t<>				<b>,</b>	5		6		
Kik key, yellow       1       5.035-344.0       yellow       1       <			Order no.	Length	Colour			RRP	Description
All Key, grey         2         5.035-34.0         grey         1           FIIL Key, grey         2         5.035-34.0         grey         1         piece(s)	Miscellaneous	1	1						
KIK key, grey       2       5.035-348.0       grey       1       piece(s)       Image: state st	KIK key, yellow	1	5.035-344.0		yellow				•
Cover for tank flushing system         3         4.035-369.0         73 cm         1         piece(s)           Filling flose         4         6.680-124.0         1.5 m         1         piece(s)         1           KIK key, white         5         4.035-076.0         white         1         piece(s)         1           Set RFID Schluessel gelb         6         4.035-064.0         white         1         piece(s)         1           KK key, white         7         4.035-064.0         white         5         1         piece(s)         1           Key set white KIK         7         4.035-064.0         white         5         1         piece(s)         1           KAERCHER replacement Fleet         8         2.643-347.0         1         piece(s)         1         1           Services B40-         9         2.643-347.0         1         piece(s)         1         1           Add-on kit ecoizero         11         5.388-133.0         1         piece(s)         1         1           Add-on kit ecoizero         11         5.388-133.0         1         piece(s)         1         1           Add-on kit ecoizero         12         4.035-406.0         1         piece	KIK key, grey	2	5.035-348.0		grey	1			
Lance         Image: Constraint of the section of the sectin of the sectin of the section of the section of the section of t		3	4.035-369.0	73 cm					
Kik key, white       5       4.035-076.0       white       1       pice(s)       pice(s)         Set RFID Schluessel gelb       6       4.035-064.0       white       5       pice(s)	Filling hose	4	6.680-124.0	1,5 m					
Set RFID Schluessel gelb       6       4.035-408.0       yellow       5       piece(s)       1         Key set white KIK       7       4.035-064.0       white       5       piece(s)       1         KAERCHER replacement Fleet       8       2.643-348.0       1       1       1       1         Services 340-       9       2.643-347.0       1       1       1       1         I20W CAN       10       5.035-337.0       red       1       1       1         KIK key, red       10       5.035-337.0       red       1       1       1         Add-on kit ecolzero       11       5.388-13.0       1       1       1       1         Add-on kit ecolzero       12       4.035-406.0       1       1       1       1         Adapter Homebase Box       12       4.035-406.0       1	KIK key, white	5	4.035-076.0		white	1			
Key set white KIK       7       4.035-064.0       white       5       1         KAERCHER replacement Fleet       8       2.643-348.0       1       1       1         Services B40-       9       2.643-347.0       1       1       1       1         CAERCHER Fleet Services B40-       10       5.035-337.0       1       1       1       1         CAU-on kit ecotzero       11       5.388-133.0       1       1       1       1       1         Add-on kit ecotzero       12       5.388-133.0       1 </td <td>Set RFID Schluessel gelb</td> <td>6</td> <td>4.035-408.0</td> <td></td> <td>yellow</td> <td>5</td> <td></td> <td></td> <td></td>	Set RFID Schluessel gelb	6	4.035-408.0		yellow	5			
KAERCHER replacement Fleet       8       2.643-348.0       1       1       1         Services B40-       9       2.643-347.0       1	Key set white KIK	7	4.035-064.0		white	5			
120W CAN       I <thi< th="">       I       <thi< th="">       I       <thi< th=""> <thi< th=""></thi<></thi<></thi<></thi<>		8	2.643-348.0			1			
KIK key, red       10       5.035-337.0       red       1 <th1< th="">       1       <th1< th="">       1       1       1<td></td><td>9</td><td>2.643-347.0</td><td></td><td></td><td></td><td></td><td></td><td></td></th1<></th1<>		9	2.643-347.0						
Add-on kit ecol/zero       11       5.388-133.0       1 <th1< th="">       1       1       1       &lt;</th1<>		10	5.035-337.0		red	1			
Home base construint         Set Homebase Box       12       4.035-406.0       1	Add-on kit eco!zero	11	5.388-133.0			1			
Image: Constraint of the synthesis of the synthesynthesis of the synthesis of the synthesis of the syn	Home base accessories		1			1 10000 (0)			
Adapter Homebase       13       5.035-488.0       1       piece(s)       1         Double hook       14       6.980-077.0       1       piece(s)       1         Holder handhold grey       15       6.980-078.0       1       piece(s)       1         Holder bottle       16       6.980-075.0       1       piece(s)       1       1         Set universal hook       17       4.070-075.0       1       1       piece(s)       1       1         RM Dosierstation       Cleaning agent dosage kit, wall mounted DS 3       18       2.641-811.0       1       piece(s)       1       1       piece(s)       1	Set Homebase Box								
Image: Constraint of the system of	Adapter Homebase	13	5.035-488.0			1			
Holder handhold grey       15       6.980-078.0       1       piece(s)       1         Holder bottle       16       6.980-080.0       1       piece(s)       1         Set universal hook       17       4.070-075.0       1       piece(s)       1         RM Dosierstation       18       2.641-811.0       1       piece(s)       1       piece(s)       1	Double hook	14	6.980-077.0						
Holder bottle       16       6.980-080.0       1       1       piece(s)       I         Set universal hook       17       4.070-075.0       1       1       piece(s)       I	Holder handhold grey	15	6.980-078.0			1			
Set universal hook         17         4.070-075.0         1         piece(s)         I         piece(s)         I <b>RM Dosierstation</b> Cleaning agent dosage kit, wall mounted DS 3         18         2.641-811.0         1         piece(s)         I         piece(s)         I	Holder bottle	16	6.980-080.0			1			
RM Dosierstation       Cleaning agent dosage kit, wall     18     2.641-811.0     1     piece(s)     I	Set universal hook	17	4.070-075.0			1			
mounted DS 3									
Wiping flaps		18	2.641-811.0						
Modification kit, squeegee blades 19 2.763-031.0 1 piece(s)	Modification kit, squeegee blades	19	2.763-031.0						





		Order no.	Length	Diameter	Quanti- ty	RRP	Description
Other attachment kits							
Auto-Fill	1	4.035-345.0			1 piece(s)		1
Suction hose accessories	2	4.444-015.0	3,25 m		1 piece(s)		
Spray extraction mounting kit							· · · ·
Spray suction kit	3	2.642-740.0			1 piece(s)		τ



			Hardness /			Quanti-	
		Order no.	Brush type	Diameter	Colour	ty	RRP
Disc brushes for BD							
Disc brush	1	4.905-011.0	very soft	355 mm	white	1 piece(s)	
	2	4.905-012.0	soft	355 mm	natural	1 piece(s)	
	3	4.905-010.0	medium	355 mm	red	1 piece(s)	
	4	4.905-013.0	hard	355 mm	black	1 piece(s)	
	5	4.905-019.0	very soft	385 mm	white	1 piece(s)	
	6	4.905-020.0	soft	385 mm	natural	1 piece(s)	
	7	4.905-018.0	medium	385 mm	red	1 piece(s)	
	8	4.905-021.0	hard	385 mm	black	1 piece(s)	

3, 6

## KÄRCHER













13-14

3, 6	4, 7
C	-
15-16	17-18

			Hardness /			Quanti-			
		Order no.	Brush type	Diameter	Colour	ty	RRP	Description	_
Microfibre pad		6 074 070 0	an in an Ghann	201	Lucister	le.	1	1	
Microfibre pad	1	6.371-078.0	microfibre	381 mm	white	5 piece(s)			
	2	6.369-959.0	microfibre	356 mm	white	5 piece(s)			
Pads						piece(s)			
Pad	3	6.369-003.0	medium-soft	356 mm	red	5 piece(s)			
	4	6.369-002.0	medium-hard	356 mm	green	5		-	
		C 0 C 0 0 0 1 0		055		piece(s)		-	
	5	6.369-001.0	hard	356 mm	black	5 piece(s)			
	6	6.369-791.0	medium-soft	381 mm	red	5			
	7	6.369-790.0	medium-hard	381 mm	green	piece(s) 5		-	
		6 9 6 9 7 9 9 9	la a col	201	h la alu	piece(s)		-	
	8	6.369-789.0	hard	381 mm	black	5 piece(s)			
	9	6.371-000.0	medium-soft	650 mm	red	5 piece(s)			
	10	4.642-025.0	hard	650 mm	brown	5		-	
						piece(s)			_
Pad drive board Pad drive board	11	4.762-446.0		335 mm	1	1			
	11	4.702 440.0		555 11111		piece(s)		_	
	12	4.762-447.0		375 mm		1 piece(s)			
Diamond pads		<u> </u>		I	1	piece(s)			
Diamond pad	13	6.371-250.0	coarse	356 mm	white	5			
	14	6.371-252.0	coarse	385 mm	white	piece(s) 5		-	
						piece(s)		-	
	15	6.371-251.0	medium	356 mm	yellow	5 piece(s)			
	16	6.371-253.0	medium	385 mm	yellow	5		1	
	17	6.371-235.0	fine	356 mm	green	piece(s) 5		-	
					BICCII	piece(s)			
	18	6.371-236.0	fine	385 mm	green	5 piece(s)			



					Quanti-		
		Order no.	Length	Colour	ty	RRP	Description
Squeegee, complete		1					
Squeegee	1	4.777-079.0	900 mm	transparent	1		
					piece(s)		
	2	4.777-080.0	1000 mm	transparent	1 piece(s)		
Squeegees for suction bars			1		piece(3)		
Suction lips	3	6.273-207.0	890 mm	transparent	2 parts		
	4	6.273-229.0	890 mm	transparent	2 parts		
	5	6.273-213.0	890 mm	blue	2 parts		
	6	6.273-290.0	890 mm	transparent	2 parts		
	7	6.273-208.0	960 mm	transparent	2 parts		
	8	6.273-205.0	960 mm	transparent	2 parts		
	9	6.273-214.0	960 mm	blue	2 parts		
	10	6.273-291.0	960 mm	transparent	2 parts		
Rubber lip set corrugated oil resis-	11	6.273-023.0	1010 mm	transparent	2 parts		
tant	12	6.273-024.0	1116 mm	transparent	2 parts		



		Oudenne				Description
		Order no.			RRP	Description
Brush heads						
Brush-head D 65 R	1	2.763-039.0				
Brush-head S 65	2	2.763-030.0				[
■ Included in delivery.						

.iudea in derivery. Available accessories



		Order no.	Quantity	Battery volta- ge	Battery capaci- ty	Battery type	RRP	Description	
Battery and charger sets			-					· · · · · · · · · · · · · · · · · · ·	
Batterie Schnellladeset VII 24V/116Ah	1	2.642-751.0	1 piece(s)	24 V	116 Ah	mainte- nance- free			
Accessories for batteries									
Spacer	2	4.642-021.0	1 piece(s)						
■ Included in delivery.	Available	e accessories.							

B 80 W Bp (disc), , 2016-10-04

	1	l
1		

		Order no.	Quantity	ID	Width	Length	RRP	Description
Other								
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					