



FEATURES

Built To Last.



HydroGear transaxles provide proven power and long lasting service

Electronic control module offers keyless start, system monitoring and Soft Start PTO engagement to protect drive train components, USB power port





Rotary height-of-cut adjuster on HDC/HDZ models with transport lock, pin out height selection on HDE models

Rubber discharge chute withstands contact with obstacles and snaps back into place



Robot welded, 7GA stee (the same steel used on Bush Hog®'s heavy duty flex-wing cutters!) cutting deck weldments in cutting widths ranging from 49" to 73" depending on the series



(standard on HDZ, optional on HDC)

CANOPY

GRASS COLLECTION SYSTEM

MULCHING KITS

SEAT PLATFORM
ISOLATOR KIT
FOR USE WITH
NON-SUSPENSION
MODELS
(HDE/HDC models)

LED light kit (HDC models)

ELECTRIC
ACTUATOR KIT



Spark arrestor standard on all models, units approved for use on US Forest Service lands

Wide selection of Briggs & Stratton Kawasaki, and Kohler engine models from 20HP to 33HP



3" diameter round tube ROPS



9 gal under the seat fuel tank for improved weight distribution, lower center of gravity, and improved ride



Injection molded fenders with reinforcing ribs; molded in beverage holder and storage tray

BUSH H

Deluxe high back, full suspension seat (standard on the HDZ series and optional on the HDE/ HDC series) with operator weight adjustment, flip up armrests, and seatbelt. Seat platform on isolators standard on the HDZ

Rear bumper to protect the engine when backing up

Large 23" x 10.5" (HDE/HDC) or 24" x 12" (HDZ) drive tires in either turf or bar tread

13 " x 6.5-6" 4-ply tubeless front caster tires



Tracking adjustment provides on the fly ability to "tune in" steering handles so unit tracks perfectly, no tools required







HDE HOMEOWNER SERIES

HDC COMMERCIAL SERIES

HDZ PROFESSIONAL SERIES

FOR HOMEOWNER WITH ACREAGE OR ESTATE OWNER

HDE Model Mix

MODEL HDE2049KT2 DECK SIZE 49"DECK ENGINE 20HP KOHLER KT715

HDE2249FS2 MODEL DECK SIZE 49" Deck ENGINE 22HP Kawasaki FS651

MODEL HDE2549PS2 DECK SIZE 49" Deck ENGINE 25HP Briggs Professional Series

MODEL HDE2255FS2 DECK SIZE 55" Deck **ENGINE** 22HP Kawasaki

HDE2555PS2 DECK SIZE 55" Deck ENGINE 25HP Briggs **Professional Series**

MODEL HDE2555KP2 DECK SIZE 55" Deck ENGINE 25HP Kohler

MODEL HDE2261FS2 DECK SIZE 61" Deck ENGINE 22HP Kawasak FS651

MODEL HDE2561PS2 DECK SIZE 61" Deck FNGINE 25HP Briggs Professional Series

MODEL HDE2561KP2 DECK SIZE 61" Deck ENGINE 25HP Kohler









feature on our ZT lines.

Our first line of garden tractors are released. These tractors were the forerunner and pioneer of our modern

The tradition of innovation behind the Flex-Wing Model 315's quick cutting height adjustment has inspired the development of the rotary height adjustment (RHA)

1980

One of our first finishing mower series, the TM5 and TM6, is ntroduced. The same technology that allowed the TM models to used in our modern ZT lines.

The front-mounted 180ZT is aunched. With a cutting width up to 60", an 18HP engine, and dual ydrostatic drives, the 180ZT was one of the first hydrostats sold in the riding lawn mower industry

The Turf Champ (TC) used on our ZTs.

The ZT 1800 and 2200 are

introduced. These front-mounted

owers were designed for durability,

1997

line of ZT mowers is launched. The durable steel and multiple cutting with the TC series are features that are still

odels are introduced. The focus on ontrols and maintenance featured in these models is integral in our

wers, are introduced These were also our pivoting front axle and a patented Ouick Foot

2004-05

(PZ), and Commercial Series (CZ) zero turn

(HS), Estate Series (EC), and Residen Series (RS) are

The Heavy Duty (HD) Hog line of ZT mowers is with patent

• 61", and 73" deck widths

Full Feature Control Module

• 24 x 12-12 Drive Tires