



Compact, professional upright hot water pressure washer that is lightweight and easy to transport.







1 Innovative upright design

- Effortless transport over landings or stairs.
- Large wheels for unpaved surfaces.

3 Fine-mesh water filter

- Efficiently protects high-pressure pump against contamination.
- Easy to remove from outside.

2 Compact design

- Space-saving storage and transport.
- Spill-proof pump and fuel tank for transport lying down.

TECHNICAL DATA AND EQUIPMENT





HDS 1.7/12 U Ed

- Professional entry-level model for mobile applications
- Innovative, space-saving upright design
- Flue gas temperature monitor

| Technical data | | |
|------------------------|-------------|------------------|
| Water Volume | GPM | 1,7 |
| Operating pressure | PSI | 12001700 |
| Connected load | hp | 2,3 |
| Operating temp. max | °F | 86 |
| Weight | lbs | 154,3 |
| Dimensions (L x W x H) | in | 24,3 × 24,3 × 39 |
| Power supply | Ph / V / Hz | 1 / 120 / 60 |

| Farriage | |
|---------------------------------|------------------------------------|
| Equipment | |
| Anti-twist system (AVS) | - |
| Low fuel cut-out | • |
| Exhaust gas temperature limiter | |
| Three piston axial pump | with stainless steel pistons |
| Triple nozzle | |
| Triple nozzle (0°/25°/40°) | Manual |
| Trigger gun | Extended high-pressure trigger gun |
| Pressure switch control | I |
| Switch-CHEM-System | - |
| | |

■ Included in delivery.



























| | | 1 | | | | | |
|--|----------|-------------|-------------|---------|--------|-----|-------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | Order no. | ID | | Length | RRP | Description |
| Standard with unions on both sides | | | | | | | |
| High-pressure hose packaged | 1 | 6.391-342.0 | ID 8 | 315 bar | 10 m | | |
| High-pressure hose, 15 m DN 8, | 2 | | ID 8 | 315 bar | 15 m | | - |
| 315 bar, including rotary coupling | _ | | | | | | |
| High-pressure hose, 20 m DN 8, 315 bar, extension | 3 | 6.390-031.0 | ID 8 | 315 bar | 20 m | | |
| High-pressure hose, 30 m DN 8, | 4 | 6.390-293.0 | ID 8 | 315 bar | 30 m | | |
| including rotary coupling | | | | | | | |
| Longlife 400 with unions on both si | | | | | | | |
| High pressure hose DN 6, 10 m, drehbar,l | 5 | 6.391-883.0 | ID 6 | 400 bar | 10 m | | |
| High-pressure hose Longlife 400, | 6 | 6.388-083.0 | ID 8 | 400 bar | 10 m | | |
| 10 m, DN 8, including rotary coup- | | | | | | | |
| ling | 7 | 6 201 254 0 | ID 8 | 400 bar | 10 m | | - |
| High-pressure hose packaged | | | | | | | - |
| High-pressure hose Longlife 400, 15 m, DN 8, including rotary coup- ling | 8 | 6.389-709.0 | ID 8 | 400 bar | 15 m | | |
| High-pressure hose Longlife 400, | 9 | 6.390-027.0 | ID 8 | 400 bar | 20 m | | - |
| 20 m, DN 8, extension | | | | | | | |
| High-pressure hose Longlife 400, | 10 | 6.390-294.0 | ID 8 | 400 bar | 30 m | | |
| 30 m DN 8, including rotary coup- | | | | | | | |
| ling | | d: | | | | | |
| Food industry version with unions | 1 | | Lipio | 250 5 | 140 1 | 1 | |
| High-pressure hose, 10 m DN 8, suitable for food industry, extensi- | 11 | 6.389-479.0 | ID 8 | 250 bar | 10 m | | |
| on piece | | | | | | | |
| High-pressure hose, 20 m DN 8, | 12 | 6.389-581.0 | ID 8 | 250 bar | 20 m | | |
| suitable for food industry, extensi- | | | | | | | |
| on piece | | | | | | | |
| Longlife food design with screw cor | | f . | 1 | 1 | | | 1 |
| High pressure hose food DN 8 / 10 | 13 | 6.391-864.0 | ID 8 | 400 bar | 10 m | | |
| M High proceure bose food industry | 14 | 6.391-887.0 | ID 8 | 400 bar | 20 m | | - |
| High-pressure hose food industry 400 bar, 20 m, DN 8, including | 14 | 0.391-007.0 | ס טו | 400 Dai | 20 111 | | |
| rotary coupling | | | | | | | |
| Standard | | | | | | | |
| HD-Schlauch DN 6, 15m | 15 | 6.391-394.0 | ID 6 | 250 bar | 15 m | | |
| High-pressure hose, 10 m, DN 6, | 16 | 6.391-875.0 | ID 6 | 300 bar | 10 m | | |
| 300 bar, AVS trigger gun connec- | | | | | | | |
| tion | | | | | | | |
| Longlife 400 | | ı | 1 | | | | 1 |
| High-pressure hose packaged | 17 | 6.391-351.0 | ID 8 | 400 bar | 10 m | | |
| Special hoses | | 1 | | | | | |
| High-pressure hose 1.5 m, DN 8, | 18 | 6.388-886.0 | ID 8 | 400 bar | 1,5 m | | |
| including connectors, outlet bend ■ Included in delivery. □ Av | alle !-! | | ▲ Extension | | | | |

[■] Included in delivery.

Available accessories.

Extension hose.












| | | Order no. | Water Volume | | | RRP | Description |
|--|---------|------------------|------------------|---------|--|-----|-------------|
| Easy Press high-pressure trigger gu | ın with | holding force re | duction (Kärcher | patent) | | | |
| Extended easy press trigger gun | 1 | 4.775-529.0 | | | | | |
| Easy press high-pressure trigger gun with softgrip | 2 | 4.775-463.0 | | | | | |
| Trigger guns | | | | | | | |
| High end high-pressure trigger gun | 3 | 4.775-823.0 | | | | | |
| Quick connect | | | | | | | |
| Quick coupling | 4 | 6.401-458.0 | | | | | |
| Plug nipple | 5 | 6.401-459.0 | | | | | |

[■] Included in delivery.

Available accessories.

Extension hose.















| | | Order no. | Water Volume | Nozzle size | Diame- ter | RRP | Description |
|--|---|-------------|--------------|-------------|---------------|-----|-------------|
| FR Basic surface cleaner | | | | | | | |
| FR Xpert | 1 | 2.642-998.0 | | | 300 mm | | |
| Hard surface cleaner FR 30 | | | | | | | |
| FR 30 | 2 | 2.642-997.0 | | | 300 mm | | |
| FR 30 Me surface cleaner | | | | | | | |
| FR 30 ME surface cleaner | 3 | 2.640-355.0 | | | 300 mm | | |
| Machine-specific nozzle kits for FI | R | | | | | | |
| Nozzle kit for surface cleaners (type-specific) 450 - 500 l/h | 4 | 2.640-482.0 | 450-500 l/h | | | | |

[■] Included in delivery.

Available accessories.

Extension hose.

























| | | | 1 | 1 | | | |
|---|--------|-------------------------------|---------------|---|------|-----|-------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | Order no. | | | | RRP | Description |
| Nozzle union | | | | | | | |
| Nozzle connector | 1 | 5.401-210.0 | | | | | |
| Spacer (including nozzle union) | | | | | | | , |
| Spacer (incl.nozzle union) | 2 | 5.394-294.0 | | | | | |
| Coupling parts | | | , | | | | , |
| | 3 | 6.987-705.0 | | | | | |
| Rotary coupling | | | 1 | _ | | | |
| Rotary coupling | 4 | 4.401-091.0 | | | | | |
| Coupling | | | | | | | , |
| Coupler -2xM22x1,5 | 5 | 4.403-002.0 | | | | | |
| Connector | | | | | | | , |
| Nozzle connector/screw connector | 6 | 4.402-022.0 | | | | | 1 |
| Adapters | | | | | | | , |
| Adapter M22 - Swivel | 7 | 4.424-004.0 | | | | | |
| Flue pipe | | 1 | 1 | | | | |
| Flue gas adapter | 8 | 4.656-149.0 | | | | | |
| | 9 | 4.656-080.0 | | | | | |
| Cleaning agent injector | | | 1 | | | | |
| Detergent injector for high pressure | 10 | 3.637-170.0 | | | | | |
| Detergent injector for high and low pressure (without nozzles) | 11 | 3.637-001.0 | | | | | |
| Machine-specific nozzle kit with or | der no | . 3.637-170.0 | | | | | |
| Machine-specific nozzle kit with | 12 | 4.769-046.0 | | | | | |
| order no. 3.637-170, HDS 500- 700 l/h | | | | | | | |
| Nozzle insert with order no. 3.637- | 001.0 | | | | | | |
| Nozzle insert for Order No. 3.637-001, high-pressure for machines up to 1100 l/h. | 13 | 4.769-003.0 | | | | | |
| Nozzle insert with order no. 3.637-001, low pressure for devices up to 1,100 l/h | 14 | 4.769-001.0 e accessories. | ▲ Extension h | | | | |

 $[\]blacksquare$ Included in delivery. $\hfill\Box$ Available accessories. $\hfill \blacktriangle$ Extension hose.





| | | Order no. | Nozzle size | | RRP | Description |
|------------------------------|---|-------------|-------------|--|--------------|-------------|
| Power nozzle spray angle 25° | | | | | <u> </u> | |
| Power nozzle 25° spray angle | 1 | 2.883-803.0 | 34 | | | |







| | | Order no. | | Nozzle size | | RRP | Description |
|-------------------------------------|---|-------------|---------|-------------|---|-----|-------------|
| Triple nozzle, touchless changeover | r | | | | ' | | |
| Triple nozzle, touchless changeo- | 1 | 4.767-001.0 | | 34 | | | П |
| ver | | | | | | | |
| Dirt Blaster, small | | | | | | | |
| Dirt blaster | 2 | 4.767-022.0 | 180 bar | 35 | | | |

[■] Included in delivery.

Available accessories.

Extension hose.









| | | Order no. | Nozzle size | | RRP | Description | |
|---|---------|-------------|-------------|--|-----|-------------|---|
| Wet blasting attachment (without r | nozzle) |) | | | | | |
| Wet blasting attachment with flow control (without nozzles) | 1 | 4.762-010.0 | | | | | |
| Wet blasting attachment without flow control (nozzles not included) | 2 | 4.762-022.0 | | | | | ╗ |
| Nozzle kits for wet jet unit | | | | | | | |
| Nozzle kit for wet blasting attachment 035 | 3 | 2.638-526.0 | 35 | | | | |
| Boron carbide nozzle | | | | | | | |
| Boron carbide nozzle, for machines as of 1000 l/h | 4 | 6.415-084.0 | 6 mm | | | | |

nes as of 1000 l/h

■ Included in delivery. □ Available accessories. ▲ Extension hose.











| | | | | | | | | \neg |
|---|----|-------------|---------|-------------|---------------|-----|-------------|--------|
| | | | | | | | | |
| | | | | | | | | |
| | | Order no. | | Nozzle size | Diame- ter | RRP | Description | |
| Pipe cleaning hose, ID 6 | | | | | | | | |
| Pipe cleaning hose | 1 | 6.390-028.0 | 120 bar | | | | | |
| Pipe cleaning hose, DN 6, 30 m | 2 | 6.390-029.0 | 120 bar | | | | | |
| Pipe cleaning hose, DN 6, 20 m, 220 bar | 3 | 6.390-030.0 | 250 bar | | | | | |
| Pipe cleaning nozzle | | | | | | | | |
| Pipe cleaning dirt blaster D 25 / 040 | 4 | 6.415-944.0 | | 40 | 25 mm | | | |
| Pipe cleaning dirt blaster D 30 / 040 | 5 | 6.415-946.0 | | 40 | 30 mm | | | |
| Pipe cleaning dirt blaster D 35 / 040 | 6 | 6.415-948.0 | | 40 | 35 mm | | | |
| Pipe cleaning nozzle | 7 | 5.763-015.0 | | 55 | 16 mm | | | |
| | 8 | 5.763-016.0 | | 60 | 16 mm | | | ſ |
| | 9 | 5.763-017.0 | | 50 | 30 mm | | | |
| Rotating pipe cleaning nozzle | 10 | 6.415-428.0 | | 50 | 16 mm | | | Ī |

Rotating pipe cleaning nozzle 10 6.415-428.0 50
■ Included in delivery. □ Available accessories. ▲ Extension hose.





| | | | | | | | _ |
|----------------|---|-------------|--------------|--|-----|-------------|---|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | Order no. | Water Volume | | RRP | Description | |
| Cup foam lance | | | | | | | |
| Tank 1L | 1 | 6.414-954.0 | | | | | |
| Cup foam lance | 2 | 6.394-668.0 | 1200 l/h | | | | |

[■] Included in delivery.

Available accessories.

Extension hose.















| | | Order no. | Length | | RRP | Description |
|---|---|-------------|--------|--|-----|-------------|
| Automatic, self-winding hose reels | | | | | | |
| Swivel holder | 1 | 2.639-931.0 | | | | |
| Add-on kit hose reel plastics | 2 | 6.392-975.0 | 20 m | | | |
| Add-on kit hose reel | 3 | 6.392-965.0 | 20 m | | | |
| Hose reel, automatic, 20 m, painted | 4 | 2.639-919.0 | 20 m | | | |
| Hose reel, automatic, 20 m, stainless steel | 5 | 6.391-421.0 | 20 m | | | |
| ABS hose reel stainless steel | 6 | 2.641-866.0 | 20 m | | | |

[■] Included in delivery.

Available accessories.

Extension hose.



















| | _ | 1 | T | 1 | | | |
|--------------------------------------|----|-------------|--------|----------|---|-----|-------------|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | Order no. | Length | Diameter | | RRP | Description |
| arting current limiter | | | 1 | | | | |
| rting current limiter | 1 | 2.637-495.0 | | | | | |
| ra coupling | | • | • | | | | |
| ka connector with hose barb, R 2" | 2 | 6.388-461.0 | | | | | |
| ka connector with hose barb, R | 3 | 6.388-455.0 | | | | | |
| 4" | | | | | | | |
| ca coupling with hose liner, 1"" | 4 | 6.388-465.0 | | | | | |
| tion filter | | | | | | | |
| er filter | 5 | 6.414-956.0 | | | | | |
| tion filter with check valve | 6 | 4.730-012.0 | | | | | |
| er fine filter | | | | | | | |
| e-mesh water filter with adap- | 7 | 4.730-102.0 | | | | | |
| | | | | | | | |
| ater supply hose | | 1 | | | , | | |
| iter supply hose | 8 | 4.440-038.0 | 7,5 m | | | | |
| | 9 | 4.440-207.0 | 7,5 m | | | | |
| | 10 | 4.440-270.0 | 7,5 m | | | | |
| kflow check valve | | | | | | | |
| ckflow preventer | 11 | 2.641-374.0 | | | | | |

[■] Included in delivery.

Available accessories.

Extension hose.







| | | Order no. | Water Volume | | RRP | Description |
|--------------------------------|---|-------------|--------------|--|-----|-------------|
| Push-on washing brush | | | | | | |
| Push-on wash brush, M 18 x 1.5 | 1 | 4.762-016.0 | | | | |
| Rotating washing brush | | | | | | |
| Washing brush rotary | 2 | 4.762-560.0 | 500-800 l/h | | | |
| | 3 | 4.762-561.0 | 500-800 l/h | | | |

[■] Included in delivery.

Available accessories.

Extension hose.