

1450 SERIES

Stabicraft's 1450 Frontier pays homage to one of the most successful and versatile boats in Stabicraft's history – 1410. The 1450, however, is more exceptional than its predecessor. From family, diving, fishing, and adventure, you can do it all. It is the most well-appointed sub-5-meter open boat in its class. An absolute beast of a boat with lots of storage, the sides are high enough to lean against and wide enough to sit on. Built tough and very stable.



STABICRAFT[®]
ADVENTURE WITH CONFIDENCE.

1450

EXPLORER



FRONTIER SPORTFISH

FRONTIER PROFISH

	EXPLORER	FRONTIER SPORTFISH	FRONTIER PROFISH	
CONSOLE	Side Helm Console Windscreen Starboard	Optional	•	
	Side Helm Console Windscreen Port		Optional	
	Side Helm Console Powder Coated (Black) Starboard	•	•	
	Side Helm Console Powder Coated (Black) Port		Optional	
	Cable Steer with Gussi Soft Touch Wheel	•	•	
SEATING	70l Split Lid Icey-Tek with Padded lid	Optional	•	
	Skipper Seat & Swivel on Cantilever Starboard		•	
	Skipper Seat & Swivel on Cantilever Port		Optional	
	Fish Pro Seating Starboard	Optional	Optional	
	Fish Pro Seating Port		Optional	
DECK	Broadhead Wing Style Coamings	•	•	
	Bow Seating Area	•	•	
	Maximised Width 4mm Tread Plate Floor	•	•	
	Traveling Rod-holder Sockets x4 in Bow	•	•	
	Raised Anchor Bulkhead	•	•	
	Raised Casting Platform over Anchor Well	•	•	
	Stabi® Cleats x3	•	•	
	4x Rod-holders in Aft Coamings Powder Coated	•	•	
	4x Multi-holders in Aft Coamings	•	•	
	Bolt in Seating Plank	•		
	Removable Bait Board (Railblazer)	Optional	Optional	•
	Upgrade to Stainless Steel Rod-holders			•
Keel Wear Strip	Optional	Optional	Optional	
Boat Catch Block	Optional	Optional	Optional	
U-Dek Flooring & Coamings	Optional	Optional	Optional	
TRANSOM	Transducer Brackets, Starboard	•	•	
	Boarding Step Starboard	Optional	•	
	Boarding Step Port	Optional	Optional	
	Raised Transom		•	
	Bolt on Live Bait Tank		Optional	Optional
OTHER	3mm Arrow pontoons	•	•	
	Bow Rails	•	•	
	Closed Cell Baffling - NZ	Optional	Optional	Optional
	Closed Cell Baffling - AU/USA/NC/SCANDINAVIA	•	•	•
	Electric Trolling Motor Mount (Suits 54" Terrova)	Optional	Optional	Optional
PAINT & FINISHING	Stage 1 - Belting Up Gloss	Optional	Optional	•
	Stage 1 - Belting Up Metallic	Optional	Optional	Optional
	Stage 2 - Belting Up & External Pontoons Gloss	Optional	Optional	Optional
	Stage 2 - Belting Up & External Pontoons Metallic	Optional	Optional	Optional
	Stabicraft® Graphics Package	•	•	•

KEY: blank space "Not Available"

• "Standard"



www.stabicraft.com

345 Bluff Highway, Invercargill. New Zealand. Phone: 0064 3 211 1828 Email: enquiries@stabicraft.com



AVAILABLE PACKAGES

EXPLORER

The 1450 Explorer is a longer, wider and more solid version of its predecessor. It still gives you flexibility with a spacious tiller steer setup and added features like the forward seating, alloy rodholders and Stabicraft® Multiholders as standard. It is the most well-appointed sub 5 meter open boat in its class.



FRONTIER SPORTFISH

The 1450 Frontier Sportfish comes with a side console and upholstered seat as standard as well as the ever-reliable 70L Icey-Tek chilly bin.

With options like a bolt on live bait tank and removable baitboard the 1450 Frontier Sportfish means you have all the basics for chasing down your favourite fish



FRONTIER PROFISH

The 1450 Frontier Profish is a serious step up from the Sportfish version with additional stainless steel rodholders, belting up paint, dash windscreen and dual boarding platforms all as standard features. Coupled with optional features like port side dash and Fish Pro seats the 1450 Frontier Profish is ready to compete with much larger boats [and much larger fish].



1450 SERIES



SPECIFICATIONS

Length Metric (feet)	4.42m (14.5ft)
Max Persons	4
Maximum HP	EX 40hp / FT 50hp
Leg Length	20"
Fuel Tank	Tote Tank
External Beam	1.89m (75.7")
Internal Beam	1.35m (53.3")
Deadrise	15°
Tube Thickness	3mm (0.118")
Hull Thickness	4mm (0.157")
Dry Hull Weight	EX 277kg / FT 302kg
Dry Hull Weight (USA)	EX 654lbs / FT 709lbs
Tow Weight (approx)	EX 667kg / 1470lbs
Tow Weight (approx)	FT 732kg / 1613lbs
Length on trailer	5.9m (19'4")
Boat Height (approx)	EX 1.04m (3'4")
Boat Height (approx)	FT 1.41m (4'6")
Total Sealed Volume	960L/253.6gal
Australian Builders Plate (AUS only)	
US Coastguard ABYC (USA only)	



www.gfabtrailers.com

GFABTRAILERS



STABICRAFT

ADVENTURE WITH CONFIDENCE.