

# GENIE® ACCESSORIES

CUSTOMIZE YOUR EQUIPMENT FOR THE JOB



**Genie**®  
A TEREX BRAND

TAKING YOU **HIGHER**®

LEARN MORE AT [GENIELIFT.COM](http://GENIELIFT.COM)

# Table of Contents

## Genie® Accessories

Table of Contents	2
Genie Accessories Introduction	3
Genie Boom Lift Accessories	
Tech Pro™ Link	4
Auxiliary Rail	4
Lift Tools™ Panel Cradle	5
Pipe Cradle	5
Lift Guard™ Contact Alarm	6
Lift Guard Fall Arrest Bar	6
Operator Protective Structure	6
Lift Guard Platform Mesh-Full	7
Lift Guard Platform Mesh-Half	7
Tool Tray	8
Platform Control Box Cover	8
Aircraft Protection Package	8
Lift Tools™ Expo Installer	9
Lift Tools Access Deck-Booms	9
Genie Scissor Lift Accessories	
Lift Tools Material Carrier	10
Lift Tools Access Deck-Scissor Lifts	10
Lift Guard Contact Alarm	11
Genie Telehandler Accessories	
Fire Extinguisher	12
Flashing Beacon	12
Rear Proximity Alarm	12
Oil Pan Heater	13
Engine Block Heater	13
Hydraulic Quick Attach Coupler	13
Road Lights	14
Work Lights	14
GTH™ Backup Camera	14

## Genie Aerial Work Platform Accessories

Fluorescent Tube Caddy	15
Dual Bike Hooks	15
Lift Guard Contact Alarm	16
Outreach Package	16
Super Straddle	16
Operational Warning Light and Descent Alarm Package	16
Genie Material Lift Accessories	
Platform Cradle Package	17
20 lb (9 kg) CO <sub>2</sub> tank	17
Aluminum Ladder	17
Captive Stabilizer	17
Flat Forks	17
Boom Option (GL™)	18
Standard Forks	18
Adjustable Forks	18
Boom Option (SLA™ & SLC™)	18
Load Platform	18
Fork Extensions	18
Notes	19

## Contact Our Parts Department

Phone: (877) 367-5606  
 Fax: (888) 274-6192  
 Email: [AWP.PartsSalesPO@terex.com](mailto:AWP.PartsSalesPO@terex.com)



# Increase Your Productivity

A variety of accessories are available to help maximize safe productivity while operating Genie® equipment. It pays to understand what's available so you can set yourself apart. In fact, you count on a selection of practical, adaptable accessories because they are critical – sometimes required – on certain jobsites. Consider what Genie has to offer.



*\*Lift Tools™ Material Carrier*

# Genie® Boom Lift Accessories

Our commitment doesn't end when you purchase a boom. We offer accessories that add to the quality you receive when you choose Genie.



## Tech Pro™ Link

Allows users to monitor a machine's gauges, including engine temperature, oil pressure, fuel levels and battery voltage, calibrate the machine, make speed adjustments during pre-operation inspection, get service alerts and reminders, track maintenance intervals, receive fault code information and so much more – all from the palm of your technician's hand.

Available on:

**Compatible for use with the CAN-enabled control systems on mid-sized Genie S® telescopic Xtra Capacity™ (XC™) booms**

Part number:

- 1276686GT



## Auxiliary Rail

The auxiliary top rail platform accessory is an additional railing system that can be quickly and easily mounted on the outside of a Genie boom's standard platform rails. This railing system adds an extra measure of security for the operator when working at height.

Available on:

**Genie® Articulating Boom Lifts:**

Z®-30/20N, Z-34/22 DC&IC, Z-40/23N, Z-45/25 DC&RT, Z-45 XC™, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX™-135/70

**Genie Telescopic Boom Lifts:**

S®-40/45 XC, S-60/65 XC, S-80/85 XC, SX™-105 XC, SX-125 XC, SX-135 XC

Part numbers:

- 122278GT - 6 ft (1.8 m) platform w/ swing gate
- 122279GT - 8 ft (2.4 m) platform w/ swing gate

= Factory Installed

= Aftermarket



### Lift Tools™ Panel Cradle

For use lifting drywall, glass panes, plywood and other material that comes in panels up to 250 lb (113.4 kg). The panel cradle allows operators to place materials outside of the platform for access at height. Includes the cradle, two foam cushions and load retaining strap. The combined weight of attachment, panels, occupants and tools must not exceed the platform rated capacity.

Available on:

**Genie® Articulating Boom Lifts:** Z®-45 DC/BE (to serial number Z4525F-62000), Z-45 XC™, Z-60, Z-62, Z-80, ZX-135

**Genie Telescopic Boom Lifts:** S®-60/65 XC, S-60X, S-60/65 TraX, S-80/85 XC, S-80 X, SX-105 XC, SX-125 XC, SX-135 XC

Part number:

- **1298841GT**

*\* Not compatible with the old style bolt on platform toeboards, for platforms with the bolt on toeboard and for most platforms manufactured before 2016, use P/N 77683GT*



### Pipe Cradle

This accessory reduces the risk of fatigue by providing a secure way to lift pipes when working from an S- or Z- boom lift. Genie pipe cradles deliver stability and rigidity with a robust design which transfers the load away from the guard rails and onto the platform deck. The pipe cradle assembly mounts easily to the platform guardrails with U-bolts and rests on the floor of the platform when installed.

Available on:

**Genie Articulating Boom Lifts:** Z-45 XC, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX-135/70

**Genie Telescopic Booms:** S-40/45 XC, S-60/65 XC, S-80/85 XC, SX-105 XC, SX-125 XC, SX-135 XC, SX-150, SX-180

Part number:

- **85300GT** - available on all S and Z boom lifts

= Factory Installed

= Aftermarket



# LIFT GUARD™

As Genie® protective solutions continue to evolve, Genie Lift Guard™ products are a generation of accessories that can, in some circumstances, provide additional operator protection while working at height. Genie Lift Guard secondary guarding accessories are simple to use, and when used in conjunction with operator training required by industry standards worldwide, can enhance safe work practices on aerial jobsites.



## Contact Alarm

Engineered as an electronic secondary guarding system, the Genie® Lift Guard™ Contact Alarm System is designed to stop boom functions and alert ground personnel when an operator makes contact with the activation cable. This new feature is configured as a standard accessory on new Genie Z® (articulated) and S® (telescopic) boom lifts, and it is retrofit able on booms dating back to 2006.

Now standard on:  
All S® and Z® booms

Part numbers:

- **1279134GT** - 6 ft (1.8 m) - 8 ft (2.4 m) platform ALC1000
- **1279135GT** - 6 ft (1.8 m) - 8 ft (2.4 m) platform NON-ALC1000

*\*Most models are backwards compatible. Please check your parts manual.*



## Fall Arrest Bar

The Genie Fall Arrest Bar has a sliding track, which is designed to allow the operator to be anchored with a fall arrest lanyard while providing them the ability to move freely on an adjacent structure while outside of the platform. Attaches quickly and easily for fast setup and removal. Track assembly de-rates the maximum platform capacity by 50 lb (22.68 kg).

Available on:

**6-ft (1.8 m) or 8-ft (2.4 m) platforms (cannot be used with Panel Cradle)**

Part numbers:

- **1256377GT** - 8 ft (2.4 m) Word decal
- **1256378GT** - 6 ft (1.8 m) Word decal
- **1261018GT** - 8 ft (2.4 m) French decal
- **1261019GT** - 6 ft (1.8 m) French decal



## Operator Protective Structure (OPS)

Bolting directly to the platform, this secondary guarding device helps provide additional protection to the operator from overhead obstacles on a work site. The Genie OPS is made of high strength tubular steel and allows for excellent visibility and work range.

Available on 6-ft (1.8 m) or 8-ft (2.4 m) platforms:

**Genie Articulating Boom Lifts: Z-45 XC™**

**Z-45/25 DC, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX™-135/70**

**Genie Telescopic Boom Lifts: S-40/45**

**XC, S-60/65 XC, S-80/85 XC, SX-105 XC, SX-125 XC, SX-135 XC, SX-150, SX™-180**

Part number:

- **219158GT**

 = Factory Installed

 = Aftermarket

# LIFT <sup>^</sup> GUARD™ | PLATFORM MESH

Two options to choose from — full-height aluminum and half-height aluminum, these contemporary mesh accessories are engineered to help operators keep jobsite materials and tools from falling out of boom platforms working at height.



## Full Mesh Platform

Covers all four sides of the platform, from the floor to the top rail, without obstructing the lanyard attachment points on the rail.

Available on 6-ft (1.8 m) or 8-ft (2.4 m) platforms:

- 1286622GT - 6 ft (1.8 m) full mesh, side gate
- 1283049GT - 8 ft (2.4 m) full mesh, side gate
- 1290895GT - 6 ft (1.8 m) full mesh, front gate
- 1290896GT - 8 ft (2.4 m) full mesh, front gate



## Half Mesh Platform

A full toe board and half mesh guard to help keep materials and tools from falling out. A swing gate allows operators to enter and exit the platform without having to duck under a sliding midrail. This can make a big difference especially with tools or materials in hand.

Available 6-ft (1.8 m) or 8-ft (2.4 m) boom platforms:

- 1275282GT - 6 ft (1.8 m) half mesh, side gate
- 1275281GT - 8 ft (2.4 m) half mesh, side gate
- 1290893GT - 6 ft (1.8 m) half mesh, front gate
- 1290894GT - 8 ft (2.4 m) half mesh, front gate

 = Factory Installed

 = Aftermarket



### Tool Tray

Designed to help eliminate clutter and potential tripping hazards by providing operators and workers with a convenient place to store their tools, fasteners and small materials in the platform.

Part number:

- 1275089GT



### Platform Control Box Cover

This accessory helps prevent loose debris from getting into the control box by closing ovetop of the machine's platform controls.

Available on:

**Genie Articulating Booms:** Z<sup>®</sup>-30/20, Z-34/22, Z-40/23, Z-45/25, Z-45 XC™, Z-60/37 DC & FE, Z-62/40, Z-80/60, ZX™-135/70

**Genie Telescopic Boom Lifts:** S<sup>®</sup>-40/45 XC, S-60 XC, S-65 XC, S-80 XC, S-85 XC, SX™-135 XC

Part number:

- 102854GT

*\*Standard feature on the SX-105 XC and SX-125 XC.*



### Aircraft Protection Package

To protect an aircraft or other sensitive work surfaces from damage, this package allows the boom platform to get up close with its foam-padded auxiliary rails, located top and sides, plus padded proximity-sensing rail underneath. If this rail makes surface contact, all motion functions stop.

Available on the following booms with select platforms\*:

**Genie Articulating Boom Lifts:** Z-30/20N (non-RJ model), Z-34/22N & IC, Z-45/25 DC, BE & RT, Z-45 XC, Z-60/37 DC & FE, Z-62/40, Z-80/60

**Genie Telescopic Boom Lifts:** S-40/45 XC, S-65 XC, S-85 XC, SX-105 XC, SX-125 XC, SX-135 XC

*\* Platform size limitations based on model*

= Factory Installed

= Aftermarket



# LIFT<sup>^</sup>TOOLS<sup>™</sup>

Genie® Lift Tools™ accessories are productivity tools designed to make operators more efficient when working at height. These accessories also promote best practices for safe use and increased performance while operating Genie booms.



## Expo Installer

An indoor-use only aftermarket accessory that allows for precise, easy placement of signs, banners and hanging decor. This accessory is designed to make operators more efficient when working at height.

Available on 6-ft (1.8 m) or 8-ft (2.4 m) platforms:

**Genie® Articulating Boom Lifts:** Z®-45/25J, Z-45/25J RT, Z-45/25 RT, Z-45 XC™, Z-51/30J RT, Z-60/37 DC & FE, Z-62/40

**Genie Telescopic Boom Lifts:** S®-40/45 XC, S-60/65 XC

Part numbers:

- 1285719GT - 6-ft (1.8 m) KIT ANSI/CSA, Word Decals
- 1290034GT - 6-ft (1.8 m) KIT CSA, French Decals
- 1288801GT - 8-ft (2.4 m) KIT ANSI/CSA, Word Decals
- 1290036GT - 8-ft (2.4 m) KIT CSA, French Decals



## Access Deck - Booms

Provides operators with an approved secondary surface to work from, elevating them 22 in (0.56 m) above the platform floor. Attached to the platform midrail, this additional access enables operators to get into restricted spaces to increase productivity.

Available on:

**Most S and Z boom lifts with 6-ft and 8-ft platforms**

Kit number:

- 1293700GT - 6-ft platform
- 1291798GT - 8-ft platform

 = Factory Installed

 = Aftermarket

# Genie® Scissor Lift Accessories

Customize your scissor lift for specific jobsite needs.



## Lift Tools™ Material Carrier

Ideal for use in applications that require lifting materials to height, such as tilt-up construction, post-frame building construction, fire suppression installation, HVAC installation, rooftop contracting and facility maintenance. This accessory is suitable for a multitude of material types, including lumber, pipe, HVAC materials, siding and plate material.

Available on:

GS™-2669 DC, GS-2669 RT, GS-3369 DC, GS-3369 RT, GS-4069 DC, GS-4069 RT, GS-3390, GS-4390, GS-5390

Kit number:

- 1288239GT



## Lift Tools Access Deck – Scissor Lifts

Provides operators with a secondary work surface to elevate them above the platform floor for a productive solution to access hard-to-reach areas. This additional deck has a 225-lb (102 kg) capacity, and installs to the inside of the extension deck guardrails on Genie® GS™-1930 scissor lift platforms. It is designed with a collapsible guardrail to ensure uninhibited maneuverability for operators using this new accessory.

Available on:

Genie GS-1930 scissor lift platforms, additional model compatibility in the future

Kit number:

- 1291517GT

 = Factory Installed

 = Aftermarket



### Lift Guard™ Contact Alarm

An electronic secondary guarding solution designed to activate when an obstruction makes contact with an activation whisker mounted to the lift's platform guardrails, alerting operators, occupants and ground personnel to a potential hazard. The Genie Lift Guard Contact Alarm option for slab scissors will include two activation whiskers — one mounted on the front of the platform and one mounted on the rear.

#### Part numbers:

- **1288736GT KIT** - GS-1530
- **1288737GT KIT** - GS-1930
- **1288738GT KIT** - GS-2032
- **1289293GT KIT** - GS-2632
- **1289294GT KIT** - GS-3232
- **1289420GT KIT** - GS-2046
- **1289421GT KIT** - GS-2646
- **1289422GT KIT** - GS-3246
- **1289295GT KIT** - GS-4047

 = Factory Installed

 = Aftermarket



## Genie® Telehandler Accessories

Get more and do more without having to buy additional machinery. Just add one, two or more of the available accessories for your Genie® telehandler to get more productivity from a single unit. Accessories add job flexibility and improve efficiency.



### Fire Extinguisher

An extra safety feature available for your Genie Telehandler

Available on:

**GTH™-5519, GTH-636, GTH-844,  
GTH-1056, GTH-1256 and GTH-1544**

Part numbers:

- 123563GT



### Flashing Beacon

These orange flashing lights mounted to the top of the telehandler's cab, warn workers when the telehandler is in motion or operation.

Available on:

**GTH-5519, GTH-636, GTH-844,  
GTH-1056, GTH-1256 and GTH-1544**

Part number:

- 58.1701.4047GT



### Rear Proximity Alarm

This accessory uses sensors to identify any potential obstacles within close radius to the back of the machine and alerts the operator via visual and audio warnings.

Available on:

**GTH-5519, GTH-636, GTH-844,  
GTH-1056, GTH-1256 and GTH-1544**

Part numbers:

- 1257987GT - Sensor
- 1257988GT - Display
- 1275497GT - Kit

 = Factory Installed

 = Aftermarket



### Oil Pan Heater

For use in cold weather conditions, the Oil Pan Heater aids in machine start up by keeping the engine oil warmed while the machine is not in use.

Available on:

**GTH™-5519**

Part numbers:

- **123518GT** - Deutz/Perkins
- **128274GT** - Deutz, 120V, 150W



### Engine Block Heater

For use in cold weather conditions the Engine Block Heater aids in machine start up by heating the engine coolant while the machine is not in use.

Available on:

**GTH-636, GTH-844, GTH-1056,  
GTH-1256 and GTH-1544**



### Hydraulic Quick-Attach Coupler

With hydraulically activated retention pins, the Hydraulic Quick-Attach Coupler allows the operator to fully couple or de-couple an attachment from inside the cab without needing to manually remove or install the lower retention pin.

Available on:

**GTH-5519, GTH-1256 and GTH-1544**

= Factory Installed

= Aftermarket



### Road Lights

Road lights include turn indicators and headlights, one reverse light and two rear lights for stop, turn and tail light functions.

Available on:

**GTH™-5519, GTH-636, GTH-844,  
GTH-1056, GTH-1256  
and GTH-1544**

Part numbers:

- 1264489GT KIT - GTH-636
- 215416GT KIT - GTH-1056
- 215637GT KIT - GTH-844



### Work Lights

Increase productivity in low-light conditions with an optional work light, which functions as a headlight and a rear cab-mounted work light for visibility when maneuvering the machine into place.

Available on:

**GTH-5519, GTH-636, GTH-844,  
GTH-1056, GTH-1256  
and GTH-1544**

Part numbers:

- 108332GT
- 121801GT



### GTH™ Backup Camera

This kit includes a rear-facing camera and a screen monitor that mounts inside the cab. The camera integrates with the Rear Proximity Alarm to provide an on-screen overlay if an object is detected in the radar field. This option is currently only available on new production machines.

Available on:

**GTH-636, GTH-844 and GTH-1056**

 = Factory Installed

 = Aftermarket



# Genie® Aerial Work Platform Accessories

Genie® aerial work platforms are easy to use and cost effective, making them the first choice for a wide range of applications. Each model offers a variety of accessories to customize your machine.



### Fluorescent Tube Caddy

A convenient way to store multiple fluorescent lights in one location

Available on:

- AWP™-20S, AWP-25S, AWP-30S, AWP-36S, AWP-40S,
- AWP-20S DC, AWP-25S DC, AWP-30S DC, IWP™-20S,
- IWP-25S, IWP-30S, GR™-12, GR-15, GR-20, GRC™-12

Part number:

- 38226GT

\* Not available with EE Certification  
\*\* Not available on fiberglass platform



### Dual Bike Hooks

A convenient way to lift bicycles up to or down from high displays or warehouse shelving- no need for the operator to lift, maneuver or hold the bicycle in the platform.

Available on:

QS™ Models

Part numbers:

- 145310GT - Symbol Decals
- 145309GT - Word Decals

\*Not available with rear parcel tray

= Factory Installed  
 = Aftermarket



### Lift Guard™ Contact Alarm

An electronic secondary guarding solution designed to activate when an obstruction makes contact with an activation whisker mounted to the platform guardrails, alerting operators, occupants and ground personnel to a potential hazard.

Available on **All GR™ and GRC™ vertical mast lifts**

Part numbers:

- 1293889GT GR-12
- 1294049GT GR-15
- 1294051GT GR-20
- 1294052GT GRC



### Outreach Package

Provides over 2 ft (61 cm) of additional horizontal reach. Ideal for maneuvering up and over shelves, machinery and equipment

Available on **Genie® IWP™-20S only**

Part number:

- 124868GT



### Super Straddle

Provides up to 4 ft (1.22 m) of vertical clearance over fixed obstacles.

Available on:

**AWP™-20S, AWP-25S, AWP-30S, AWP-36S, AWP-40S**

Part numbers:

- 62938GT - Genie Super Straddle

*\* Not available with air motor option*



### Operational Warning Light and Descent Alarm Package

The flashing light alerts operators when the machine is descending

Available on:

**AWP-20S, AWP-25S, AWP-30S, AWP-36S, AWP-40S, AWP-20S DC, AWP-25S DC, AWP-30S DC, IWP-20S, IWP-25S, IWP-30S**

# Genie® Material Lift Accessories

These versatile lifts offer a large selection of accessories providing the opportunity to create just the lift you need.



## Platform Cradle Package

Available as an accessory to handle oddly-shaped items

Available on: **GH™ 3.8 and GH 5.6**

Part number: **20200GT**



## 20 lb (9 kg) CO<sub>2</sub> tank

The one size fits all bottle mounting bracket accepts any common CO<sub>2</sub> bottle size. This extra 20 lb (9 kg) CO<sub>2</sub> tank is available as an accessory.

Available on: **GH 3.8 and GH 5.6**

Part number: **2176GT**



## Aluminum Ladder

Attaching the sturdy aluminum ladder accessory makes your Genie lift a combination lift truck and stepladder for increased access to lifting and installation tasks

Available on:

**Standard and Straddle based models of GL™-4, GL-8, GL-10, GL-12**

Part number: **37172GT**



## Captive Stabilizer

With patented “locking system” provides additional lateral support for heavy loads.

Available on:

**SLA™-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC™-12 (standard on SLC-18 and SLC-24)**

Part number: **37481GT - SLA set**



## Flat Forks

Widen from 16 to 31 in (41 to 79 cm) to provide proper support, allow you to easily lift your load off of flat surfaces.

Available on:

**SLA-5, SLA-10, SLA-15**

Part number: **32566-SGT**





### Boom Option - GL™

Capable of lifting up to 500 lb (227 kg) at 14 in (36 cm) and up to 300 lb (136 kg) at 20 in (51 cm) of reach.

Available on:

**GL-4, GL-8, GL-10, GL-12**

Part number:

- 37086GT - Kit
- 5143GT - Hook



### Standard Forks

Accommodate various loads for versatile lifting. Get an additional 21 in (53 cm) of lift by turning over and re-pinning the forks

Available on:

**Standard on all GL™, SLA™ and SLC™**

Part number:

- 35293-SGT - GL
- 32906GT - SLA series kit
- 33984 - SLC series kit



### Adjustable Forks

Widen from 11.5 to 30 in (28 to 76 cm) to accommodate diverse loads.

Available on:

**SLA-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC-12, SLC-18, SLC-24**

Part number:

- 107161GT - SLA series kit
- 33543-SGT - SLC series kit



### Boom Option - SLA™ & SLC™

Transforms your lift into a mobile, vertical crane or hoist to position tooling fixtures, circuit breakers, engines and more.

Available on:

**SLA-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC-12, SLC-18, SLC-24**

Part number: 32567-SGT - KIT



### Load Platform

Fits over the forks to handle odd-sized or heavy objects- no tools required for installation. Can also be used as a portable work table.

Available on:

**GL-4, GL-8, GL-10, GL-12, SLA-5, SLA-10, SLA-15, SLA-20, SLA-25, SLC-12, SLC-18, SLC-24, ST-20, ST-25**

Part numbers:

- 37245GT - GL
- 32937GT - SLA
- 35021GT - SLC



### Fork Extensions

Insert onto standard forks for an additional 25 in (64 cm) of length

Available on: **All SLA and SLC**

Part number: 58158GT



## Worldwide Manufacturing And Distribution

Australia · Brazil · Caribbean · Central America · China · France · Germany · Italy · Japan · Korea · Mexico  
Southeast Asia · Spain · Sweden · United Arab Emirates · United Kingdom · United States

Toll Free in USA/Canada **+1 (800) 536-1800** · Telephone **+1 (425) 881-1800** · Fax +1 (425) 883-3475

6464 185th Ave. NE, Redmond, WA 98052

Effective Date: July, 2020. Product specifications and prices are subject to change without notice or obligation. The photographs and/or drawings in this document are for illustrative purposes only. Refer to the appropriate Operator's Manual for instructions on the proper use of this equipment. Failure to follow the appropriate Operator's Manual when using our equipment or to otherwise act irresponsibly may result in serious injury or death. The only warranty applicable to our equipment is the standard written warranty applicable to the particular product and sale and we make no other warranty, express or implied. Terex, Genie, Taking You Higher and other marks are trademarks of Terex Corporation or its subsidiaries. © 2020 Terex Aerial Work Platforms.



TAKING  
YOU **HIGHER**®

LEARN MORE AT [GENIELIFT.COM](http://GENIELIFT.COM)