BIG DOG & TOP DOG FORAGE BOXES







top dog se

The "TOP DOG" Semi-Trailer Forage Box is completely Designed & Manufactured by H&S!

Large 17"x28" front window for viewing when unloading.

> New 25,000# spring axles w/heavy duty spindles are standard.

r made by tightening bolts on the front of tighteners maintain art up and operation. Pane & rea chain apron and o to the



Apron tension adjustment is made by tightening the 4 spring loaded tightener bolts on the front of the box. The spring loaded tighteners maintain tension on the apron during start up and operation.



The idler apron shaft assembly features 6 tooth machined steel sprockets with bronze idler bushings.

The main frame is made of high quality formed steel 10" I-Beams for with full length front gussets.

MI-TRAILER



16 Gauge Stainless Steel Sides

The **PL88C OPEN BARREL** main apron pintle chain @ 29,900# per strand stays flexible. 2" $x \ 1" \ x \ 3/16"$ formed apron channels are used for the apron cross bars. The floor is $\frac{1}{2}$ " thick virgin grade solid poly. A stainless steel center between aprons that is formed to eliminate any feed build-up for a complete clean out.

The standard **Air Gate Delay** for the **Top Pivot Door** allows you to clean the box out completely without material hanging up. Barn doors with air closure are optional.





the rear and compressed down to 5.13" in the front



TOP DOG SPECIFICATIONS

MODEL	36'	40'
CAPACITY - STRUCK LEVEL	2045 CU. FT.	2275 CU. FT.
BOX WEIGHT	18,240 LBS.	20,270 LBS.
INSIDE LENGTH	36'	40'
INSIDE WIDTH	98"	98"
INSIDE HEIGHT	86"	86"
OVERALL LENGTH	37' 7"	41' 7"
OVERALL WIDTH	102"	102"
OVERALL HEIGHT INCLUDING TAILGATE	13'	13'
SIDE HEIGHT	142.5"	142.5"
DRIVE SYSTEM	DUAL HYDRAULIC MOTORS	
FINAL DRIVE SYSTEM	DUAL FINAL DRIVE W/OIL BATH AND SPRING LOADED TIGHTENER	
MAIN APRON CHAIN & SLATS	PL88C OPEN BARREL PINTLE 2"X1"X 3/16" FORMED APRON CHANNELS	
REAR DRIVE SHAFT	21/4" 1045 STEEL	
FRONT IDLER SHAFT	13/4" 1045 STEEL	
UPRIGHTS	2" X 2" X 3/16" TUBULAR STEEL SET ON 16" CENTERS	
UNLOAD TIME	DEPENDENT ON TRACTOR HYDRAULIC SYSTEM & GPM'S	
WALL MATERIAL	STAINLESS STEEL	
FLOOR MATERIAL	VIRGIN GRADE POLY	
AIR GATE DELAY SYSTEM	STANDARD	
REAR DOOR LATCHING	AUTOMATIC	
FRONT WINDOW	17" X 28"	
LIGHTS	L.E.D.	
CUSTOMER FARM NAME	STANDARD	
AXLES	SUSPENSIONS/TIRES/R	IMS
AXLES	NEW 25,000# AXLE'S WITH HEAVY DUTY SPINDLES	
SUSPENSION SYSTEM:	SPRING	
TIRES/RIMS OPTIONS:	 11.00x22.5 Tires on painted dual steel wheels 11.00x22.5 tires on dual aluminum wheels 425/65r 22.5 tires on aluminum super single wheels 425/65r 22.5 tires on steel super single wheels 455/55r 22.5 tires on aluminum super single wheels 455/55r 22.5 tires on steel super single wheels 	
	OPTIONS	
BARN DOORS	OPTIONAL	
grain Kit - Top Pivot Door Only	OPTIONAL	
VARIABLE SPEED FLOW CONTROL	OPTIONAL	
ELECTRIC FRONT TO BACK SCISSOR TARP	OPTIONAL	
ELECTRIC SIDE TO SIDE ROLL TARP	OPTIONAL	

BIG DOG TRUCK MOUNT



BIG DOG SPECIFICATIONS		
CAPACITY - STRUCK LEVEL	1477 CU. FT.	
BOX WEIGHT	N/A	
INSIDE LENGTH	26'	
INSIDE WIDTH	98"	
INSIDE HEIGHT	86"	
OVERALL LENGTH	27' 7"	
OVERALL WIDTH	102"	
OVERALL HEIGHT INCLUDING TAILGATE	N/A	
SIDE HEIGHT	N/A	
DRIVE SYSTEM	DUAL HYDRAULIC MOTORS	
FINAL DRIVE SYSTEM	DUAL FINAL DRIVE W/OIL BATH AND SPRING LOADED TIGHTENER	
MAIN APRON CHAIN & SLATS	PL88C OPEN BARREL PINTLE 2"X1"X 3/16" FORMED APRON CHANNELS	
REAR DRIVE SHAFT	21/4" 1045 STEEL	
FRONT IDLER SHAFT	13/4" 1045 STEEL	
UPRIGHTS	2" X 2" X 3/16" TUBULAR STEEL SET ON 16" CENTERS	
UNLOAD TIME	DEPENDENT ON TRACTOR HYDRAULIC SYSTEM & GPM'S	
WALL MATERIAL	STAINLESS STEEL	
FLOOR MATERIAL	VIRGIN GRADE POLY	
AIR GATE DELAY SYSTEM	STANDARD	
REAR DOOR LATCHING	AUTOMATIC	
FRONT WINDOW	17" X 28"	
LIGHTS	L.E.D.	
CUSTOMER FARM NAME	STANDARD	

BIG DOG CHASSIS MOUNT



OPTIONS		
BARN DOORS	OPTIONAL	
grain Kit - Top Pivot Door Only	OPTIONAL	
VARIABLE SPEED FLOW CONTROL	OPTIONAL	
ELECTRIC FRONT TO BACK SCISSOR TARP	OPTIONAL	
ELECTRIC SIDE TO SIDE ROLL TARP	OPTIONAL	
ROOF HOOD	OPTIONAL	





An optional gravity unload grain hopper for grain is available for Big Dog and Top Dog forage boxes with a top hinged gate.

BUY

The optional front-to-rear, or side-to-side electric roll tarp is a nice feature to keep that valuable forage from blowing out during transport.

Buy the BEST



Warranty: See operators manual for warranty details and limitations. H&S reserves the right to change its products or the description at any time without notice or obligation.







NEED A QR CODE READER? DOWNLOAD THE FREE APP TO YOUR SMARTPHONE!

Models and specifications are to change without prior notice. 1/17 4M

I&S MANUFACTURING CO. INC

2608 S. Hume Avenue P.O. Box 768 • Telephone (715) 387-3414 FAX (715) 384-5463 • Website www.hsmfgco.com MARSHFIELD, WI 54449



H&S WAREHOUSE 10145 Lakeshore Road P.O. Box 1260 • Telephone (716) 736-7595 FAX (716) 736-7596 • Website www.hsmfgco.com **RIPLEY, NY 14775**