



# U-II

*Pick-Up Reel*

**10-36 foot models for Combines/Swathers**



[www.artsway-ag.com](http://www.artsway-ag.com)

# Smooth.

U-II Pick Up Reel is your partner in the field for new headers or replacing reels in headers that need an update. With proven performance in tough conditions, U-II from Art's Way is a trusted name.

## **170° Flip Action**

Reduce wrapping with 170° flip over bat action. Less downtime, less shatter and more profit in the tank.

## **Light Weight Material**

20% lighter than other reels on the market for improved combine performance. This allows your flex head to behave properly and follow the surface of your field.

## **Performs in tough fields**

Excellent performance in soybean, small grains and even heavy canola fields.

## **Pivot Point Bearings**

No lubrication is required for the replaceable sealed ball bearings for decreased routine maintenance.

## **Compatible Heads**

- Massey
- Case IH
- Gleaner
- New Holland
- Claas
- John Deere

Many other brands of headers and swathers.

\*Call for availability

## **Durable**

Engineered for durability and strength for reliability in the field.

Improved heat treated cast steel cam ring and double row ball bearing cam rollers for less maintenance.

## **Operator Visibility**

Unmatched operator visibility reduces chance of damage to reel from unseen obstructions.





Heat Treated Cam Ring



Aluminum Rectangular Tube Stars




## U-II Pick Up Reel

Different reel sizes and options give you the flexibility to choose the right equipment for your field and operation. Known for the reduction in material wrapping and excellent visibility, the U-II reel has been your trusted option for over 40 years.



## Decreased Machine Stress

Our lightweight aluminum bats and square tubular spiders cause less demand on reel lift and the hydraulic systems. The gusset system provides high strength around the center tube. Aluminum material allows for lower replacement costs.



## Easy Maintenance

Tough, lightweight, interchangeable plastic tines are standard on the U-II reel. Optional #4 wire steel tines available.

## Smooth flow of crop

With less sag, the rigid center reel tube provides a more uniform cutterbar/tine clearance across the entire header. Closer settings allow for better feeding in difficult cutting conditions.



## Exclusive Tear Drop Bat

One piece design minimizes the number of parts and connections while maximizing strength and overall rigidity of the reel. Bats are anodized black to reduce reflection from sun and machine lights for improved visibility. These bats are more reliable with vision improvement.

# U-II Reel Specifications

## Center Tubes

- 8" Center Tube for 10-27 foot models
- 10" Center Tube for 27-36 foot models

## Mounting Hardware

Normal mounting hardware to match your table.

## Available Lengths

12 foot	18 foot	26 foot
13 foot	19 foot	27 foot
14 foot	20 foot	28 foot
15 foot	21 foot	30 foot
16 foot	22 foot	36 foot
17 foot	25 foot	

## Other Standard Features

- ball bearing pivot points
- reel-end shields
- 4" tine intervals
- black anodized aluminum bats
- black powder coated end shields

## Table/Header Family Information and Code Number

UII01	Gleaner Pre 1994 w/tubular supports	UII38	Crophawk
UII02	Gleaner Pre 1994 w/ rectangular supports	UII39	Harvestmore
UII03	Gleaner 8200/MF 9250	UII46	MF 220 52" diam Reel
UII04	MF 9800/Gleaner 400-800 Series	UII49	MF 5200 Revised 2012
UII06	Hardy Harvester	UII51	CCIL 500/550/621
UII07	Geringhoff	UII52	CCIL 526/622/626
UII08	IH3020/NH 740C	UII53	MF 220 After 10/1/1999
UII09	Geringhoff 2018	UII54	CIH 8820
UII10	IH 810/820	UII55	Hesston 6450/6550/6650/8100/8200/CIH
UII11	IH 1010/1020 1995 & Later	UII56	8820/1200 PT
UII12	IH 1010/1020 Pre 1995	UII57	8000 MC & Case 325 Hesston 8050/Case 425
UII13	IH 2010/2020/NH 72C/NH 74C 2005 Rev.	UII58	Heavy Duty
UII14	JD 100	UII60	Honey Bee
UII15	JD 200	UII61	Honey Bee 52" diam.
UII16	JD 900 pre Serial # H00925F665301	UII62	Honey Bee 84" diam.
UII17	JD 900 after Serial #	UII70	IHC 230/4000/5000 IHC 230/4000/5000 10 bat
UII18	JD 900CTS	UII71	52" diam.
UII19	JD 600 Flex/Draper	UII75	JD 830/2270/2250
UII20	MF 1859	UII76	JD 2280/2320/2340
UII21	MF 9000/9100/2381	UII77	JD 2360 MF 220/CCIL 722 Prior to
UII22	MF 9200/9300	UII80	10/1999
UII23	MF/Claas 9550/9650	UII82	MF/Coop 655/775/785
UII24	MF 9700/9750	UII83	MacDon 960 split reels
UII25	NH 880	UII84	MacDon 960 84" diam.
UII26	NH 740C	UII85	Owatonna 260/270
UII27	NH 94C	UII90	Versatile 150/400/4400
UII29	NH 72C/73C/74C (2001-2004)	UII91	Verstaile 4000/4700 MacDon 960 84" diam.
UII30	NH 960/1100/1116/1495	UII92	double end drive
UII31	NH 970/972 Pre 1995	UII93	WP 7000/MF 885 prior to 1995
UII33	NH 971/973 1995 & Later	UII94	WP 3000 prior to 1995
UII34	Sweco	UII95	MF 885/WP 3000/WP 7000 IH 1010/1020 1995+
UII35	White	UII96	84" diam.
UII37	Dahl	UII97	IH 810/820 84" diam

# U-II Reel Options

## Bat Options

5 Bat



6 Bat



## Tine Options


Plastic



#4 Wire



Rice



## Order Instructions

Sample: **UH5UII03P20**

UH starts all U-II orders.

- Choose 5 or 6 bat.
- Header Code Number (See previous page)
- Plastic, Wire, or Rice Tines
- Table Length

**Replacements  
parts available  
through your  
Art's Way  
U-II dealer!**

# U-II

*Pick-Up Reel*



10-36 foot models for Combines/Swathers

# Art's Way

*Since 1956*

Art's Way Manufacturing Co. Inc. reserves the right to change design or specifications without notice. Information contained herein is general and is not intended for specific application purposes. Photographs contained herein may be displayed with safety shields and/or guards removed to show mechanical functions only. AW-U-II0118

**(712) 864-3131**

**[www.artsway-ag.com](http://www.artsway-ag.com)**