

WOODS


ZERO-TURN MOWERS



SUPERIOR DESIGN ■ SUPERIOR DURABILITY ■ SUPERIOR STYLE

Standard Dual Tail Wheel

Improves stability for a smoother ride (FZ22-2 option)

**Standard Folding ROPS**

Roll Over Protection System is 36.7" wide and 53.8" high with 2" x 2" tubing

**TrueFloat™ Deck**

Full float, side-discharge mowing decks; decks "float" both up and down and side-to-side to follow contour of ground for better cut; anti-scalp roller standard



Ideal for long periods of mowing, when maximum productivity and comfort are important.

**MXV-Baffle**

MXV-Baffle™ creates strong suction, lifting grass for a precision cut and keeping dust under the deck.

**PowerTilt™ Deck**

Powered tilt allows deck to be raised for cleaning and maintenance. Includes powered deck height adjustment. Controls are conveniently located on tractor console.

MODEL	FZ22-2	FZ27	FZ25D
Engine Horsepower	22 gas	27 gas	25 diesel
Engine Type	Kawasaki V-Twin OHV	Kohler V-Twin OHV	Kubota 3-cylinder Liquid-cooled
Lubrication	Full pressure with spin-on filter		
Air Filter System	Dual-clean/pleated with foam pre-cleaner	Heavy-duty canister style — dual element	
Fuel Capacity	8.5 gallons		11 gallons
Speed (forward)	9 mph	10 mph	12 mph
Drive System	Hydro-gear transaxle, model ZT3400, spin-on automotive style oil filter	Twin hydrostatic pumps and separate wheel motors; spin-on automotive style oil filter - uses 20W50 weight oil	
Drive Tires	23 x 10.5-12 turf, or 23 x 10.5-12 Chevron		
Decks Available	MX — 54", 61"		
Deck Design	Fabricated 5" deep deck with welded bumper, patented V-Baffle system, TrueFloat deck, 3-bearing greasable spindles		
Cutting Height	1" — 5"		
Blade Tip Speed	16,500 fpm for 54"; 17,800 fpm for 61"	17,800 fpm for 54"; 18,400 fpm for 61"	
Deck Tilt/Height Adjust	Patented PowerTilt option on MX deck with power height adjustment		
Est. Weight w/61" Deck	1,508 lbs	1,704 lbs	1,751 lbs
Features	Fully adjustable suspension seat, cup holder, storage compartment, hour meter, flexible ShrubSaver, discharge chute, tilt seat (FZ22-2 only)		
Options Available	Mulching kits, blower-driven grass collection system and snow thrower 50", dozer blade 60", sweeper 60", cab (excludes FZ22-2), headlights, tire chains		
Warranty	2 years / 2,000 hours		

ATTACHMENTS FOR ALL SEASON PERFORMANCE



Grass and Leaf Collection System
15 cubic foot with metal hopper; dump from seat; blower-driven to ensure grass and leaves discharge to hopper



Snow Thrower
Single stage 50-inch swath; manual discharge chute turns 180-degrees; adjust angle from seat (no cab for FZ22-2)



Brooms, 60"
FSW6000F
Fixed angle model; angles 30-degrees to the right
FSW6000T
Adjustable angle model; angles 25-degrees to left or right; includes electrical lift



Dozer Blade, 60"
With 25-degree angle, right or left

Just because it's work doesn't mean you can't have style and comfort. Add these zero-turn accessories to stay comfortable and productive day or night, whatever the season.

**Sunshade**

Stay cooler with this hard plastic shade.

**Turf Tread Tires**

Turf tread tires with low ground pressure provide traction to protect your lawn.

**Winter Enclosure**

Stay warm while moving snow, includes manual wiper (headlights and power wiper optional).

**Chevron Tread Tires**

Chevron tread pattern offers high traction on slopes and rough terrain.

**Headlight Kit**

Improve visibility when working at dusk or after dark.

Extended Footrest

Ride with even greater comfort (will not work with winter enclosure, blade or broom).

Mulching Kit

Designed to leave behind finely shredded clippings of grass and leaves.

Woods**GENUINE PARTS**

Maintain the quality and performance of your Woods equipment with genuine Woods replacement parts, paint, and lubricants. Available from your authorized Woods dealer.

WOODS® | A Blount International Brand
2606 South Illinois Route 2, Oregon, Illinois 61061 tel 800-319-6637 woodsequipment.com

WOODS
A Blount International Brand

Warning! Some images may show safety shields removed to provide a better view. Equipment should never be operated with any safety shield removed. Some machines in this brochure may be shown with optional equipment. Always operate machines in accordance with supplied operator's manuals. ©2019 Woods Equipment Company. All rights reserved. WOODS and Woods logo are trademarks of Woods Equipment Company. All other trademarks, trade names, or service marks not owned by Woods Equipment Company that appear in this brochure are the property of their respective companies or mark holders. Specifications subject to change without notice.