

leboulch



www.leboulch.com

GOLD₂

**THE TIPPING TRAILER THAT IS
WORTH ITS WEIGHT IN GOLD!**




A complete machine with many equipment options possible

STANDARD EQUIPMENT



Folding aluminium ladder, galvanised side mudguards and predispositions for optional equipment (side bumper and thermoplastic mudguards).




Tapered body (2.25 m at the front and 2.3 m at the rear), wider at the bottom than at the top to facilitate unloading.



Document tube with individualised parts book and user manual.

Sturdy 300 x 100 x 10 mm tubular chassis stringer for the entire range.



(A)


(B)

Choice of eyelets

- (A)** Bolted \varnothing 50 mm (standard)
- (B)** Bolted knee-joint (option)






Hydraulic folding parking stand attached directly to the trailer chassis to free the drawbar and facilitate turning.



Noise-reducing silentblock for centering and lateral locking of the body on the chassis.











GOLD₂ XL

- ✓ Single or double axle
- ✓ 16 to 24 tons
- ✓ Sturdy and reliable

GOLD₂ XXL

- ✓ Double or triple axle
- ✓ 19 to 32 tons
- ✓ High resistance to intensive use



OPTIONS

300 mm (steel or aluminium), **500 mm** (aluminium) or **700 mm** (aluminium) extensions, stackable up to 1 m. 2-part side extensions on single- and double-axle models, and 3-part extensions on triple-axle models.

