519.699.4324

The JBIM Advantage

Farm Built. Farm Ready. Feeders & Feeder Wagons . Bale Racks . Dump Trailers . Horst Wagons





Product Guide

Heavy-duty Farm Equipment



JBM Manufacturing is an Ontario based manufacturer of heavy-duty farm equipment, including a complete line of feeders, bale wagons and dump trailers.

We're farmers, and it's our intent to provide the North American farming community with products that are farmer friendly. Usable. Durable. Affordable.

Browse this catalogue and contact your local JBM dealer for more information or to purchase our products.





reeder wagons 4
Self-Locking Feeders 8
Tombstone Feeders 9
Double Bar Feeders 10
Feeders & Feed Fronts .11
Bunk & Tub Feeders 12
Bale Wagons
Grain & Forage Boss18
Dirt Boss Dumpers 20
Load Master Dumper 24
Mighty Dumpers 26




All products are also available in John Deere green.

The Cattleman's Choice Feeder Wagon is the market leading feeder of choice for

Feed Time (JBM Time)



The Cattleman's Choice Feeder Wagon is the market leading feeder of choice for North American beef and dairy farms. Available in 7' & 8' widths.



STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage &TMR
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Hinged double bar sections & rear door open, allowing

for quick & easy clean out

- Single axle with 4,000 pound, 6 bolt hubs & spindles
- 245/75R16 used truck tires

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles (on lengths under 30')

North American beef and dairy farms.



Feeder Wagons

Available in 7' & 8' widths. Lengths:

12' . . . 28 feeding spaces 16' . . . 34 feeding spaces 20' . . . 40 feeding spaces

24' . . . 46 feeding spaces

30' . . . 52 feeding spaces

Double Bar

STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage &TMR
- Constructed of heavy-duty 12 gauge steelComplete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Single axle with 4,000 pound, 6 bolt hubs & spindles
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles - standard on 30' length only
- 245/75R16 used truck tires

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles (on lengths under 30')

Feeder Wagons



Available in 5' & 6' widths.

Lengths:

12' ...24 feeding spaces 16' ...30 feeding spaces 20' ...36 feeding spaces 24' ...42 feeding spaces



STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage & TMR (6' width required for large round bales)
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- Rear door allows for quick & easy clean out
- Single axle with 4,000 pound, 6 bolt hubs & spindles
- 245/75R16 used truck tires

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles

Available in 7' width.

Lengths:

12' . . . 28 feeding spaces

16' . . . 34 feeding spaces

20' . . . 40 feeding spaces

24' . . . 46 feeding spaces



STANDARD FEATURES:

- Feeds grain, silage &TMR
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Plywood bolted on inside of double bars makes this an affordable grazer wagon
- Single axle with 5,000 pound, 6 bolt hubs & spindles
- 245/75R16 used truck tires

OPTIONAL

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles

Available in 7' width.

Lengths: 12'.... 28 feeding spaces 16'.... 34 feeding spaces 20' ... 40 feeding spaces 24' ... 46 feeding spaces 30' ... 52 feeding spaces TMR Feeder Wagon

STANDARD FEATURES:

- Feeds grain, silage &TMR
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- · Tight cornering front dolly
- Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Rear door allows for quick & easy clean out
- Single axle with 4,000 pound, 6 bolt hubs & spindles
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles - standard on 30' length only
- 245/75R16 used truck tires

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles (on lengths under 30')



Self-Locking Feeders

 Locks on all 4 sides:

> 8' 14 locks 10' . . . 16 locks 12' . . . 18 locks 16' . . . 22 locks

20' . . . 26 locks

24' . . . 30 locks



These Self-Locking Feeders work great for vaccinations, artificial insemination and ear tagging. The feeder wagon makes catching cattle in the field easy. A raised platform running along the centre of the feeder and an entry door allow for easy access to the cattle's heads and necks. Double bars on the inside keep hay wastage to a minimum.

STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage &TMR
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- Adjustable locks for any size cattle Spring-loaded bar locks in 6", 8" & 10" positions
- "V" floor design ensures easy feed flow to outside of pan
- Entry door & raised centre platform running length of feeder



STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage &TMR
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- · Tight cornering front dolly
- Telescopic quick hitch tongue
- Adjustable locks for any size cattle Spring-loaded bar locks in 6", 8" & 10" positions
- "V" floor design ensures easy feed flow to outside of pan
- Entry door & raised centre platform running length of feeder
- Single axle with 5,000 pound, 6 bolt hubs & spindles
- 245/75R16 used truck tires

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles



Tombstone Feeders

These Tombstone Feeders are designed with horses in mind to protect manes and eliminate bumps and bruises. Double bars on the inside keep hav wastage to a minimum.



TOMBSTONE SKID FEEDER

- Available in 7' & 8' widths
- Available in 8', 12' & 16' lengths

SKID FEEDER / STANDARD FEATURES:

- Feeds round bales, square bales & grain
- Constructed with a heavy-duty 2" square
- · Constructed of heavy-duty 12 gauge steel
- "V" floor design ensures easy feed flow to outside of pan

TOMBSTONE FEEDER WAGON

- Available in 7' width
- Available in 12', 16', 20' & 24' lengths

FEEDER WAGON / STANDARD FEATURES:

- Feeds round bales, square bales & grain
- Constructed of heavy-duty 12 gauge steel
- Complete "T" frame undercarriage
- Tight cornering front dolly • Telescopic quick hitch tongue
- "V" floor design ensures easy feed flow to outside of pan
- Single axle with 4,000 pound, 6 bolt hubs & spindles
- 245/75R16 used truck tires

- 11L x 15" 8-ply new implement tires
- Tandem axle with 5,000 pound, 6 bolt hubs & spindles

Double Bar Feeders





This proven feeder sells itself! The double bar feeder is specifically designed for dry and haylage bales, square and round. Available in 7' & 8' widths. Available in 8', 12' & 16' lengths. Can be built with 8" or 12" spacing on inside double bars.

STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage &TMR
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- "V" floor design ensures easy feed flow to outside of pan OPTIONAL:
- Door on one end
- 12" extension on top of feeder (prevents larger cows from reaching over feeder)

The Big Ben Feeder is field proven for horses. Available in 8' width. Available in 8' & 12' lengths.

STANDARD FEATURES:


- Feeds round & square bales
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- 8" spacing on inside double bars
- "V" floor design ensures easy feed flow to outside of pan

OPTIONAL:

Door on one end



Feeders & Feed Fronts



RECTANGULAR FEEDER

- Available in 5', 6' & 7' widths
- Available in 8', 12' & 16' lengths

STANDARD FEATURES:

- Feeds round & square bales
- Constructed with 1 1/4" square tubing
- Constructed of heavy-duty 12 gauge steel **OPTIONAL**:
- Solid steel floor
- 12" spaced double bars (available on 7' width only)

HEAVY DUTY FEED FRONTS

- We build Heavy-Duty Feed Fronts that are customizable to your specifications.
- Available in lengths from 4' to 24'

STANDARD FEATURES:

- 54" height
- Constructed with a heavy-duty 2" square tube frame and 1 1/4" square tube slant bars
- 12" or 20" skirt on bottom

Bunk Feeders



The Best of the Bunk Feeders





Bunk Feeder

JBM's Heavy-Duty Bunk Feeder makes a great multi-purpose walk-in feeder for hay, grain and silage.

- Available in 4', 5' & 6' widths
- Available in 10', 12', 16', 20' & 24' lengths

STANDARD FEATURES:

- Feeds round bales, square bales, grain, silage &TMR (5' & 6' width required for large round bales)
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
- Walk-in door allows for quick & easy clean out **OPTIONAL**:
- Custom sizes available
- Kick panel



Bunk Feeders



The Fence Line Bunk Feeder is built for your barnyard or fence-line feeding operation. Available in 34" & 48" widths. Available in lengths every 2' from 8' to 24'

STANDARD FEATURES:

- Feeds grain, silage &TMR
- Constructed with a heavy-duty 2" square tube frame
- Constructed of heavy-duty 12 gauge steel
 OPTIONAL:
- Kick Panel, Self-Locking Feed Front & Custom sizes available

These Heavy-Duty Tub Feeders make great multi-purpose feeders. Available in 34" & 48" widths. Available in 8', 10', 12', 16', 20' & 24' lengths

STANDARD FEATURES:

- Feeds grain, silage &TMR
- Constructed with a heavy-duty 2" square tube frame & 12 gauge steel

OPTIONAL:

Kick Panel



Farm Boss

This heavy-duty bale hauler, with its steel mesh or checker plate deck, is ready for long days of bringing bales in from the field.

Available in 8 1/2' & 9' widths Available in 20', 22', 24', 26', 28', 30', 32' & 36' lengths

STANDARD FEATURES:

- Hauls round bales & square bales
- 10" heavy-duty longitude beams (12" beams on 36' length)
- Heavy-duty formed steel cross bars are spaced every 16"
- Heavy-duty formed steel rub guard on sides
- 3 pound grating expanded steel mesh or 1/8" checker plate deck
- Removable front & rear slant end gates

- Custom sizes available
- Extended rear hitch
- Rear light kit
- Winch track & tie down straps
- 5' rear end gate
- Horst running gear



size round or square bales, features a heavy-duty formed steel rub guard on the sides. Available in 8 1/2' & 9' widths Available in 16', 18', 20', 22', 24', 28', 30', 32' & 36' lengths

- Hauls round bales, square bales & plastic wrapped haylage bales
- 10" heavy-duty longitude beams (12" beams on 36' length)
- · Heavy-duty formed steel cross bars are spaced every 20"
- · Heavy-duty formed steel rub guard
- Removable front & rear slant end gates

- Extended rear hitch
- Rear light kit
- Winch track & tie down straps
- 5' rear end gate
- Horst running gear



- Available in 8 1/2' & 9' widths
- Available in 20', 24', 30' & 36' lengths
- Available for 4', 5' or 6' diameter round bales
- Available with straight or curved cross that are welded solid

STANDARD FEATURES:

- Hauls round bales
- 10" heavy-duty longitude beams (12" beams on 36' length)
- 5" x 3" HSS steel cross bars
- Removable front & rear slant end gates

OPTIONAL:

- Extended rear hitch
- Rear light kit
- 5" x 3" HSS steel rub guard on cross bars
- Horst running gear



- Hauls up to 11 5' diameter round bales or up to 8 – 6' diameter round bales
- 5,000 pound, 6 bolt hubs & spindles front & rear

TIRE OPTIONS:

- 11L x 15" 8-ply new implement tires
- 11L x 15" load range "F" highway service tires
- 245/75R16 used truck tires

- Hauls up to 14 5' diameter round bales or up to 11 – 6' diameter round bales
- 5,000 pound, 6 bolt hubs & spindles front
- 5,500 pound, 8 bolt hubs & spindles rear **TIRE OPTIONS**:
- 11L x 15" 8-ply new implement tires (front) & 12.5L x 15" 10-ply new implement tires (rear)
- 11L x 15" load range "F" highway service tires (front) & 12.5L x 15" load range "F" highway service tires (rear)
- 17" used truck tires (front) & 19.5" used truck tires (rear)

STANDARD FEATURES:

- Low profile Approximately 27" from the ground to the cross bars
- Telescopic quick hitch tongue
- Removable front & rear slant end gates



Bale Wagons

Our compact bale rack and wagon, with its 4' x 8' steel mesh deck, is the perfect fit for your ATV or compact tractor.

STANDARD FEATURES:

- Hauls 2 large round or square bales
- · Heavy-duty formed steel rub guard on sides
- 3 pound grating expanded steel mesh deck
- Removable front & rear slant end gates
- 3' rear end gate
- 2 ton running gear
- 16 x 6.50-8 4-ply tires



• 5' rear end gate

Horst running gear

- Heavy-duty formed steel cross bars are spaced every 24" (16" with optional checker plate deck)
- Heavy-duty formed steel rub guard on sides
- 3 pound grating expanded steel mesh or 1/8" checker plate deck
- Removable front & rear slant end gates





Take charge of grain, forage and manure hauling with the Boss. The Boss handles 15 tons with ease. Dump box dimensions: 7 1/2' wide x 16' long with 60" high sides



STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 12"
- Front see-through screen with sliding cover
- Single telescopic hydraulic cylinder hoses included
- Hydraulic tail gate with grain door
- Swivel hitch
- Safety chains
- 12,000 pound drop leg jack
- 12,000 pound, 8 bolt hubs & spindles
 445/50 x 22.5" used truck tires

- Rear light kit
- 600/50 x 22.5" 16-ply new flotation tires





The Dirt Boss is built for brutal use as a dirt dumper. The hydraulic tailgate opens 3' above the sides for no-obstruction dumping.

Dump box dimensions: 7' wide x 12' long with 24" high sides

STANDARD FEATURES:


- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 24"
- Dual 4" x 27" double-acting hydraulic cylinders hoses included
- Hydraulic tail gate with grain door
- Swivel hitch
- 8,000 pound drop leg jack
- 6,500 pound, 8 bolt hubs & spindles
- 12.5L x 15" load range "F" highway service tires



- Rear light kit
 400/60 x 15.5" 14-ply flotation tires
 425 x 22.5" used truck tires with 12,000 pound, 8 bolt hubs & spindles
 500/50 x 17" 18-ply flotation tires with 12,000 pound, 8 helt hubs & spindles
- 12,000 pound, 8 bolt hubs & spindles



This 15-ton Dirt Boss is ruggedly built to handle dirt, stones, manure & grain. The hydraulic tailgate opens 3' above the sides for no-obstruction dumping. Dump box dimensions: 7 1/2' wide x 16' long with 30" high sides





LOAD MASTER

Our heavy duty 12 ton Load Master is built for rough terrain, land clearing, stones, gravel, dirt, and manure. The hydraulic tailgate opens more than 2' above the sides for no-obstruction dumping. Dump box dimensions: 7' wide x 12' long with 2' high sides.

STANDARD FEATURES:

- 1/4" thick, heavy duty formed steel sides
- 5/16" thick AR400 steel plate deck
- Dual 4" x 27" double-acting hydraulic cylinders – Hoses included
- Hydraulic tail gate
- Swivel Hitch
- 8,000 pound drop leg jack
- 12,000 pound, 8-bolt hubs and spindles
- 500/50 x 17" 18-ply flotation tires









Mighty Dumpers







Our 12-ton Mighty Dumper comes in two styles: High (above) and Standard (right).

The high model is built with 54" high sides and the standard model is built with 36" high sides. Otherwise, both are built to the same basic, ready-for-duty specifications.

Dump box dimensions: 7' wide x 12' long with 54" high sides (T1200H) or 36" high sides (T1200)







The T1200 Dirt Boss, T1200H & T1200 Mighty Dumpers are available with 400/60 x 15.5" 14-ply flotation tires





STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 12"
- •Dual 4" x 27" double-acting hydraulic cylinders hoses included
- Self-opening tail gate with grain door
- Swivel hitch
- 8,000 pound drop leg jack
- 6,500 pound, 8 bolt hubs & spindles
- 12.5L x 15" load range "F" highway service tires

- Safety chains
- Rear light kit
- Hydraulic tail gate
- 400/60 x 15.5" 14-ply flotation tires

Mighty Dumpers





The T150 Mighty Dumper is a 1 1/2-ton capacity, tandem axle utility trailer, with removable 18" formed steel sides. Dump box dimensions: 4' wide x 6 1/2' long with 18" high sides

STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Single 3" x 12" double-acting hydraulic cylinder – hoses included
- · Latching tail gate
- Swivel hitch
- 2,000 pound trailer jack
- 1,000 pound, 5 bolt hubs & spindles
- 18 x 8.50-8 4-ply tires

OPTIONAL:

- Safety chains
- · Rear light kit
- Hydraulic power pack battery with remote

The S500L Mighty Dumper is a 5-ton capacity, single axle utility trailer, with removable 12" formed steel sides. Dump box dimensions: 6' wide x 10' long with 12" high sides

STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 8"
- Single 4" x 25" double-acting hydraulic cylinder – hoses included
- Wood plank slide-out tail gate
- Swivel hitch
- 8,000 pound drop leg jack
- 5,000 pound, 6 bolt hubs & spindles
- 11L x 15" 8-ply new implement tires **OPTIONAL**:
- Safety chains
- Rear light kit
- Hydraulic power pack battery with remote
- 245/75R16 used truck tires

The S500 Mighty Dumper is a 5-ton capacity, single axle utility trailer with removable 24" formed steel sides and a self-opening tailgate with a grain door. Dump box dimensions: 6' wide x 10' long with 24" high sides

STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 8"
- Single 4" x 25" double-acting hydraulic cylinder – hoses included
- Self-opening tail gate with grain door
- Swivel hitch
- 8,000 pound drop leg jack
- 5,000 pound, 6 bolt hubs & spindles
- 11L x 15" 8-ply new implement tires

OPTIONAL:Safety chains

- Rear light kit
- Hydraulic power pack battery with remote
- 11L x 15" load range "F" highway service tires
- 245/75R16 used truck tires







The T800 Mighty Dumper is an 8-ton capacity, tandem axle utility trailer with removable 24" formed steel sides and a self-opening tailgate with a grain door. Dump box dimensions: 6' wide x 10' long with 24" high sides

STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 8"
- Single 4" x 25" double-acting hydraulic cylinder – hoses included
- Self-opening tail gate with grain door
- · Swivel hitch
- 8,000 pound drop leg jack
- 6,000 pound, 6 bolt hubs & spindles
- 11L x 15" 8-ply new implement tires

OPTIONAL:

- Safety chains
- Rear light kit
- Hydraulic power pack battery with remote
- 11L x 15" load range "F" highway service tires
- 245/75R16 used truck tires

The T800L Mighty Dumper is an 8-ton capacity, tandem axle utility trailer, with removable 12" formed steel sides. Dump box dimensions: 6' wide x 10' long with 12" high sides

STANDARD FEATURES:

- Heavy-duty formed steel deck & sides
- Brackets for planks to extend height of sides up to 8"
- Single 4" x 25" double-acting hydraulic cylinder hoses included
- Wood plank slide-out tail gate
- Swivel hitch
- 8,000 pound drop leg jack
- 6,000 pound, 6 bolt hubs & spindles
- 11L x 15" 8-ply new implement tires

- Safety chains
- Rear light kit
- Hydraulic power pack battery with remote
- 11L x 15" load range "F" highway service tires
- 245/75R16 used truck tires



Farm Built. Farm Ready.

Feeders & Feeder Wagons . Bale Racks . Dump Trailers . Horst Wagons

Brought to you by:

JBM Manufacturing Ltd. 4074 Hessen Strasse, RR1 St. Clements Ontario, N0B 2M0 p (519) 699-4324

f (519) 699-6105