

ATC STACKERS





**BUILT
TO LAST**

WORLD CLASS FRAME

The frame of an ATC Quest Stacker is soundly built by our highly trained welders. The floor, sidewalls and ceiling are securely welded together, creating one integrated substructure of weather resistant aluminum or undercoated steel.

We've invested in the highest quality BuildPro® modular fixed weld tables, allowing for the most square and structurally sound frame in the industry.



ATC TILT DECK STACKER LIFT

• INSERTS

You can option two floor inserts which gives you the full deck for cargo. The inserts can be removed for easy access to the underside of a car.

• TILT DECK

Our deck can be tilted to help low clearance cars easily transition from the rear ramp to the deck.

• LOW PROFILE

Our narrow vertical posts are solidly built and take up less interior space allowing more room in the trailer for cargo.

• TIE DOWNS

The deck comes with four 6000# swivel D-rings and loads of airline track. The tie down configurations are endless and can handle any shape of cargo.

• INTEGRATED FOLD-UP TRANSITION FLAP

No more heavy removable ramps that need to be stored and strapped to the wall taking up valuable wall space.

- **MILL FINISH**

Why shouldn't the underside of your lift deck look good too?

- **LIGHTING**

LED tape lighting lines the underside of the deck giving you added light when you're working on your car.

- **LENGTH OPTIONS**

Not every car is the same length. Our stacker deck has three lengths to choose from: 14', 16' or 18'.

- **MORE ROOM**

The deck was designed to increase the available space underneath. It's only 3.5 inches thick, allowing taller cargo and vehicles to be loaded.





STANDARD PACKAGE FEATURES

QUEST ST205

- FRAME**
 - Full Perimeter Frame
 - 12" Extended Tongue
 - All Tube Construction
 - Beavertail
 - 16" O/C Floor Crossmembers
 - 16" O/C Wall Supports
 - 16" O/C Roof Crossmembers
 - 10' Interior Height
 - Torsion Axles - EZ Lube - With Brakes
 - Spread Axle Design With Fenderettes
 - HD Stabilizer Jacks
 - 7-Way Plug
 - 2-5/16" Heavy Duty Flat Nose Coupler
 - Radial Tires on Aluminum Wheel
- INTERIOR**
 - Black Coin TPO Floor
 - Black Coin Ramp and Transition Flap
 - Screwless Aluminum Walls
 - Screwless Aluminum Ceiling
 - Stacker Cove Molding
 - (1) 12V Roof Vent
 - Smooth Aluminum Radius Wheel Boxes
 - (4) 5000# Recessed Floor D-Rings
 - (4) 6000# Recessed Lift D-Rings
 - 8' Lower Cabinet
 - 8' Upper Cabinet with Lower Radius Trim
 - Top Hinged Cabinetry with Gas Struts on Doors
 - 30 Amp Breaker/60 Amp Converter/ 12V Fuse Panel
 - Exterior Power Inlet (Motorbase) with 25' Shorecord
 - (2) Battery - 12V AGM (930 CA, 775 CCA)
 - In Floor Battery Compartment
 - Manual Power Cut Off Switch
 - (1) Exterior GFI Protected Recept
 - (3) Interior GFI Protected Recepts
 - (4) 12V 18" Recessed LED Lights
 - Pair of 3-Way Switches for 18" LED Lights
 - Front and Rear Stacker Control Plugs
 - In Cabinet Hydraulic Lift Tank
 - 14' Aluminum Stacker Lift w/ Tilt Deck Feature & Split Rail
(Turn into a full deck by purchasing optional removable inserts)
- EXTERIOR**
 - 4" Upper Rub Rail Trim
 - 7" Lower Rub Rail Trim
 - Polished Aluminum Cast Corners
 - Stainless Steel Verticals and Top Radius
 - .040 Screwless Aluminum Exterior
 - One Piece Aluminum Roof
 - 36" Side Door - FMVSS Lock
 - HD Rear Ramp Door w/ Transition Flap - 6000# Capacity
 - Aluminum Bar Locks and Stainless Steel Hasps
 - 48" High ATP Stoneguard with J-Rail
 - LED Clearance and Brake Lights

QUEST ST305

*Highlighted Features Show Upgrades Over the ST205

- FRAME**
 - Full Perimeter Frame
 - Full Perimeter Skirting with Polished Fenderettes**
 - Integrated Reverse Beavertail**
 - 12" Extended Tongue
 - All Tube Construction
 - Beavertail
 - 16" O/C Floor Crossmembers
 - 16" O/C Wall Supports
 - 16" O/C Roof Crossmembers
 - 10' Interior Height
 - Torsion Axles - EZ Lube - With Brakes
 - Spread Axle Design with Fenderettes
 - HD Stabilizer Jacks
 - 7-Way Plug
 - 2-5/16" Heavy Duty Flat Nose Coupler
 - Radial Tires on Aluminum Wheel
- INTERIOR**
 - Black Coin TPO Floor
 - Black Coin TPO Ramp and Transition Flap
 - Screwless Aluminum Walls
 - Screwless Aluminum Ceiling
 - Stacker Cove Molding
 - (1) 12V Roof Vent
 - Smooth Aluminum Radius Wheel Boxes
 - (4) 5000# Recessed Floor D-Rings
 - (4) 6000# Recessed Lift D-Rings
 - 8' Lower Cabinet
 - 8' Upper Cabinet with Lower Radius Trim
 - Top Hinged Cabinetry with Gas Struts on Doors
 - In Floor Spare Tire Compartment
 - 50 Amp Breaker/60 Amp Converter/ 12V Fuse Panel**
 - Exterior Power Inlet (Motorbase) with 25' Shorecord
 - (2) Battery - 12V AGM (930 CA, 775 CCA)
 - In Floor Battery Compartment
 - Manual Power Cut Off Switch
 - (1) Exterior GFI Protected Recept
 - (3) Interior GFI Protected Recepts
 - (4) 12V 18" Recessed LED Lights
 - Pair of 3-Way Switches for 18" LED Lights
 - Front and Rear Stacker Control Plugs
 - In Cabinet Hydraulic Lift Tank
 - 14' Aluminum Stacker Lift w/ Tilt Deck Feature & Split Rail
(Turn into a full deck by purchasing optional removable inserts)
- EXTERIOR**
 - (2) 12V Exterior High Output LED Scene Lights**
 - 4" Upper Rub Rail Trim
 - 7" Lower Rub Rail Trim
 - Polished Aluminum Cast Corners
 - Stainless Steel Verticals and Top Radius
 - .050 Screwless Aluminum Exterior**
 - One Piece Aluminum Roof
 - 36" Side Door - FMVSS Lock
 - Aluminum Slide in/out Step**
 - HD Rear Ramp Door w/ Transition Flap - 6000# Capacity
 - Stainless Steel Rear Paddle Latches**
 - 48" High ATP Stoneguard with J-Rail
 - LED Clearance and Brake Lights

QUEST ST405

*Highlighted Features Show Upgrades Over the ST305

- FRAME**
 - Full Perimeter Frame
 - Full Perimeter Skirting w/ Polished Fenderettes
 - Integrated Reverse Beavertail
 - 12" Extended Tongue
 - All Tube Construction
 - Beavertail
 - 16" O/C Floor Crossmembers
 - 16" O/C Wall Supports
 - 16" O/C Roof Crossmembers
 - 10' Interior Height
 - Torsion Axles - EZ Lube - With Brakes
 - Spread Axles Design with Fenderettes
 - HD Stabilizer Jacks
 - 7-Way Plug
 - 2-5/16" Heavy Duty Flat Nose Coupler
 - Radial Tires on Aluminum Wheel
- INTERIOR**
 - Extruded Aluminum Floor**
 - Extruded Aluminum Ramp and Transition Flap**
 - Screwless Aluminum Walls
 - Screwless Aluminum Ceiling
 - Insulated Walls and Ceiling - 1" EPS**
 - Stacker Cove Molding
 - (1) 12V Roof Vent
 - Smooth Aluminum Radius Wheel Boxes
 - (4) ~~6000#~~ Recessed Floor D-Rings
 - (4) 6000# Recessed Lift D-Rings
 - 8' Lower Cabinet
 - 8' Upper Cabinet with Lower Radius Trim
 - Top Hinged Cabinetry with Gas Struts on Doors
 - (2) Single 5" Drawer Units Integrated into Lower Cabinet**
 - Aluminum Dresser Closet - 1/2 Height**
 - In Floor Spare Tire Compartment**
 - 50 Amp Breaker/60 Amp Converter/ 12V Fuse Panel
 - Exterior Power Inlet (Motorbase) with 25' Shorecord
 - (3) Battery - 12V AGM (930 CA, 775 CCA)**
 - In Floor Battery Compartment
 - Manual Power Cut Off Switch
 - (1) Exterior GFI Protected Recept
 - (3) Interior GFI Protected Recepts
 - (4) 12V 18" Recessed LED Lights
 - Pair of 3-Way Switches for 18" LED Lights
 - Front and Rear Stacker Control Plugs
 - In Cabinet Hydraulic Lift Tank
 - 14' Aluminum Stacker Lift w/ Tilt Deck Feature & Split Rail
(Turn into a full deck by purchasing optional removable inserts)
- EXTERIOR**
 - (2) 12V Exterior High Output LED Scene Lights
 - 4" Upper Rub Rail Trim
 - 7" Lower Rub Rail Trim
 - Polished Aluminum Cast Corners
 - Stainless Steel Verticals and Top Radius
 - 6" Color Match Rear Spoiler with (3) LED Lights**
 - .050 Screwless Aluminum Exterior
 - One Piece Aluminum Roof
 - 36" Side Door - FMVSS Lock
 - Aluminum Slide in/out Step
 - HD Rear Ramp Door w/ Transition Flap - 6000# Capacity
 - Stainless Steel Rear Paddle Latches
 - 48" High ATP Stoneguard with J-Rail
 - LED Clearance and Brake Lights

ATC
WORLD CLASS TRAILERS

QUEST

AluminumTrailer.com