

HIGHLIGHTS

- For ages 6 and up
- 4-stroke air cooled engine
- Fully automatic continuously variable transmission (CVT)
- Independent A-arm front suspension
- Electric start with backup kick start
- Built-in throttle limiter



- White / 70
- Can-Am Red / 70

ENGINE	70
Type	4-stroke single cylinder, air-cooled
Fuel Delivery System	Carburetion
Transmission	CVT, F/N/R
Drive Train	Chain-driven/solid axle Electric and kick-starting system
Power Steering	N/A

SUSPENSIONS	
Front Suspension	Independent A-arm 3.4 in. (8.6 cm) travel
Front Shocks	Oil
Rear Suspension	Swingarm 6.3 in. (16 cm) travel
Rear Shocks	Oil

TIRES & WHEELS	
Front Tires	Duro Thrasher 19 x 7 x 8 in.
Rear Tires	Duro Power Trail 18 x 9.5 x 8 in.
Wheels	8 in. steel

BRAKES	
Front	Dual drum brakes
Rear	Single drum brakes

DIMENSIONS & CAPACITIES	
Estimated Dry Weight*	250 lb (113 kg)
L x W x H	59.8 x 35.6 x 36.8 in. (152 x 90.5 x 93.5 cm)
Wheelbase	39 in. (100 cm)
Ground Clearance	8.3 in. (21.1 cm) under frame/ 4.5 in. (11.4 cm) under rear axle
Seat Height	27 in. (68.5 cm)
Rack Capacity	N/A
Storage Capacity	Front: 0.7 gal (2.7 L)
Towing Capacity	N/A
Fuel Capacity	1.6 gal (6 L)

FEATURES	
Gauge	Neutral and reverse lights
Instrumentation	N/A
Anti-theft System	N/A
Lighting	Day lights
Winch	N/A
Seat	Standard
Protection	N/A

WARRANTY & EXTENDED SERVICE	
Factory Warranty	6-month BRP limited warranty
Extended Service Terms	N/A

HIGHLIGHTS

- For ages 10 and up
- 89.5 cc 4-stroke air cooled engine
- Fully automatic continuously variable transmission (CVT)
- Independent A-arm front suspension
- Electric start with backup kick start
- Built-in throttle limiter



- White / 90
- Can-Am Red / 90

ENGINE	90
Type	89.5 cc 4-stroke single cylinder, air-cooled
Fuel Delivery System	Carburetion
Transmission	CVT, F/N/R
Drive Train	Chain-driven/solid axle Electric and kick-starting system
Power Steering	N/A

SUSPENSIONS	
Front Suspension	Independent A-arm 3.4 in. (8.6 cm) travel
Front Shocks	Oil
Rear Suspension	Swingarm 6.3 in. (16 cm) travel
Rear Shocks	Oil

TIRES & WHEELS	
Front Tires	Duro Thrasher 19 x 7 x 8 in.
Rear Tires	Duro Power Trail 18 x 9.5 x 8 in.
Wheels	8 in. steel

BRAKES	
Front	Dual drum brakes
Rear	Single drum brakes

DIMENSIONS & CAPACITIES	
Estimated Dry Weight*	250 lb (113 kg)
L x W x H	59.8 x 35.6 x 36.8 in. (152 x 90.5 x 93.5 cm)
Wheelbase	39 in. (100 cm)
Ground Clearance	8.3 in. (21.1 cm) under frame/ 4.5 in. (11.4 cm) under rear axle
Seat Height	27 in. (68.5 cm)
Rack Capacity	N/A
Storage Capacity	Front: 0.7 gal (2.7 L)
Towing Capacity	N/A
Fuel Capacity	1.6 gal (6 L)

FEATURES	
Gauge	Neutral and reverse lights
Instrumentation	N/A
Anti-theft System	N/A
Lighting	Day lights
Winch	N/A
Seat	Standard
Protection	N/A

WARRANTY & EXTENDED SERVICE	
Factory Warranty	6-month BRP limited warranty
Extended Service Terms	N/A

HIGHLIGHTS

- For ages 10 and up
- 89.5 cc 4-stroke air cooled engine
- Fully automatic continuously variable transmission (CVT)
- 43 in. (109.2 cm) wide Double A-arm with HPG Piggyback shocks with 7 in. (17.8 cm) of travel
- 41 in. (104.1 cm) wide swingarm with HPG Piggyback shock with 9 in. (22.9 cm) of travel
- Electric start with backup kick start
- Built-in throttle limiter
- Square race-style handlebar pad
- Handlebar riser block (+1 in.)
- Aluminum front bumper with number plate
- Nerf bars
- Racing kick-up pegs
- Sport-look exhaust
- X-package graphics and seat cover



Black & Can-Am Red / 90

ENGINE	90
Type	89.5 cc 4-stroke single cylinder, air-cooled
Fuel Delivery System	Carburetion
Transmission	CVT, F/N/R
Drive Train	Chain-driven/solid axle Electric and kick-starting system
Power Steering	N/A

SUSPENSIONS	
Front Suspension	Double A-arm 7 in. (17.6 cm) travel
Front Shocks	HPG piggyback
Rear Suspension	Swingarm 9 in. (22.9 cm) travel
Rear Shocks	HPG piggyback

TIRES & WHEELS	
Front Tires	Kenda Claw 20 x 6 x 10 in.
Rear Tires	Kenda Claw 18 x 10.5 x 8 in.
Wheels	8 in. aluminum

BRAKES	
Front	Dual hydraulic disc brakes
Rear	Single hydraulic disc brake

DIMENSIONS & CAPACITIES	
Estimated Dry Weight*	250 lb (113 kg)
L x W x H	59.8 x 43.7 x 38.2 in. (152 x 111 x 97 cm)
Wheelbase	39 in. (100 cm)
Ground Clearance	8.3 in. (21.1 cm) under frame/ 4.5 in. (11.4 cm) under rear axle
Seat Height	27 in. (68.5 cm)
Rack Capacity	N/A
Storage Capacity	Front: 0.7 gal (2.7 L)
Towing Capacity	N/A
Fuel Capacity	1.6 gal (6 L)

FEATURES	
Gauge	Neutral and reverse lights
Instrumentation	N/A
Anti-theft System	N/A
Lighting	N/A
Winch	N/A
Seat	Standard
Protection	Aluminum front bumper with number plate Handlebar riser block (+ 1 in.) with square race-style handlebar pad Nerf bars Racing kick-up pegs

WARRANTY & EXTENDED SERVICE	
Factory Warranty	6-month BRP limited warranty
Extended Service Terms	N/A

HIGHLIGHTS

- For ages 14 and up
- 249.4 cc 4-stroke liquid cooled engine
- Fully automatic continuously variable transmission (CVT)
- Double A-arm front suspension
- Preload adjustable front and rear shocks
- Electric start



 Black & Can-Am Red / 250

ENGINE	250
Type	249.4 cc 4-stroke single cylinder, liquid-cooled
Fuel Delivery System	Carburetion
Transmission	CVT, F/N/R
Drive Train	Chain-driven/solid axle
Power Steering	N/A

SUSPENSIONS

Front Suspension	Double A-arm 5.5 in. (14 cm) travel
Front Shocks	Oil
Rear Suspension	Swingarm 6.7 in. (17 cm) travel
Rear Shocks	Oil

TIRES & WHEELS

Front Tires	Kenda 22 x 7 x 10 in.
Rear Tires	Kenda 20 x 11 x 9 in.
Wheels	Front: 10 in. silver steel/Rear: 9 in. silver steel

BRAKES

Front	Dual hydraulic disc brakes
Rear	Single hydraulic disc brake

DIMENSIONS & CAPACITIES

Estimated Dry Weight*	429 lb (195 kg)
L x W x H	72 x 40.5 x 43.5 in. (183 x 103 x 110.5 cm)
Wheelbase	47 in. (118.7 cm)
Ground Clearance	10.2 in. (26 cm) center of ATV
Seat Height	31.5 in. (80 cm)
Rack Capacity	N/A
Storage Capacity	N/A
Towing Capacity	N/A
Fuel Capacity	3.3 gal (12.5 L)

FEATURES

Gauge	Neutral light, reverse light and oil/temperature light
Instrumentation	N/A
Anti-theft System	N/A
Lighting	2 headlamps (35 W) with tail light and brake light
Winch	N/A
Seat	Standard
Protection	N/A

WARRANTY & EXTENDED SERVICE

Factory Warranty	6-month BRP limited warranty
Extended Service Terms	N/A