

ENCLOSED PINNACLE

CAR HAULERS



20', 24', 28', and 32'

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > Front Style: Flat Front w/ Cast Corners
- > 2"x6" Integrated Frame (20')
- > 2"x8" Integrated Frame (24'-32')
- > 16" O/C Floor, Wall, & Roof Studs
- > Hidden Beavertail Construction
- > Screwless .030 Bonded Sides
- > One Piece Aluminum Roof
- > Dexter Torsion Ride Axles
- > Spread Axle Design
- > 5000lb Center Wheel Jack
- > (4) HD 6000# Recessed Swivel D-Rings
- > HD Rear Ramp w/ Spring Assist
- > 2020 Rear Canopy (Spoiler System) w/ LED Load Lights
- > 6'x8' Elite Escape Door - w/ Removable Fender & Butterfly Latch System
- > 110 Package #5 - {(1) 60A Breaker Panel w/ Converter & Motorbase Plug, (2) 3-Way Wall Switches, (1) GFI Wall Receptacle, (1) Standard Wall Receptacle, (1) USB Receptacle, (2) 4' Wrap Around LED Lights}
- > Premium Aluminum Ramp Hinges
- > Freezer Latch System for Rear Ramp
- > Drop Down - Rear Corners Jacks (Pair)
- > 36"x78" Side Access Door
- > Aluminum Pull-Out Step
- > Roof Vent (Reinforced w/ Stub Wire for Future A/C)
- > 24" Stoneguard
- > 7" Base Rail & 3" Top Rail Trim
- > (2) K60 LED Scene Lights
- > LED Porch Light Over Side Access Door
- > Rubber TPO Decking (Box & Ramp)
- > (20) Interior LED Puck Lights
- > Interior Cove Trim (BLACK)
- > Extruded Kickpanel (BLACK)
- > Premium Exterior Light Package (Integrated Slim Brake & Backup Lights & Clear Lense Marker Lights)
- > 6' Straight base Cabinet, 6' Overhead Cabinet, & 24" Wardrobe Cabinet (black trim, exterior skin color match)
- > Safety Chains
- > Limited Lifetime Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8.5x20 Pinnacle | 8.5x24 Pinnacle | 8.5x28 Pinnacle | 8.5x32 Pinnacle |
|--------------------------|------------------|------------------|------------------|------------------|
| Model Number | MCH8.5X20-PPS | MCH8.5X24-PPS | MCH8.5X28-PPS | MCH8.5X32-PPS |
| Box (WxLxH) | 99"x20'x84" | 99"x24'x84" | 99"x28'x84" | 99"x32'x84" |
| Interior (WxLxH) | 96"x19'10"x6'10" | 96"x23'10"x6'10" | 96"x27'10"x6'10" | 96"x31'10"x6'10" |
| Overall (WxLxH) | 102"x24'x105" | 102"x28'x104.5" | 102"x32'x104.5" | 102"x36'x104.5" |
| Deck Height | 16" | 21.5" | 21.5" | 21.5" |
| Hitch Height | 19" | 19" | 19" | 21" |
| Rear Door Opening (WxH) | 91"x81" | 91"x81" | 91"x81" | 91"x81" |
| Axle(s) - Qty/Rating | 2-3500# Braked | 2-5200# Braked | 2-5200# Braked | 2-5200# Braked |
| Wheels | 15" Aluminum | 15" Aluminum | 15" Aluminum | 15" Aluminum |
| Tires | 205/75R15 | 225/75R15 | 225/75R16 | 225/75R17 |
| GVWR | 7000# | 9900# | 9900# | 9900# |
| Curb Weight | 2590# | 4123# | 4369# | 4550# |
| Payload | 4410# | 5777# | 5531# | 5350# |
| Coupler Rating/Ball Size | 15000# / 2-5/16" | 15000# / 2-5/16" | 15000# / 2-5/16" | 15000# / 2-5/16" |
| Power Connection | 7-Way Round | 7-Way Round | 7-Way Round | 7-Way Round |

20', 24', 28', and 32' *continued*

OPTIONS & ACCESSORIES (Expanded list of available options can be found in MES option Section)

| CONSTRUCTION | TIRE/WHEEL ASSEMBLIES & ACCESSORIES |
|---|--|
| Add 3" to Box Height (PBF) | Spare 15" Silver Mod Wheel w/ 205/75R15 Tire |
| Add 6" to Box Height (PBF) | Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug) |
| Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF) | Spare 15" Aluminum Wheel w/ 205/75R15 Tire |
| EXTERIOR | Spare 15" Aluminum Wheel w/ 225/75R15 Tire |
| Two-Tone Color Package w/ 6" Anodized Divider | Interior Elevated Spare Tire Mount |
| Two-Tone Color Package - No Anodized Divider | FLOORING OPTIONS |
| Upgrade to .040" Exterior Skin (Black, White, or Silver Only) | Upgrade to Extruded Aluminum Decking |
| DOOR/WINDOW/VENT OPTIONS | Airline Track (Recessed in Floor; Aluminum, PLF) |
| Upgrade to 6' Extruded Aluminum Ramp Extension | CABINET OPTIONS |
| AXLE OPTIONS | Generator Cabinet Package - Includes 28" L-Shape Extension, 30"x30" Generator Box, 30"x30" Generator Door w/ Salem Vent (moves 24" Wardrobe Closet to C/S) |
| Upgrade to 2-5K Torsion Braked Axles | |
| Upgrade to 2-6K Torsion Braked Axles | |
| Upgrade to 3-5K Torsion Braked Axles | |

COLOR OPTIONS





CAR HAULER & GOOSENECK POPULAR OPTIONS

CONSTRUCTION OPTIONS

| CONSTRUCTION OPTIONS |
|---|
| Upgrade to 48" V-Nose (From Flat Front w/ Cast Corners) |
| Add Slope in V-Nose |
| Cast Polished Corners for Flat Front |
| Upgrade to Radius Roof Construction (Up to 30") (Sloped V-Nose, Cast Corners, & Rear Canopies are not available with this option) |
| 2' Round Nose w/ Anodize Nose Cone |
| 3" Extra Height |
| 6" Extra Height |
| 9" Extra Height |
| 12" Extra Height |
| 15" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp) |
| 18" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade) |
| 21" Extra Height (Requires .080 Wall Stud Upgrade and HD Rear Ramp) |
| 24" Extra Height (Requires HD Ramp or Barn Door Upgrade & .080 Wall Stud Upgrade) |
| Height Decrease 6" |
| Height Decrease 12" |
| Additional Length in 2' Intervals (8.5 wide) |
| Upgrade Trailer Sub Frame to 2"x8" (From 2"x6"; PBF) |
| Reverse Beavertail Construction on (7' wides & Up) |
| 12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade |
| 16" Extended Tongue (For 5K Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) |
| Upgrade to 3" Adjustable 2-5/16" A-Frame Coupler |
| Upgrade to 8000# Pedestal Jack (From Wheel or Center Jack) |
| 12" Extended Tongue (For 3K Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade |

DOORS, RAMPS, & COMPARTMENTS

| DOORS, RAMPS, & COMPARTMENTS |
|---|
| Upgrade to 32"x72" Radius RV Door w/ Screen (Window Optional) (From stand. 32"x72" Side Access Door) Upgrade to 36" Wide Side Access Door (from 32") |
| Upgrade to 48" Wide Side Access Door (from 32") |
| 48"x72" Split Side Access Door(s) |
| Upgrade to 48"x72" Split Side Access Door(s) (from 32"x72" Side Access Door) |
| Upgrade to 78"-Tall Side Access Door (From 72") (SAD) (Excludes Radius RV Door) |
| Double Barn Doors (Replaces Standard Rear Ramp) Double Barn Doors (Replaces Standard Rear Ramp) ** THIS WILL DELETE BEAVERTAIL IF TRAILER COMES WITH ONE ** |
| Barn Doors on Side of Trailer (74"W x 72" H) |
| Ramp Door w/ Spring Assist on Side of Trailer (74"W x 72" H) |
| Upgrade to X-Wide 95" Rear Opening (Rear Ramp Only) |
| Diamond Plate Transition Flap (Ramp to Box) |
| Aluminum Starter Flap to Rear Ramp |
| 32"x72" Side Access Door w/ Paddle Handle and Piano Hinge |

| CONSTRUCTION OPTIONS (CONTINUED) |
|---|
| Upgrade to 10000# Pedestal Jack (From Wheel or Center Jack) |
| Upgrade to Electric Landing Gear (Gooseneck Models Only) |
| Upgrade to Big Foot Hydraulic Landing Gear (Gooseneck Models Only; Single Leg) |
| Upgrade to 8K Big Foot Hydraulic Jack (Bumper Pull; Flat Front Models Only) |
| Upgrade to 12" O/C Floor Studs (From 16" O/C; PBF) |
| Upgrade to Trussed Roof System (Not compatible w/ Radius) |
| Upgrade to .080 Wall Studs |
| Upgrade Wall Studs to 2"x2", PBF |
| Upgrade Ceiling Studs to 2"x2", PBF |
| Walk On Roof (Reinforced; PBF) |
| Heavy Duty Winch Mount (Winch Not Included) |
| 8' Platform Roof w/ Ladder & Rail Kit |
| 14' Catwalk (Includes Ladder to Roof & 4 Ladder Racks) |
| 16' Catwalk (Includes Ladder to Roof & 4 Ladder Racks) |
| 18' Catwalk (Includes Ladder to Roof & 5 Ladder Racks) |
| 20' Catwalk (Includes Ladder to Roof & 6 Ladder Racks) |
| Ladder to Roof (Outside V-Nose) |
| Upgrade to Roller on Rear Ladder Rack |
| Ladder Racks |
| Rear Canopy Loading Light System - 2013 Version (Not available w/ Radius Roof) |
| Rear Canopy Loading Light System - 2020 Version (Not available w/ Radius Roof) |
| 32"x72" Radius RV Door w/ Screen (Window Optional) |
| Upgrade to Dexter 32"x72" Radius Door **Trailer must have 32"x72" Piano Hinged Door already** |

| DOORS, RAMPS, & COMPARTMENTS (CONTINUED) |
|--|
| Add (2) 2x4 Wingstock Stringers to Rear Ramp (CH Grade Only) (Maximum Weight Capacity - 5000#) |
| Generator Door (30"x30") w/ Salem Vent & Paddle Handle (Lockable) |
| Generator Door (36"x36") w/ Salem Vent & Paddle Handle (Lockable) |
| Generator Compartment (30"Hx30"Wx24"D) (Door Optional) |
| Generator Compartment (36"Hx36"Wx24"D) (Door Optional) |
| Slide Out Generator Tray |
| Upgrade to Insulated Generator Compartment (Requires Generator Compartment) |
| Under Gooseneck Generator Compartment w/ Door & Vent (33"W x 20"H x 22"D) |
| Under Gooseneck Storage Compartment w/ Flip-Up Door (60"W x 28"H x 24"D) |
| Propane Compartment (30"H x 30"W x 24") w/ Vented Non Locking Door |
| Propane Compartment (36"H x 36"W x 24") w/ Vented Non Locking Door |
| Fuel Door w/ Paddle Handle 14"x14" |



CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

DOORS, RAMPS, & COMPARTMENTS CONTINUED

| DOORS, RAMPS, & COMPARTMENTS |
|---|
| Fuel Door w/ Paddle Handle 24"x24" |
| Concession Door 4'x4' |
| Concession Door 4'x6' |
| Concession Door 4'x8' |
| Escape Door 4'x4' - DRIVERSIDE OVER WHEEL WELL |
| Elite Escape Door (6'W x 8'L Fold Up Door w/ Removable Fender) **Extends to 9'L when adding Spread Axle Upgrade** Hatch Door 30"x30" |
| RV-Style Pull-Out Step (Steel) |
| Aluminum Fold Down Step |
| Powder Coated Aluminum Flip Down Step |
| Upgrade to Powder Coated Aluminum Flip Down Step (from standard step) |
| Aluminum Pull-Out Step |
| Aluminum Loop Step Stationary |
| Rear Full Length Step Across Rear of Trailer (12" Deep with Expanded Aluminum on Top) (Barn Doors only) Aluminum Grab Handle For Side Access Door |
| Keyed Locking Hasps for Rear Ramp |

| DOORS, RAMPS, & COMPARTMENTS (CONTINUED) |
|---|
| Upgrade to L-Latches "Freezer latches" (Per Ramp, Replaces Locking Bars) (Premium Models w/ CH grade |
| Rear Ramp only) |
| Upgrade to Premium Aluminum Ramp Hinges (SET, From S/S Strap Hinges) (Premium CH/GN Models) |
| Upgrade to Full Piano Hinge For Rear Ramp |
| Locking Bar for Side Access Door |
| Keyed Locking Hasps for Side Door Locking Bar |
| Upgrade to Full Piano Hinge For Side Access Door |
| Rear Door Air Curtain |
| Pull Down Screen for Rear Door Opening |
| Pop Out Tent Bed (60"H x 80"L Rough Opening) |
| Keyless Entry System (For Side Access Door) |
| Upgrade to 6" Extruded Aluminum Bi-Fold Ramp Extension (Car Hauler Models) |
| Rear Stowable Ramp Kit (2) 26"x6' Ramps (Extrusion to Hook Ramps, Ramps to Stow Interior of Barn Doors, (4) Extra Strap Hinges) |

EXTERIOR OPTIONS

| EXTERIOR OPTIONS |
|--|
| .040 Skin Upgrade (Black, White, & Silver Only) |
| .050 Skin Upgrade (Black & White Only) |
| Anodized Aluminum Side & Rear Trim Panel (12"; PBF) |
| Aluminum Diamond Plate Side & Rear Trim Panel (12"; PBF) |
| Anodized Aluminum Side & Rear Trim Panel (24"; PBF) |
| Aluminum Diamond Plate Side & Rear Trim Panel (24"; PBF) |
| Upgrade to Larger 7" Bottom Trim (PBF) |
| Upgrade to 36" Stone Guard from 24" |
| Upgrade to 48" Stone Guard from 24" |

| EXTERIOR OPTIONS (CONTINUED) |
|--|
| Two-Tone Color Package - No Anodized Divider |
| Two-Tone Color w/ 6" Anodized Divider |
| Two-Tone Color w/ 12" Anodized Divider |
| Two-Tone Color w/ 24" Anodized Divider |
| Upgrade to Anodized Nose Cone |
| Add Red & White DOT Tape to Trailer (PLF) ** must have on any trailer over 10,000lb GWR ** |
| Upgrade to Translucent Roofing (From Mill-Finish Aluminum; PBF) |

INTERIOR OPTIONS

| INTERIOR OPTIONS |
|--|
| White .030 Aluminum Side Walls, Bonded |
| White .030 Aluminum Side Walls, Screwed |
| White .030 Aluminum Ceiling, Bonded |
| White .030 Aluminum Ceiling, Screwed |
| White Vinyl Backed Luan (Ceiling Only; PBF) |
| Upgrade to 3/8" Water Resistant Walls (Cargo Trailers; From White Luan Walls; PBF) |
| Upgrade to 3/8" Plywood Walls (Cargo Trailers; From White Luan Walls; PBF) |
| Upgrade to 1/2" Plywood Walls (Cargo Trailers; PBF) |
| 3/4" Foam Insulation (Side Walls; PBF) |
| 3/4" Foam Insulation - Ceiling (Require Ceiling liner) |
| .030 Aluminum Cove (All Colors) |

| INTERIOR OPTIONS (CONTINUED) |
|---|
| Anodized Roof Covers |
| Anodized Spring Cover |
| Diamond Plate Spring Cover |
| Drive Over Fender Kit (Heavy Duty; 3/16" Mill Finish Aluminum) (Car Hauler) |
| Drive Over Fender Kit (Sloped w/ Ski Guides; .090 Mill Finish) (Car Hauler) |
| 2" Foam Insulation (Ceiling Only; PBF) |
| Upgrade to 2" Foam Insulation (Ceiling Only; PBF) |
| .030" Aluminum Spring Assist Cover for Rear Ramp Door |
| Partition Wall w/ 32" Access Door |
| Diamond Plate Kickplate (6") |
| Diamond Plate Kick Plate (12") |

CAR HAULER & GOOSENECK

POPULAR OPTIONS CONTINUED

INTERIOR OPTIONS CONTINUED

| INTERIOR OPTIONS |
|-----------------------------------|
| Water Resistant Kick Plate (12") |
| Extruded Aluminum Kick Plate (6") |

FLOORING

| FLOORING |
|--|
| Upgrade to 3/4" Pressure Treated Plywood (From 3/4" Water Resistant Decking) |
| Upgrade to 3/4" Quad Ply Decking (Non-Skid Surface, FRP Backer; PBF) |
| Additional Layer of 3/4" Water Resistant Decking |
| Upgrade to Extruded Aluminum Floor (Charge for Ramp and V-Nose; PLF) |
| Aluminum Diamond Plate Floor Overlay (.045") (PLF) |
| Upgrade to Black Marble Vinyl Flooring (PLF) |
| Upgrade to Checkerboard Vinyl Flooring (Black & White; PLF) |

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES |
|--|
| Upgrade to 15" 225 Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 15" 225 BLACK Aluminum Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 15" 225 Flat Black Mod (Radial; From 15" 225 Silver Mod Radial Wheels) **SPECIAL ORDER** |
| Upgrade to 16" Silver Mod Wheels (Radial; From 15" 225 Silver Mod Radial) |
| Upgrade to 16" Aluminum Wheels (Radial; From 15" 225 Aluminum) |
| Upgrade to 16" BLACK Aluminum Wheels (Radial; From 15" 225 Aluminum) |
| Upgrade to 16" G-Rated Silver Mod Wheels (Radial; From 16" Silver Mod Radial) |
| Upgrade to 16" Aluminum Wheels (Radial; From 16" Silver Mod Wheels) |
| Upgrade to 16" Black Aluminum Wheels (Radial; From 16" Silver Mod Wheels) |
| Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Aluminum Rims) |
| Upgrade to 17.5" Aluminum Wheels (Radial; From 16" Silver Mods) |
| Upgrade to 17.5" Aluminum Wheels (Radial; From 17.5" Silver Mod Wheels) |
| Upgrade to Black Aluminum Rims from Aluminum (Same Size) |
| Height Decrease 6" |

AXLES

| AXLES |
|---|
| Upgrade to 3-3K Torsion Braked Axles (From 2-3K Braked) |
| Upgrade to 2-5K Torsion Braked Axles & Subframe (From 2-3K Torsion Braked Axles) ** Includes Axle Carrier Upgrade From 2"x5" to 2"x6" ** |
| Upgrade to 2-6K Torsion Braked Axles (From 2-5K Torsion Braked; Includes 16" Tire Upgrade) (2x8 Frame Upgrade Required) |
| Upgrade to 2-7K Torsion Braked Axles (From 2-5K Braked; Includes 16" Tire Upgrade) (2x8 Frame Upgrade Required) |
| Upgrade to 2-8k Torsion Braked Axles (From 2-5K Braked; Includes 215/75R/17.5 Tire Upgrade) (2x8 Frame Upgrade Required) |
| Upgrade to 3-3K Torsion Braked Axles (From 2-5K Torsion Axles) |

| INTERIOR OPTIONS (CONTINUED) |
|---|
| Carpet on Walls (Charcoal only, 3' Up on Walls, Calculate 4' for V) |
| Upgrade to Black TPO Coin Walls (3' Up Wall, Count 4' V-Nose; PLF) |

| FLOORING (CONTINUED) |
|--|
| Painted Epoxy Floor Covering (PBF) |
| Upgrade to Rubber Coin Flooring (Black; PLF) |
| Upgrade to TPO Coin Flooring (Black) |
| Upgrade to Extruded Aluminum Floor from Rubber TPO Floor (Charge for Ramp and V-Nose; PLF) Upgrade to Charcoal Carpet Flooring (PLF) |
| Upgrade to 3/4" Foam Insulated Floor |
| Aluminum Diamond Plate Runner (12" Single Row; .056") (PLF) |
| Aluminum Diamond Plate Runner (12" Double Rows; .056") (PLF) |

| TIRE/WHEEL ASSEMBLIES & ACCESSORIES (CONTINUED) |
|--|
| Spare 15" Silver Mod Wheel w/ 225/75R15 Tire (6-Lug) |
| Spare 16" Black Aluminum Wheel w/ 235/80R16 Tire |
| Spare 16" G-Rated Silver Mod Wheel w/ 235/80R16 Tire (14 Ply Rating) |
| Spare 17.5" Silver Mod Wheel w/ 215/75R17.5 Tire |
| Spare 17.5" Aluminum Wheel w/ 215/75R17.5 Tire |
| Interior Elevated Spare Tire Mount (Diamond Plate; Interior Wall) |
| Spare 15" Aluminum Wheel w/ 225/75R15 Tire (6-Lug) |
| Spare 15" Black Aluminum Wheel w/ 225/75R15 Tire |
| Spare 16" Silver Mod Wheel w/ 235/80R16 Tire |
| Spare 16" Aluminum Wheel w/ 235/80R16 Tire |
| Exterior Elevated Spare Tire Mount (Diamond Plate; Exterior Wall) |
| Spare Tire Mount (Interior; Floor Level) |
| Deluxe Recessed Spare Tire Well (Diamond Plate w/ Hatch Cover) |
| Deluxe 8" Tire Rack (Foldable) |
| Integrated Heavy Duty Tire Rack |

| AXLES (CONTINUED) |
|---|
| Upgrade to 3-5K Torsion Braked Axles (From 2-5K Braked) (2x8 Frame Upgrade Required) |
| Upgrade to 2-7K Torsion Braked Axles (From 2-6K Braked; Includes 16" Tire Upgrade) (2x8 Frame Upgrade Required) |
| Upgrade to 2-8k Torsion Braked Axles (From 2-7K Braked; Includes 215/75R/17.5 Tire Upgrade) |
| Upgrade to 3-7K Torsion Braked Axles (From 2-7K Braked) |
| Upgrade to 2-7K Torsion Braked Axles (From 3-5K Braked) |
| Upgrade to 3-6K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade) |
| Upgrade to 3-7K Torsion Braked Axles (From 3-5K Braked; Includes 16" Tire Upgrade) |

CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

AXLES CONTINUED

| AXLES |
|---|
| Upgrade to 3-8k Torsion Braked Axles (From 3-5K Braked; Includes 215/75R/17.5 Tire Upgrade) |
| Upgrade to 2-3K Hydraulic Braked Axles (From 2-3K Torsion Braked) |
| Spread Axle Upgrade (w/ Tapered Fender Skirting) (8 Wide Models) |
| Upgrade to Surge Braking System (this option excludes Gooseneck Models) |

TIE-DOWNS

| TIE-DOWNS |
|--|
| Light Duty Surface-Mounted D-Ring (Installed) |
| Light Duty Sliding D-Ring (For Recessed Slide Track; Installed) |
| Upgrade to Powder Coated Sliding D-Ring (From Existing Sliding D-Ring) |
| Heavy-Duty Recessed 5000# D-Rings w/ Backing Plate |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/ Backing Plate(Zinc) |
| Heavy-Duty Recessed 6000# Swivel D-Rings w/ Backing Plate (Stainless Steel) |
| Upgrade to Stainless Steel 6000# Recessed Swivel D-Rings (From 5000# Recessed Heavy Duty D-Ring w/ Backing Plate; Installed) |
| Single Stainless Steel Tube Style Wheel Chock for Single Piece of Slide Track (Installed) |
| Stainless Steel Tube Style Wheel Chock |
| E-Track Surface Mounted (Floor) |
| E-Track Surface Mounted (Wall) |
| E-Track HD Recessed w/ Backing Plate (Floor) |
| Recessed Flip-Up Motorcycle Wheel Chock w/ (4) Surface-Mounted D-Rings |
| Recessed Flip-Up Motorcycle Wheel Chock w/ (4) Recessed Heavy Duty D-Rings |

12V LIGHTING & ELECTRICAL

| 12V LIGHTING & ELECTRICAL |
|---|
| Add LED Backup Lights (Pair; Installed) |
| Additional LED Stop/Turn/Tail Lights (Pair; Installed) |
| Upgrade to 12" LED Slimline Tail/Turn/Stop Lights (Pair) |
| Upgrade to Additional LED Marker Lights Bullets |
| Diamond Plate Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed) |
| Anodized Rear Loading Lights (Mounted Over Rear Ramp Spring; Installed) |
| (2) 12V LED Load Lights (Double Lights w/ Single Switch, 950 Lumen) |
| 12V LED Load Light (Single Light w/ Switch, 950 Lumen) |
| Recessed LED Exterior Load Light Package (For side of trailer) (1 Light w/ Switch, 950 lumens, & Housing) |
| 12V LED Porch Light w/ Wall Switch |
| K60 LED Exterior Scene Light Package: One 12V wall switch with (2) K60 Scene Lights |
| Mid-Ship Turn Signals (For Tandem Fenders Only; Pair) |
| Angled Back Up Lights (Mounts on side of trailer) |
| Upgrade to 12V Electric Pedestal Jack w/ Battery & Box installed |
| 12V Power Jack (Cigarette Lighter Plug) |

| AXLES (CONTINUED) |
|---|
| Upgrade to Zero Degree Axle(s) |
| Upgrade to 22.5 Degree Down Axle(s) |
| Upgrade to 45 Degree Down Axle(s) |
| Upgrade to Galvanized Axle (Torsion) (minimum 4 week lead time) |

| TIE-DOWNS (CONTINUED) |
|---|
| Recessed Flip-Up Motorcycle Wheel Chock |
| Tandem Flip-Up Motorcycle Wheel Chocks w/ (8) Surface-Mounted D-Rings |
| Tandem Flip-Up Motorcycle Wheel Chocks w/ (8) Heavy Duty D-Rings |
| E-Track HD Recessed w/ Backing Plate (Walls) |
| E-Track (Aluminum) Surface Mounted (Wall) |
| E-Track (Aluminum) HD Recessed w/ Backing Plate (Floor) |
| E-Track (Aluminum) HD Recessed w/ Backing Plate (Walls) |
| Airline Track (Aluminum) Surface Mounted (Floor) |
| Airline Track (Aluminum) Surface Mounted (Wall) |
| Airline Track (Recessed in Floor; Aluminum, PLF) |
| Airline Track (Recessed in Wall; Aluminum, PLF) |
| Recessed Slide Track (Track Only; D-Rings Sold Separately) |
| Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings |
| Powder Coated Slide Track Upgrade (upgrade to existing slide track) (PBF) |

| 12V LIGHTING & ELECTRICAL (CONTINUED) |
|---|
| Upgrade to LED Economy Dome Light 460 Lumen (From Incandescent Dome Light) |
| Additional 12V LED Dome Light (460 lumens) |
| 12 Volt Wall Switch |
| 12 Volt Wall Switch (3-Way) |
| Upgrade to 12 Volt (3-Way) Wall Switch |
| LED Puck Light Package (Includes 8 recessed lights & wall switch) (requires ceiling liner) |
| Additional Recessed LED "Puck" Light |
| LED "Puck" Light Cabinet PKG (Under OH Cabinet), (2) Round LED Flush Mount Dome Lights, (1) 12V Wall Switch |
| 18" 12V LED Light (requires ceiling liner) |
| Upgrade to Permaseal Wire Connectors |
| Upgrade Premium Light Package (LED Strip Lights w/ Integrated Backup Lights, Marker Lights w/ Clear Lens) |
| Upgrade to Premium Light Package (LED Strip Lights w/ No Backup Lights, Marker Lights w/ Clear Lenses) |
| Upgrade Interior Dome Light to 12V 18" LED Light |



CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

12V LIGHTING & ELECTRICAL CONTINUED

| 12V LIGHTING & ELECTRICAL |
|---|
| Upgrade to (3) 18" 12V LED Light (From (2) 4' LED Wrap Around) (Requires Ceiling) |
| Trickle Charger for Battery |
| Deep Cycle Marine Battery & Box (Wired) |
| LED Interior Strip Light w/ Housing Package (Per Foot, Per Section) |

110V LIGHTING & ELECTRICAL

| 110V LIGHTING & ELECTRICAL |
|--|
| 110V Package #1: (Includes (1) 15 AMP Motorbase Plug, (1) Wall switch, (1) Receptacle, (1) 4' LED Wraparound Light (no additions available w/ this package) |
| 110V Package #2: (Includes -30 AMP Breaker, (1) 25' Shore Line, (2) 3 -Way Wall switches, (1) Standard Wall Receptacle, (1) GFI Wall Receptacle (2) 4' LED Wraparound Lights |
| 110V Power Package #3: (30A) (1) 30 Amp Panel, (1) Wall Switch, (4) Standard Wall Receptacles, (1) GFCI Receptacle, (4) 4' Led Wrap Around Lights, (1) Brace and Wire Stub for A/C Unit |
| 110V Power Package #4: (1) 15 Amp Motorbase Plug, (2) Wall Receptacle |
| 110V Power Package #5: Includes (1) 60A Breaker Panel w/ 60A Converter and 50A Motorbase Plug, (2) 3-Way Wall Switches, (1) Standard Wall Receptacle, (1) USB Wall Receptacle, (1) GFI Wall Receptacle, (2) 4' LED Wraparound Lights, 12v Deep Cycle Battery & Box |
| 15A Motor Base Plug |
| 30A Motor Base Plug (Replaces Shoreline; 110V Package Required) |
| 30A Power Converter (110V Pkg #2) |
| 30A Power Cord 25' Long (For Motorbase Plug) |
| 30A Generator Line Switch |
| Upgrade to 50 Amp Breaker Box (Requires 110V Pkg #2) |

CABINETS

| CABINETS |
|---|
| V-Nose Base Cabinet, 2 Door (99" Wide Models) (83"W x 30"D x 37"H) |
| V-Nose Base Cabinet, 4 Door (99" Wide Models) (83"W x 30"D x 37"H) |
| Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models) |
| Upgrade V-Nose Base Cabinet to Full Width/Depth of V-Nose (90", & 99" Wide Models) |
| Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (72", 80", & 84" Wide Models) Upgrade V-Nose Overhead Cabinet to Full Width/Depth of V-Nose (90" & 99" Wide Models) |
| V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (56"W x 19"D x 19"H) |
| V-Nose Overhead Cabinet, 2 Door (99" Wide Models) (72"W x 19"D x 19"H) **Special Option Cabinet** 4' Straight Wall Base Cabinet, 2 Door (48"W x 24"D x 37"H) |
| 5' Straight Wall Base Cabinet, 2 Door |
| 6' Straight Wall Base Cabinet, 2 Door (72"W x 24"D x 37"H) |
| 8' Straight Wall Base Cabinet, 2 Door (96"W x 24"D x 37"H) |
| 8' Straight Wall Base Cabinet, 4 Door |
| Upgrade Base Cabinet to 28" L-Shape Extension |
| 8' Flat Front 4 Door Base Cabinet |

| 12V LIGHTING & ELECTRICAL (CONTINUED) |
|--|
| Cold Weather HD Arctic Flex 7-Way Wire Harness |
| Wireless Backup Camera System w/ 7" LCD Screen |
| Add LED 6" Oval Alternating Flashing Safety Lights (Orange) w/ Exterior Toggle Switch (Pair) (hard wired into auxiliary) (7-way plug required) |

| 110V LIGHTING & ELECTRICAL (CONTINUED) |
|--|
| 50A Power Cord 25' Long (For Motorbase Plug) |
| 60A Power Converter (110 Package Required) |
| 110 Volt Wall Receptacle (Installed; Requires 110V Pkg) |
| 110 Volt Combo USB/Wall Outlet Receptacle (Installed; Requires 110V Pkg #2) |
| 110 Volt Wall Switch (3-Way; Requires 110V Pkg #2) |
| GFI Wall Receptacle (Interior) (Requires 30A Package) |
| GFI Wall Receptacle (Exterior) (Requires 30A Package) |
| 4' LED Wraparound Light (Requires 110V Pkg) |
| 500W Swing-Mount Quartz Light |
| 13,500 BTU Roof Mounted Air Conditioner (Requires 110 #2) |
| Heat Strip for A/C Unit |
| Brace and Stub Wire for Future AC Installation (Requires 110V Pkg #2) (12Gauge Wire and 20A Breaker) |
| Heater; Electric; CADET Com-Pak Plus White Wall Fan, 1500 Watt (Requires 110V Pkg #2) |
| Powder Coated Slide Track Upgrade (upgrade to existing slide track) (PBF) |
| Recessed Slide Track (2) Rows w/ (4) Sliding D-Rings |

| CABINETS (CONTINUED) |
|---|
| Add 4" Depth to 8' Flat Front 4 Door Base Cabinet (24" Deep) |
| Overhead Cabinet 1 Flip-Up Door (48"W x 13"D x 18"H) |
| Overhead Cabinet 2 Door (48"W x 13"D x 18"H) |
| Overhead Cabinet [Premium, 1 Flip-Up Door (48"W x 13"D x 18"H) |
| 48" Economy Overhead Cabinet (Furnace) 1 Door Flip Up Style, 48" Long (Furnace not included) Overhead Cabinet 1 Door (62"W x 12"D x 18"H) |
| 60" Deluxe Overhead Cabinet (Furnace) 1 Door Flip Up Style, 60" Long (Furnace not included) Deluxe Overhead Cabinet 4 Door (72"W x 13"D x 18"H) |
| Deluxe Overhead Cabinet 4 Door (96"W x 13"D x 18"H) |
| Overhead Cabinet 2 Flip-Up Door (96"W x 13"D x 18"H) |
| 8' Flat Front 4 Door Overhead Cabinet |
| Add 8" Depth to 8' Flat Front 4 Door Overhead Cabinet (24" Deep) |
| Wheel Well Cabinet 2 Door w/ Shelving (72"W x 6 3/4"D x 62"H) |
| 96" Overhead Split Cabinet w/ Center Shelf [Premium, 2 Flip-Up Door (96"W x 18"D x 18"H) |
| Premium 50" Helmet Cabinet w/ Hooks |

CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

CABINETS CONTINUED

| CABINETS |
|--|
| 24" Wardrobe Cabinet (Single, Full-Height Door, (1) Shelf, (1) Clothes Rod) [24"W x 24"D x 72"H] |
| 36" Wide Wardrobe (Single Full-Height Door, 1 Shelf, Clothes Rod) (36"W x 24"D x 76"H) |
| Premium Wall-Mounted Coat Hanger (47.5", 10 Hooks) |
| Premium Ceiling-Mounted Coat Hanger (38", 22 Hooks) |
| 48" Deluxe Boot Box [Padded Top, Ducted (Requires Furnace Package & Vertical Duct None GN models)] |
| 6' Horizontal Vented Duct (Angled End, 5 Vents) |
| 8' Horizontal Vented Duct (8'Lx5"x5" w/ 5 Vents) |

AWNINGS

| AWNINGS |
|---|
| 12' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if installed over Side Access Door) |
| 16' CareFree Travl'r Acrylic Fabric and Alumaguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door) |
| 16' CareFree Fiesta Acrylic Fabric and Alumaguard Awning (Requires Door Roller Option if installed over Side Access Door) |
| 18' CareFree Travl'r Acrylic Fabric and Alumaguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door) |

VENTS & WINDOWS

| VENTS & WINDOWS |
|--|
| 14"x14" Manual Roof Vent |
| 12V Power Roof Vent |
| 110V Power Roof Vent (Requires 30A Package) |
| Fantastic Fan/Vent (Dometic 22-0462) (Requires 30A Package) Maxx-Air Roof Vent Cover |
| Directional Salem Vent Kit (Plastic; Pair) |

MISC. OPTIONS & ACCESSORIES

| MISC. OPTIONS & ACCESSORIES |
|--|
| Fold-Down Sofa/Sleeper |
| Fold-Down Bunk Beds |
| Happi Jac Bed System w/ (1) Queen Size Mattress |
| Fold-Down Dinette/Sleeper |
| Fold Down Bench (12"x48") Type: Work or Sitting |
| Fold-Down Padded Bench (48"L) Vertical Design |
| Premium 50" Fold-Up Padded Bench |
| Premium 36" Fold-Up Work Bench w/ Integrated Tool Storage Premium Cup Holder |
| Premium (2) Race Fuel Holder |
| Premium (3) Race Fuel Holder |
| Basic Stereo Package - Includes (4) Boss Speakers |
| Stairs to the Gooseneck Area (24"W x 32"D) |

| CABINETS (CONTINUED) |
|--|
| Vertical Corner Duct (Requires Furnace Package) |
| Add Heat Duct (PLF) |
| Clothes Rod for Overhead Cabinets (48" Cabinets only) |
| 18" Shelving w/ Angled Gussets (PLF, Per Tier) |
| Upgrade to Formica Countertop (Base Cabinet Sold Separately) |
| 4' Coat Rack Package (47' Slide Track w/ (6) Adjustable Hooks) |
| Standard Tool Crib Package - (1) 72x24 Horizontal Access Door (Over Fender, w/ Retainer Chains), (2) 38x22 Vertical Access Doors (Ahead/Behind Fender), Adjustable Shelf Brackets in Vertical Cabinets, 3/8" Water Resistant Liner (Interior & Exterior of Box Frame), 19"D x 42"H x 128"L Box Frame Inside Trailer, Hinged Lid (3 Sections) |

| AWNINGS (CONTINUED) |
|---|
| 20' CareFree Travl'r Acrylic Fabric and Alumaguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door) |
| 21' CareFree Travl'r Acrylic Fabric and Alumaguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door) |
| 21' CareFree Travl'r Acrylic Fabric and Alumaguard "ELECTRIC" Awning (Requires Door Roller Option if installed over Side Access Door) |
| Door Roller for Awning |

| VENTS & WINDOWS (CONTINUED) |
|---|
| Two-Way Directional Salem Vent Kit (Aluminum; Pair) |
| 18"x24" Horizontal Radius Sliding Window w/ Screen |
| 18"x24" Vertical Radius Sliding Window w/ Screen |
| 24"x36" Radius Sliding Window w/ Screen |
| 24"x36" Egress Sliding Window (Tinted w/ Screen) |

| MISC. OPTIONS & ACCESSORIES (CONTINUED) |
|---|
| 30 Gallon Fuel Transfer System: Includes 30 Gallon Tank, Fill Nozzle & Hose, Control Panel w/ Gauge (Requires Marine Grade Battery) |
| 20# Propane Tank w/ Regulator (Tongue-mounted Holder Included) |
| Tandem 20# Propane Tanks w/ Holder & LP Regulator |
| Upgrade to Tandem 20# Propane Tanks w/ Holder & LP Regulator (From 1-20lb) |
| 30# Propane Tank w/ Regulator (Propane Compartment Required) |
| Upgrade to 30# Propane Tank from 20# Propane Tank w/ Heavy Duty Mount |
| Upgrade to (2) 30# Propane Tank from (1) 20# Propane Tank w/ Heavy Duty Mount ** Car Haulers Only ** |
| Upgrade to Underslung Propane Tank (Requires Package Including Standard Propane Tank) |
| Stabilizer Jacks (Interior Rear; Drop Down) (Installed; Pair) |
| Bogey/Caster Wheels (Installed; Pair) |



CAR HAULER & GOOSENECK POPULAR OPTIONS CONTINUED

MISC. OPTIONS & ACCESSORIES CONTINUED

| MISC. OPTIONS & ACCESSORIES |
|--|
| Stabilizer Jacks |
| Scissor Jacks (Camper Style; Pair) |
| Add Exterior Marine Grade Speakers to Stereo System (Pair) |
| Add 3-Bay Stainless Steel Sink (Sink Package Required) |

SPECIAL PACKAGES

| SPECIAL PACKAGES |
|---|
| Midnight Package (Includes 15" Black Aluminum Rims, Anodized Nose Cone, Anodized Top 12" & Bottom Trim 24") |
| Exterior Powder Coat Package (Cargo/Car Haulers): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim |
| Exterior Powder Coat Package (Goosenecks): Includes Inner & Exterior Door Trims, Fenders, Stone Guard, Locking Bars, Hinges, Grab Handles, Coupler & Exterior Trim |
| Basic Heater Package - Car Hauler Models (Includes: 20# Propane Tank (Tongue Mounted), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 48" Furnace Cabinet) |
| Basic Heater Package - Gooseneck Models (Includes: (2) 30# Propane Tank w/ Compartment (Under Goose), White Luan Ceiling, Insulated Walls & Ceiling, 40K BTU Furnace, Safety Kit, Marine Grade Battery & Box, 96" Furnace Cabinet w/ Integrated Boot Box) |

| MISC. OPTIONS & ACCESSORIES (CONTINUED) |
|--|
| 2-Burner Propane Range (Installed In Cabinet Top) (Base Cabinet and Propane Tank Required) |
| 5.0 Cu.Ft. Refrigerator (Recessed in Cabinet) (110V Package w/ 12V Battery or Propane w/ Safety Kit and 12V Battery Required) 24" WD X 26" LG (in cabinet) |
| 1100W Microwave (1.2 Cu.Ft.; Recessed in Cabinet) |

| SPECIAL PACKAGES (CONTINUED) |
|--|
| Basic Sink Package (Does Not Include Cabinet; Propane or 110V Power Package Required) (Includes: Stainless Steel Sink, 6 Gallon Water Heater, 20 Gallon Fresh Water Tank, 20 Gallon Grey Water Tank) |
| Custom Sink Package (Does Not Include Cabinet; Propane or 110V Power Package Required) (Includes: Stainless Steel Sink, 6 Gallon Water Heater, 38 Gallon Fresh Water Tank, (2) 23 Gallon Grey Water Tanks) |
| Kicker Stereo Package (Includes (6) Speakers, AMP & Subwoofer, with Clairion Face Unit w/ Bluetooth Capabilities.) |
| Mid-Level Stereo Package (Includes (4) Speakers, AMP & Subwoofer, Pioneer AM/FM/ CD Player w/ Bluetooth, Battery Sold Separately) |



RAMP CAPACITY BY MODEL

| Ramp Type | Applicable Models | Capacity |
|---|---|--------------|
| Utility Trailer Rear Ramp (Fold-Down) | SSR (All Sizes), AR 2.0 (All Sizes), WR 2.0 (All Sizes), FA 2.0 (All Sizes), LANDSCAPE (LS) 2.0 (All Sizes) | 750# |
| Utility Trailer Rear Ramp (Fold-Down, Bi-Fold) | SSR (Optional, All Sizes), AR 2.0 (Optional, All Sizes), WR 2.0 (Optional, All Sizes), FA 2.0 (Optional, All Sizes), LANDSCAPE (LS) 2.0 (Optional, All Sizes) | 750# |
| Deckover Equipment Trailer Ramps (Stow) | (All Sizes) | 4000# (PAIR) |
| Deckover Equipment Trailer Ramps -14K (Fold-Down) | (All Sizes) | 5000# (PAIR) |
| Patriot Ramps (Fold-Down) | (All Sizes) | 4000# (PAIR) |
| Patriot Ramps -14K (Fold-Down) | (All Sizes) | 5000# (PAIR) |
| Dump Trailers (Side-Stow, Optional) | (All Sizes) | 4000# (PAIR) |
| ATV (83-Wide, Side-Stow) | (All Sizes) | 1200# (PAIR) |
| ATV (88-Wide, Side-Stow) | (All Sizes) | 750# (PAIR) |
| Open Motorcycle (Rear-Stow) | (All Sizes) | 1200# |
| Slingshot Rear Ramp (Fold-Down, Bi-Fold) | MU-SLINGSHOT | 1500# |
| Open Car Hauler 2.0 (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Car Hauler 2.0-10K (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Car Hauler Standard (Stow) | (All Sizes) | 4000# (PAIR) |
| Open Snow (Rear-Stow) | MFS | 750# |
| Sport Deck (Rear-Stow, Telescoping) | MSD | 1000# |
| Enclosed Cargo (4, 5, 6-Wide) | (All Sizes) | 1500# |
| Enclosed Cargo (7, 7.5-Wide) | (All Sizes) | 1500# |
| Enclosed Cargo (8.5-Wide, Premium) | (All Sizes) | 1500# |
| Enclosed Motorcycle (7-Wide) | (All Sizes) | 1500# |
| Enclosed Car Hauler (8.5-Wide) | (All Sizes) | 4000# |
| Enclosed Gooseneck (8.5-Wide, REAR) | (All Sizes) | 4000# |
| Enclosed Gooseneck (8.5-Wide, SIDE, Optional) | (All Sizes) | 1200# |
| Enclosed Snowmobile (7, 7.5, 101-Wide, REAR) | (All Sizes) | 1500# |
| Enclosed Snowmobile (7, 7.5, 101-Wide, FRONT) | (All Sizes) | 1200# |
| Enclosed Snowmobile (Crossover REAR) | (All Sizes) | 1500# |



TONGUE EXTENSION BY MODEL

| Enclosed Cargo (4, 5-Wide) | N/A | FRAME UPGRADE REQUIRED,CONSULT ENGINEERING | N/A | N/A |
|---|----------------------|---|---|---|
| Enclosed Cargo (6, 7, 7.5-Wide) | 12" | TONGUE12EXT | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** | |
| Enclosed Cargo (8.5-Wide, Premium) | 12" (16" w/ UPGRADE) | MIN 6" FRAME FOR16" TONGUE EXTENSION, UPGRADE MAY BE REQUIRED | TONGUE12EXT | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** |
| Enclosed Motorcycle (7-Wide) | 12" | TONGUE12EXT | 12" Extended Tongue (For 3k Tandem Axle Enclosed with 2"x5" Frame) Includes Center Beam Upgrade** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** | |
| Enclosed Car Hauler (8.5-Wide, Premium) | 16" | TONGUE16EXTCH | 16" Extended Tongue (For 5k Tandem Axle Enclosed; Trailer Must have 2"x6" Frame or Larger) ** CANNOT DO WITH ALL SPORTS OR SNOW TRAILERS ** | |
| Enclosed Car Hauler - All Sports (8.5-Wide) | N/A | EXTENDED TONGUEINCOMPATIBLE WITHFRONT RAMP | N/A | N/A |
| Enclosed Snowmobile (7, 7.5-Wide) | N/A | EXTENDED TONGUEINCOMPATIBLE WITHFRONT RAMP | N/A | N/A |
| Enclosed Snowmobile (101-Wide) | 10" | REQUIRES 3x5 TONGUE UPGRADEw/ STRAIGHT-PULL COUPLER | TBD | TBD |
| ATV (83-Wide, Side-Stow) | (All Sizes) | 1200# (PAIR) | 1200# (PAIR) | 1200# (PAIR) |