Technical sheet:


TMT 55 XT 4W






	Technical characteristics		Metric
	Manufacturer		Manitou
2	Model Name		TMT 55 XT 4W
1	Reach out equipment		Telescopic boom
1	Power source		Diesel
	Operator type		Seated
	Max. capacity	Q	2500 kg
	Weight		
	Service weight		2883 kg
	Wheels		
!	Dimensions of front wheels		31 x 15,5 - 15"
	Dimensions of rear wheels		31x15,5-15
	Number of front wheels / rear wheels		2/1
2	Drive wheels (front / rear)		2 / 1
	Dimensions		
	Max. lifting height	h3	3430 mm
	Height telescopic boom extended	h4	3915 mm
0	Length to face of forks	12	2.92 m
1	Overall width	b1	2.57 m
2	Forks section / width / length	s / e / l	44 mm x 102 mm / 1219 mm
В	Max. Reach	14	1310 mm
.35	Turning radius	Wa	2610 mm
	Performances		
	Travel speed (laden)		11 km/h
)	Service brake		Hydrostatic
1	Transmission type		Hydrostatic
	Engine		
	Engine brand / norm		Kubota - Tier 4 final
	Engine power according to ISO 1585		37 kW
	Rated speed		2700 rpm
	Capacity of cylinders		2434 cm³
	Miscellaneous		
	Working hydraulic pressure for attachments		245 Bar
3	Oil flow rate for attachments		46 l/min


Dimensional drawing






Load chart

Machine on stabilizers with forks Metric



Machine on tyres with forks Metric







Siège Social 430 rue de l'Aubinière - 44150 Ancenis Cedex - France Tel: +33(0)2 40 09 10 11 - Fax: +33 (0)2 40 09 10 97 www.manitou.com



This brochure describes versions and configuration options for Manitou products which may be fitted with different equipment. The equipment described in this brochure may be standard, optional or not available depending on version. Manitou reserves the right to change the specifications shown and described at any time and without prior warning. The manufacturer is not liable for the specifications given. For more information, contact your Manitou dealer. Non-contractual document. Product descriptions may differ from actual products. List of specifications is not comprehensive. The logos and visual identity of the company are the property of Manitou and may not be used without authorisation. All rights reserved. The photos and diagrams contained in thisbrochure are provided for information only.

MANITOU BF SA - Limited company with board of directors - Share capital: 39,668,399 euros - 857 802 508 RCS Nantes