

# PAPIO 126



## SPECIFICATIONS

<b>Engine</b>	Single cylinder, 4-stroke, air cooled, vertical
<b>Displacement</b>	126cc
<b>Bore x Stroke</b>	57mm x 49.4mm (2.2" x 1.9")
<b>Max Power</b>	9.4 hp @ 8500 rpm
<b>Max Torque</b>	6.1 ft. lbs. @ 6500 rpm
<b>Fuel System</b>	EFI
<b>Transmission</b>	6-speed
<b>L x W x H</b>	68" x 30" x 39"
<b>Wheel Base</b>	48"
<b>Seat Height</b>	30.5"
<b>Fuel Capacity</b>	1.9 gal.
<b>Curb Weight</b>	251 lbs.
<b>Suspension</b>	Front: Telescopic front suspension Rear: Central monoshock
<b>Brakes</b>	Front: 210mm single disc, 2-piston caliper Rear: 190mm single disc, single-piston caliper
<b>ABS &amp; CBS</b>	N/A
<b>Rim (Front/Rear)</b>	2.75 x 12 MT/3.5 x 12 MT Light alloy
<b>Additional Features</b>	LED headlights, taillights and signal lights; LCD display
<b>Colors</b>	Galaxy Grey, Lemon Green

# 300SS



## SPECIFICATIONS

<b>Engine</b>	Single-cylinder, liquid-cooled, DOHC, 4 valves
<b>Displacement</b>	292cc
<b>Bore x Stroke</b>	78mm x 61.2mm (3" x 2.4")
<b>Max Power</b>	29 hp @ 8750 rpm
<b>Max Torque</b>	18.7ft-lb @ 7,250 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, wet, multi-plate, CF-SC slipper clutch
<b>L x W x H</b>	79"x 29.5" x 42.5"
<b>Wheel Base</b>	53.5"
<b>Seat Height</b>	30.7"
<b>Fuel Capacity</b>	3.2 gal.
<b>Curb Weight</b>	364 lbs.
<b>Suspension</b>	Front: Upside down fork, hydraulic damping Rear: Mono suspension, center aligned
<b>Brakes</b>	Front: 292 mm single disc, 4-piston caliper Rear: 220 mm single disc, single-piston floating caliper
<b>ABS</b>	Continental ABS, dual-channel
<b>Rim (Front/Rear)</b>	3 x 17/3.5 x 17 MT Aluminum alloy
<b>Additional Features</b>	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity
<b>Colors</b>	Ghost Grey, Nebula Black

# 450SS



## SPECIFICATIONS

<b>Engine</b>	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
<b>Displacement</b>	450cc
<b>Bore x Stroke</b>	77mm x 55.2mm (3" x 2.2")
<b>Max Power</b>	50 hp @ 9500 rpm
<b>Max Torque</b>	28.8 ft. lbs. @ 7600 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, wet, multi-plate, CF-SC slipper clutch
<b>L x W x H</b>	79" x 29.5" x 39"
<b>Wheel Base</b>	53.5"
<b>Seat Height</b>	31"
<b>Fuel Capacity</b>	3.7 gal.
<b>Curb Weight</b>	370 lbs.
<b>Suspension</b>	Front: Upside down fork Rear: Multi-link suspension
<b>Brakes</b>	Front: Brembo M40 320mm single disc radially mount 4-piston caliper Rear: 220mm single disc, single-piston floating caliper
<b>ABS</b>	Continental ABS, dual-channel
<b>Rim (Front/Rear)</b>	3.0 x 17/4.0 x 17 MT, Aluminum alloy
<b>Additional Features</b>	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity
<b>Colors</b>	Nebula Black, Zircon Black

# 300NK



## SPECIFICATIONS

<b>Engine</b>	Single-cylinder, 4-stroke, liquid-cooled, vertical
<b>Displacement</b>	292cc
<b>Bore x Stroke</b>	78mm x 61.2mm (3" x 2.4")
<b>Max Power</b>	29hp @ 8750 rpm
<b>Max Torque</b>	18.7 ft-lb. @ 7250 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, wet, multi-plate, CF-SC slipper clutch
<b>L x W x H</b>	78" x 30.7" x 42"
<b>Wheel Base</b>	53.5"
<b>Seat Height</b>	31.2"
<b>Fuel Capacity</b>	3.3 gal.
<b>Curb Weight</b>	333 lbs.
<b>Suspension</b>	Front: Upside down fork, hydraulic damping Rear: Mono suspension, center aligned
<b>Brakes</b>	Front: 292mm single-disc, 4-piston caliper Rear: 220mm single-disc, single-piston floating caliper
<b>ABS</b>	Continental ABS, dual channel
<b>Rim (Front/Rear)</b>	3 x 17/3.5 x 17 MT Aluminum alloy
<b>Additional Features</b>	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity
<b>Colors</b>	Athens Blue, Nebula Black

# 650NK



## SPECIFICATIONS

<b>Engine</b>	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
<b>Displacement</b>	649cc
<b>Bore x Stroke</b>	83mm x 60 mm (3.25" x 2.3")
<b>Max Power</b>	60 hp @ 8750 rpm
<b>Max Torque</b>	41.3 ft. lbs. @ 7000 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, wet, multi-plate, slipper clutch
<b>L x W x H</b>	83" x 32" x 39"
<b>Wheel Base</b>	56.1"
<b>Seat Height</b>	30.7"
<b>Fuel Capacity</b>	4.5 gal.
<b>Curb Weight</b>	454 lbs.
<b>Suspension</b>	Front: KYB telescopic front suspension Rear: KYB offset cantilever, preload and rebound adjustable
<b>Brakes</b>	Front: J. Juan 300mm dual disc, double-piston caliper Rear: J. Juan 240mm single disc, single-piston floating caliper
<b>ABS</b>	Continental ABS, dual channel
<b>Rim (Front/Rear)</b>	3.5 x 17/4.5 x 17 MT Aluminum alloy
<b>Additional Features</b>	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity
<b>Colors</b>	Nebula White, Nebula Black



# 650 ADVENTURA



## SPECIFICATIONS

<b>Engine</b>	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
<b>Displacement</b>	649cc
<b>Bore x Stroke</b>	83mm x 60 mm (3.25" x 2.3")
<b>Max Power</b>	60 hp @ 8750 rpm
<b>Max Torque</b>	41.3 ft. lbs. @ 7000 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, wet, multi-plate, slipper clutch
<b>L x W x H</b>	85" x 33" x 52"
<b>Wheel Base</b>	56.1"
<b>Seat Height</b>	33"
<b>Fuel Capacity</b>	4.75 gal.
<b>Curb Weight</b>	480 lbs.
<b>Suspension</b>	Front: KYB Upside down front suspension, rebound adjustable Rear: Offset cantilever, rebound and preload adjustable
<b>Brakes</b>	Front: J. Juan 300mm dual disc, 2-piston caliper Rear: J. Juan 240mm single disc, single-piston floating caliper
<b>ABS</b>	Continental ABS, dual channel
<b>Rim (Front/Rear)</b>	3.5 x 17/4.5 x 17 MT Aluminum alloy
<b>Additional Features</b>	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity, hard side panniers, adjustable windscreen
<b>Colors</b>	Nebula White, Athens Blue

# 700CL-X



## SPECIFICATIONS

<b>Engine</b>	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
<b>Displacement</b>	693cc
<b>Bore x Stroke</b>	83mm x 64mm (3.25" x 2.5")
<b>Max Power</b>	74 hp @ 8500 rpm
<b>Max Torque</b>	50.2 ft. lbs. @ 6500 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, slipper clutch
<b>L x W x H</b>	83" x 35" x 47"
<b>Wheel Base</b>	56.5"
<b>Seat Height</b>	31.5"
<b>Fuel Capacity</b>	3.4 gal.
<b>Curb Weight</b>	432 lbs.
<b>Suspension</b>	Front: KYB 41mm USD fork, preload, rebound & compression adjustable Rear: KYB link-mounted single shock, preload and rebound adjustable
<b>Brakes</b>	Front: J.Juan 320mm single disc, radial mounted 4-piston brake caliper Rear: J.Juan 260mm single disc, floating 2-piston caliper
<b>ABS</b>	Continental ABS, dual channel
<b>Rim (Front/Rear)</b>	3.5 x 17/4.5 x 17 MT Aluminum alloy
<b>Additional Features</b>	LED headlights, taillights, and signal lights; LCD display, electronic throttle, Eco and Sport ride modes, one-touch cruise control, traction control
<b>Colors</b>	Nebula Black, Zephyr Blue

# 700CL-X SPORT



## SPECIFICATIONS

<b>Engine</b>	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
<b>Displacement</b>	693cc
<b>Bore x Stroke</b>	83mm x 64mm (3.25" x 2.5")
<b>Max Power</b>	74 hp @ 8500 rpm
<b>Max Torque</b>	50.2 ft. lbs. @ 6500 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, wet, multi-plate, CF-SC slipper clutch
<b>L x W x H</b>	83" x 35" x 47"
<b>Wheel Base</b>	56.5"
<b>Seat Height</b>	31.5"
<b>Fuel Capacity</b>	3.4 gal.
<b>Curb Weight</b>	451 lbs.
<b>Suspension</b>	Front: KYB 41mm USD fork, preload, rebound & compression adjustable Rear: KYB link-mounted single shock, preload and rebound adjustable
<b>Brakes</b>	Front: Brembo® Stylema 300mm dual disc, radially mounted 4-piston caliper Rear: Brembo® Stylema 260mm single disc, 2-piston caliper Continental
<b>ABS</b>	ABS, dual channel
<b>Rim (Front/Rear)</b>	3.5 x 17/4.5 x 17 MT Aluminum alloy
<b>Additional Features</b>	LED headlights, taillights, and signal lights; LCD display, electronic throttle, Eco and Sport ride modes, bar-end mirrors, one-touch cruise control
<b>Colors</b>	Velocity Grey, Nebula White



# IBEX 800 S



## SPECIFICATIONS

<b>Engine</b>	2-cylinder inline, liquid-cooled, 8 valves, DOHC
<b>Displacement</b>	799cc
<b>Bore x Stroke</b>	88mm x 65.7mm (3.5" x 2.6")
<b>Max Power</b>	94 hp @ 9000 rpm
<b>Max Torque</b>	56.8 ft. lbs. @ 7500 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, wet multi disc, CF-SC slipper clutch
<b>L x W x H</b>	88" x 34" x 50"
<b>Wheel Base</b>	60.3"
<b>Seat Height</b>	32.5"
<b>Fuel Capacity</b>	5 gal.
<b>Curb Weight</b>	509 lbs.
<b>Suspension</b>	Front: KYB 160mm upside down telescopic fork, preload, rebound & compression adjustable Rear: KYB 150mm single shock, preload & rebound adjustable
<b>Brakes</b>	Front: J. Juan 320mm dual disc, radial mount 4-piston caliper Rear: J. Juan 260mm single disc, 2-piston floating caliper
<b>ABS</b>	Standard ABS and cornering ABS
<b>Rim (Front/Rear)</b>	19"/17" Aluminum alloy
<b>Additional Features</b>	LED headlights, taillights, signal lights and fog lights; 7" TFT display with Bluetooth and CFMOTO Ride App connectivity, electronic throttle, sport and rain ride modes, cruise control, adjustable windscreen
<b>Colors</b>	Nebula Black, Twilight Blue

# IBEX 800 T



## SPECIFICATIONS

<b>Engine</b>	2-cylinder inline, liquid-cooled, 8 valves, DOHC
<b>Displacement</b>	799cc
<b>Bore x Stroke</b>	88mm x 65.7mm (3.5" x 2.6")
<b>Max Power</b>	94 hp @ 9000 rpm
<b>Max Torque</b>	56.8 ft. lbs. @ 7500 rpm
<b>Fuel System</b>	Bosch® EFI
<b>Transmission</b>	6-speed, wet multi disc, slipper clutch
<b>L x W x H</b>	88" x 34" x 50"
<b>Wheel Base</b>	60.3"
<b>Seat Height</b>	32.5"
<b>Fuel Capacity</b>	5 gal.
<b>Curb Weight</b>	509 lbs.
<b>Suspension</b>	Front: KYB 160mm upside down telescopic fork, preload, rebound & compression adjustable Rear: KYB 150mm single shock, preload & rebound adjustable
<b>Brakes</b>	Front: J. Juan 320mm dual disc, radial mount 4-piston caliper Rear: J. Juan 260mm single disc, 2-piston floating caliper
<b>ABS</b>	Standard ABS and cornering ABS
<b>Rim (Front/Rear)</b>	19"/17" Spoke rim
<b>Additional Features</b>	LED headlights, taillights, signal lights and fog lights; 7" TFT display with Bluetooth and CFMOTO Ride App connectivity, electronic throttle, sport and rain ride modes, cruise control, adjustable windscreen, heated grips, heated seat, quickshifter, USB port, 12-volt DC
<b>Colors</b>	Twilight Blue