



Blacktop turns to gravel and most other motorcycles turn around. Not you. You're an adventure rider on a bike named for one of the most nimble climbers in these mountains the Ibex. The wire spoke wheels, skid plate, and KYB suspension make your intentions clear. There's a wilderness of great riding opportunities out there. You bet it can get rough. This cliff-dweller hopes it does.

STANDARD FEATURES

- Liquid-cooled parallel twin engine, Bosch EFI, 94 hp
- Full LED lighting
- J.Juan high performance disc brakes with standard ABS and cornering ABS
- Slipper clutch
- Fully adjustable KYB USD fork and adjustable rear shock
- ETC: Electronic throttle with cruise control
- Rider-selectable sport and rain ride modes
- Heated grips and driver seat



IBEX 800 T SPECIFICATIONS

POWER

Engine	2-cylinder inline, liquid-cooled, EFI, 8 valves, DOH	
Displacement	799сс	
Bore x Stroke	88mm × 65.7mm (3.5" x 2.6")	
Max Power	94 hp @ 9000 rpm	
Max Torque	56.8 ft-1b @ 7500 rpm	
Fuel System	Bosch® EFI	
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch	

DIMENSIONS

LxWxH	88" x 34" x 50"	
Wheelbase	60.3"	
Seat Height	32.5"	
Fuel Capacity	5 gal.	
Curb Weight	509 lbs.	

CHASSIS & BRAKES

Suspension	Front: Front: KYB 160mm upside down for preload, compression & rebound adjustable Rear: KYB 150mm single shock, preload & rebound adjustable	-
Brakes	Front: J.Juan 320mm dual disc, radial moun 4-piston caliper Rear: J.Juan 260mm single disc, double-piston floating caliper	t
ABS & CBS	Standard ABS and cornering ABS	
Rim (Front/Rear)	19"/17" Spoked aluminum	
DDITIONAL FATURES	LED headlights, taillights, signal lights and fog lights; 7" TFT display with Bluetooth and CFMOTO Ride App connectivity, electronic throttle, sport and rain ride modes, cruise control, adjustable windscreen, heated grips,	

COLORS

Twilight Blue


heated seat, quickshifter, USB port, 12-volt DC



The Ibex S is no garage queen. This world trekker is robustly constructed to give you odometer bragging rights. The 5-gallon fuel tank, available luggage, and all-day riding comfort will compel you to take the long way round. A collection of adventurefriendly qualities, including the high-powered twin cylinder engine, superior brakes, and long travel suspension, enable you to take your riding adventures to every destination on your list.

STANDARD FEATURES

- Liquid-cooled parallel twin engine, Bosch EFI, 94 hp
- Full LED lighting
- J.Juan high performance disc brakes with standard ABS and cornering ABS
- Slipper clutch
- Fully adjustable KYB USD fork and adjustable rear shock
- ETC: Electronic throttle with cruise control
- Rider-selectable sport and rain ride modes





COLORS: ▲ TWILIGHT BLUE **■ NEBULA BLACK**



POWER

	Engine	2-cylinder inline, liquid-cooled, EFI, 8 valves, DOI
	Displacement	799cc
	Bore x Stroke	88mm × 65.7mm (3.5" x 2.6")
	Max Power	94 hp @ 9000 rpm
	Max Torque	56.8 fl-lb @ 7500 rpm
	Fuel System	Bosch® EFI
7	Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS

LxWxH	88" x 34" x 50"	
Wheelbase	60.3"	
Seat Height	32.5"	
Fuel Capacity	5 gal.	
Curb Weight	509 lbs.	

CHASSIS & BRAKES

Suspension	Front: KYB 160mm upside down fork, preloa compression & rebound adjustable Rear: KYB 150mm single shock, preload & rebound adjustable
Brakes	Front: J.Juan 320mm dual disc, radial mount 4-piston caliper Rear: J.Juan 260mm single disc, double-piston floating caliper
ABS & CBS	Standard ABS and cornering ABS
Rim (Front/Rear)	19"/17" Aluminum alloy
ADDITIONAL FEATURES	LED headlights, taillights, signal lights and fog lights; 7" TFT display with Bluetooth and CFMOTO Ride App connectivity, electronic

COLORS

Nebula Black, Twilight Blue

control, adjustable windscreen

throttle, sport and rain ride modes, cruise



It teases you with good looks. Entertains you with performance. And thrills you with the low price. The 700 CL-X reminds you every destination is worth riding to. And this bike makes riding second nature thanks in part to these features: J.Juan high performance brakes. Bosch EFI. A fully adjustable KYB fork. Electronic throttle with one-touch cruise control. This bike is built to be exercised daily.

STANDARD FEATURES

- Liquid-cooled parallel twin engine, Bosch EFI, at 74 hp
- Full LED lighting with a signature DRL & taillight
- J.Juan high performance disc brakes with Continental dual channel ABS
- Slipper clutch
- Fully adjustable KYB built fork, and a link-mounted progressive rear shock
- ETC: Electronic throttle with one-touch cruise control
- Traction control





CHASSIS & BRAKES

Front: KYB 41mm upside down fork, preload, Suspension compression & rebound adjustable Rear: KYB link-mounted single shock, progressive rate, preload & rebound adjustable Brakes Front: J.Juan 320mm single disc, radially mounted 4-piston caliper Rear: J.Juan 260mm single disc, floating 2-piston caliper ABS & CBS Continental ABS, dual channel Rim (Front/Rear) 3.5 x 17/4.5 x 17 MT Aluminum alloy **ADDITIONAL** LED headlights, taillights, and signal lights; **FEATURES** LCD display, electronic throttle, Eco and Sport ride modes, one-touch cruise control, traction

COLORS Nebula Black, Zephyr Blue

control

700CL-X SPECIFICATIONS

POWER

Engine	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
Displacement	693cc
Bore x Stroke	83mm × 64mm (3.25" × 2.5")
Max Power	74 hp @ 8500 rpm
Max Torque	50.2 ft-lb @ 6500 rpm
Fuel System	Bosch® EFI
ransmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS

LxWxH	83" x 35" x 47"	
Wheelbase	56.5"	
Seat Height	31.5"	
Fuel Capacity	3.4 gal.	
Curb Weight	432 lbs.	



With the height of technology and jaw-dropping looks, people have a lot to say about the 700CL-X Sport. One flick of the wrist, and you'll leave them speechless. In the spirit of café racer tradition, this retro sport bike is the embodiment of CFMOTO ingenuity and top-of-the-line components. Many of which are sourced from the finest specialists in the world, including the likes of Bosch, KYB and Brembo. Few bikes deliver this much performance and style per mile.

STANDARD FEATURES

- Liquid-cooled parallel twin engine, Bosch EFI, at 74 hp
- Brembo 320mm dual front disc brakes with radially mounted 4-piston calipers
- Clip-on handlebars promoting a low & aggressive rider position
- Sport-designed tail section with optional rider pillion
- Sport-tuned KYB built, adjustable USD fork, and link mounted monoshock
- Rider-selectable power modes
- 2-year manufacturer's warranty





COLORS:

▲ NEBULA WHITE

CHASSIS & BRAKES

Front: KYB 41mm upside down fork, preload, Suspension compression & rebound adjustable Rear: KYB link-mounted single shock, progressive rate, preload & rebound adjustable Front: Brembo® Stylema 300mm dual disc, Brakes radially mounted 4-piston caliper Rear: Brembo® Stylema 260mm single disc, radially mounted 2-piston caliper Continental ABS, dual channel ABS & CBS Rim (Front/Rear) 3.5 x 17/4.5 x 17 MT Aluminum alloy LED headlights, taillights, and signal lights;

ADDITIONAL FEATURES

LCD display, electronic throttle, Eco and Sport ride modes, bar-end mirrors, one-touch cruise control

COLORS

Velocity Grey, Nebula White

700CL-X SPORT SPECIFICATIONS

POWER

Engine	2-cylinder inline, 4-stroke, liquid-cooled, DOH
Displacement	693cc
Bore x Stroke	83mm × 64mm (3.25" x 2.5")
Max Power	74 hp @ 8500 rpm
Max Torque	50.2 ft-lb @ 6500 rpm
Fuel System	Bosch® EFI
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS

LxWxH	83" x 31" x 45"	
Wheelbase	56.5"	
Seat Height	31.5"	
Fuel Capacity	3.4 gal.	
Curb Weight	451 lbs.	



It's the motorcycle that does it all. The 649cc twin grants you instant freedom. Thanks to plenty of ground clearance and suspension travel, you're invited to go places most cycles will never wander. And for days when getting lost is the destination, the upright riding position and all-day touring saddle make the longest journeys the most rewarding. What are you waiting for? Go have your ADVentura.

STANDARD FEATURES

- Adjustable windscreen
- Side wind deflectors to enhance rider comfort
- Two detachable hard-side panniers
- 2-year manufacturer's warranty



COLORS: ▲ NEBULA WHITE **◄** ATHENS BLUE

POWER

Displacement

Bore x Stroke

Max Power Max Torque

Fuel System

Transmission

DIMENSIONS

LxWxH

Wheelbase

Seat Height

Fuel Capacity

Curb Weight

Engine

CHASSIS & BRAKES Front: KYB upside down fork, rebound adjustable Suspension

> Rear: KYB offset cantilever, rebound and preload adjustable

Brakes Front: J.Juan 300mm dual disc, 2-piston caliper

650 ADVENTURA SPECIFICATIONS

649сс

Bosch® EFI

85" x 33" x 52"

55.7"

4.75 gal.

480 lbs.

33"

83mm × 60mm (3.25" x 2.3")

60 hp @ 8750 rpm

41.3 ft-lb @ 7000 rpm

2-cylinder inline, 4-stroke, liquid-cooled, DOHC

6-speed, wet, multi-plate, CF-SC slipper clutch

Rear: J.Juan 240mm dual disc, single-piston floating caliper

Continental ABS, dual channel

ABS & CBS Rim (Front/Rear) 3.5 x 17/4.5 x 17 MT Aluminum alloy

ADDITIONAL **FEATURES**

LED headlights, taillights, and signal lights; LCD display, hard-side panniers, adjustable windscreen

COLORS Nebula White, Athens Blue



If there's one motorcycle everyone should ride, it's the 650NK. This midsize naked bike checks all the boxes. Sport bike. Commuter bike. Everyday bike. Plus, the fact that those who ride it say it feels like it was made just for them. It has everything you need to instill confidence and hone your riding skills. Including a 649cc parallel twin, KYB sport tuned suspension, and J.Juan brakes. On this bike you'll have the riding experience you've always imagined.

STANDARD FEATURES

- 649cc, liquid-cooled, fuel-injected parallel twin
- 6-speed transmission
- Slipper clutch
- Full color TFT display
- J.Juan dual front and rear disc brakes
- Continental ABS, dual-channel
- 5" TFT display with Bluetooth
- 2-year manufacturer's warranty





POWER

Engine	2-cylinder inline, 4-stroke, liquid-cooled, DOH
Displacement	649cc
Bore x Stroke	83mm × 60mm (3.25" x 2.3")
Max Power	60 hp @ 8750 rpm
Max Torque	41.3 ft-lb @ 7000 rpm
Fuel System	Bosch® EFI
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS

LxWxH	83" x 32" x 39"	
Wheelbase	55.7"	
Seat Height	30.7"	
Fuel Capacity	4.5 gal.	
Curb Weight	454 lbs.	

CHASSIS & BRAKES

Suspension	Front: KYB upside down fork, rebound adjustable Rear: KYB offset cantilever, rebound and preload adjustable	
Brakes	Front: J.Juan 300mm dual disc, 2-piston caliper Rear: J.Juan 240mm dual disc, single-piston floating caliper	
ABS & CBS	Continental ABS	
Rim (Front/Rear)	3.5 x 17/4.5 x 17 MT Aluminum alloy	
DDITIONAL FATURES	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity	
LORS	Nebula White, Nebula Black	



What's better than watching the world's top MotoGP racers conquer each other on the racetrack? Swapping your spectator seat for the saddle of your own MotoGP-inspired 450SS. Here are your reasons for doing that: Best power to weight ratio in its class. Mind-bending handling. Battle-proven durability. This motorcycle doesn't just test the limits of what a great sport bike should be, it blows right past them.

STANDARD FEATURES

- Liquid-cooled parallel twin engine, Bosch EFI, at 50 hp
- Full LED lighting
- Brembo high performance front disc brakes with Continental ABS
- Multi-link rear suspension
- Front fairing with integrated windscreen
- 5" TFT display with Bluetooth



COLORS: ▲ NEBULA BLACK ▼ ZIRCON BLACK



450SS SPECIFICATIONS

POWER

Engine	2-cylinder inline, 4-stroke, liquid-cooled, DOHC
Displacement	450cc
Bore x Stroke	77mm × 55.2mm (3" × 2.2")
Max Power	50 hp @ 9500 rpm
Max Torque	28.8 ft-1b @ 7600 rpm
Fuel System	Bosch® EFI
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS

LxWxH		79" x 2	29.5" x 39"		
Wheelbase		53.5"			
Seat Height		31"			
Fuel Capacity	,	3.7 gal.			
Curb Weight	3	370 lbs.			

CHASSIS & BRAKES

Suspension	Front: Upside down fork Rear: Multi-link suspension	
Brakes	Front: Brembo® M40 320mm single disc radially mounted 4-piston caliper Rear: 220mm single disc, single-piston floating caliper	
ABS & CBS	Continental ABS	
Rim (Front/Rear)	3.0 x 17/4.0 x 17 MT, Aluminum alloy	
DDITIONAL EATURES	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity	
LORS	Zircon Black, Nebula Black	

9



The gears in your head mesh with the gears of the bike. Riding does that to you. Shift. Especially in the moment. Shift. Approaching the curve. Shift. Leaning. Shift. Accelerating. Shift. Exiting. Shift. And gathering by the grin on your face, you want to go again. Shift. Go right ahead. The 300NK may be an entry-level motorcycle, but it's made to experience every shifting moment a rider could ever want.

STANDARD FEATURES

- 6-speed transmission
- High-performance single-cylinder EFI engine
- Upside-down front fork
- Slipper clutch
- Continental ABS
- 5" TFT display with Bluetooth
- 2-year manufacturer's warranty





300NK SPECIFICATIONS

POWER

Engine	Single-cylinder, liquid-cooled, DOHC, 4 valves
Displacement	292cc
Bore x Stroke	78mm × 61.2mm (3" x 2.4")
Max Power	29 hp @ 8750 rpm
Max Torque	18.7 ft-1b @ 7250 rpm
Fuel System	Bosch® EFI
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS

LxWxH	78" x 30.7" x 42"	
Wheelbase	53.5"	
Seat Height	31.2"	
Fuel Capacity	3.3 gal.	
Curb Weight	333 lbs.	

CHASSIS & BRAKES

Suspension	Front: Upside down fork, hydraulic damping Rear: Mono suspension, center aligned
Brakes	Front: 292mm single disc, 4-piston caliper Rear: 220mm single disc, single-piston floating caliper
ABS & CBS	Continental ABS
Rim (Front/Rear)	3 x 17/3.5 x 17 MT Aluminum alloy
ADDITIONAL FEATURES	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity
COLORS	Athens Blue, Nebula Black



Small, light, and flickable describes the 300SS. Ignite the single-cylinder, liquid-cooled powerplant. Release the clutch. And head for the hills. Because that is where this little giant shines. As your right hand manages the throttle, your left foot dances with the gears. Corner after corner. Sticky tires cemented to the road. It's the best feeling on two wheels. But don't take our word for it. Leaning is believing.

STANDARD FEATURES

- 6-speed transmission
- Full LED lighting
- 5" TFT display with Bluetooth
- Rider-selectable power modes
- Continental ABS, dual channel
- Slipper clutch
- 2-year manufacturer's warranty



COLORS:

▲ NEBULA BLACK
▼ GHOST GREY



300SS SPECIFICATIONS

POWER

Engine	Single-cylinder, liquid-cooled, DOHC, 4 valves
Displacement	292cc
Bore x Stroke	78mm × 61.2mm (3" x 2.4")
Max Power	29 hp @ 8750 rpm
Max Torque	18.7 ft-lb @ 7250 rpm
Fuel System	Bosch® EFI
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS

LxWxH	79" x 29.5" x 42.5"	
Wheelbase	53.5"	
Seat Height	30.7"	
Fuel Capacity	3.2 gal.	
Curb Weight	364 lbs.	

CHASSIS & BRAKES

Suspension	Front: Upside down fork, hydraulic damping Rear: Mono suspension, center aligned
Brakes	Front: 292mm single disc, 4-piston caliper Rear: 220mm single disc, single-piston floating caliper
ABS & CBS	Continental ABS, dual channel
Rim (Front/Rear)	3 x 17/3.5 x 17 MT Aluminum alloy
ODITIONAL ATURES	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity

COLORS Ghost Grey, Nebula Black



Much more than basic transportation, the Papio transports you to a world of fun. Lightweight, simple, and extremely reliable—it's the easiest way to own the riding experience: A single-cylinder, air-cooled engine. A six-speed transmission. A superb set of binders (that's slang for motorcycle brakes). Not to mention all the other premium parts that make those wonderful little wheels go around. Did we mention the price? Bargain.

STANDARD FEATURES

- Eye-grabbing mini-bike styling
- Strong and stiff frame promoting great handling
- Lightweight 126cc air-cooled engine
- 6-speed transmission
- Pre-load adjustable monoshock
- Disc brakes front and rear



PAPIO SPECIFICATIONS

POWER

Engine	Single cylinder, 4-stroke, air-cooled, vertical
Displacement	126cc
Bore x Stroke	57mm × 49.4mm (2.2" x 1.9")
Max Power	9.4 hp @ 8500 rpm
Max Torque	6.1 ft-1b @ 6500 rpm
Fuel System	EFI
Transmission	6-speed

DIMENSIONS

LxWxH	68" x 30" x 39"	
Wheelbase	48"	
Seat Height	30.5"	
Fuel Capacity	1.9 gal.	
Curb Weight	251 lbs.	

CHASSIS & BRAKES

	Suspension	Front: Telescopic front suspension Rear: Central monoshock	
	Brakes	Front: 210mm single-disc, 2-piston caliper Rear: 190mm single-disc, single-piston floating caliper	
	ABS & CBS	N/A	
	Rim (Front/Rear)	2.75 x 12 MT/3.5 x 12 MT Light alloy	
	DDITIONAL ATURES	LED headlights, taillights and signal lights; LCD display	
0	LORS	Galaxy Grey, Lemon Green	
	LONG	Odiaky Oley, Lemon Oleen	

IBEX 800 ACCESSORIES





BRAKE RESERVOIR GUARD, REAR Fits MY23 Ibex 800 T, S

- Laser-cut stainless steel for added function
- Protects the rear brake reservoir from the rider and the environment

6WWV-802400-5000 \$39.99 MSRP



TALL SEAT Fits MY23 Ibex 800 S

- 1.2" (30mm) taller than stock seat
- Improved rider comfort with cushioned design and flatter profile for taller riders
- Synthetic seat cover material

6WWV-807100-5000 (S Model) \$149.99 MSRP



SCREEN PROTECTOR Fits MY23 Ibex 800 T, S

- Added protection for TFT display to deflect scratches and debris
- TPU material provides a clear view and is easy

6WWV-801400-5000 \$14.99 MSRP



TALL SEAT, HEATED Fits MY23 Ibex 800 T

- 1.2" (30mm) taller than stock seat
- Improved rider comfort with cushioned design and flatter profile for taller riders
- Retains original heating function under synthetic seat cover material
- Compatible with T model only


6WWV-807200-5000 (T Model) \$199.99 MSRP



TOP CASE, SILVER Fits MY23 Ibex 800 T, S

- Standalone aluminum top case and mounting plate, compatible with all Ibex 800 models
- Lockable lid and mounting system
- Built-in passenger backrest
- 36L storage capacity

6WWV-803000-5000



PANNIER SET, SILVER Fits MY23 Ibex 800 T. S

- Fully waterproof and dustproof aluminum 3-piece luggage set for the Ibex 800 Compatible with factory racks, and includes
- mounting plate for top box Lockable lids and mounting system, removable
- microfiber liner, and built-in carry handles
- Top case fits one full-face helmet
- Storage capacity: Right 28L, Left 35L, Top 36L 6WWV-808000-5000 \$1.699.99 MSRP



ENGINE GUARD Fits MY23 Ibex 800 T, S

6WWV-801000-5000

\$199.99 MSRP

- Additional protection for the motorcycle and rider
- Easy install and works with stock protection bars Heavy-duty steel construction, painted silver
 - - Double springs and adjustable rubber stopper
 - powder-coated black



OFF-ROAD FOOT PEGS Fits MY23 Ibex 800 T. S

- Strong and lightweight CNC aluminum off-road foot pegs for increased traction and better rider control
- Raise your confidence with a direct feel to the road and high grip in wet and muddy conditions • 30% more contact area than stock foot peg and
- adjustable width for rider preference
- Direct replacement and easy to install with stock hardware

6WWV-802510-5000 (LH) \$79.99 MSRP 6WWV-802520-5000 (RH) \$79.99 MSRP



- Easily lift the motorcycle to a stable position for storage, maintenance, or on any terrain
- Great leverage for any rider to operate
- Heavy-duty steel construction,

6WWV-809400-5000



HANDLEBAR RISERS Fits MY23 Ibex 800 T. S

- Increase the height of the handlebars by .8" (20mm)
- Better comfort for taller riders or for riding off-road while standing
- Aluminum alloy construction, painted silver to match stock mounts
- Longer bolts included, sold as a pair

6WWV-807000-5000 \$59.99 MSRP



- Made with CNC aluminum and stainless steel • Increase the footprint of the side stand and improve the stability of the bike when parking on loose surfaces or hot asphalt
- 6WWV-802100-5000 \$39.99 MSRP



TANK PAD SET Fits MY23 Ibex 800 T. S

- Modular 5-piece tank pad gives the motorcycle a unique and customizable look
- Protects the tank and paint from dings and scratches while providing the rider a better grip on the motorcycle
- Premium rubber material, CFMOTO logo, adhesive backing will not damage paint

6WWV-801500-5000 \$59.99 MSRP

IBEX 800 ACCESSORIES





650 ADVENTURA ACCESSORIES





BRAKE CALIPER GUARD, FRONT

- Fits MY23 Ibex 800 T, S
- Added protection for the front brake calipers when riding in harsh environments
- Laser-cut design in stainless steel enhances the styling of the front end
- Sold as a pair

6WWV-802200-5000 \$39.99 MSRP



HEADLIGHT GUARD Fits MY23 Ibex 800 T. S

- Style and performance protection for the headlight assembly
- Helps protect from rocks and other road debris on and off-road
- Made of heavy-gauge 3mm stainless steel, painted silver

6WWV-806300-5000 \$149.99 MSRP



RADIATOR GUARD Fits MY23 Ibex 800 T. S

- Easily installs on the radiator to protect against rocks and road debris from damaging the cooling fins
- Made of heavy gauge 3mm stainless steel, painted silver

6WWV-802030-5000 \$129.99 MSRP



FOG LIGHT GUARDS Fits MY23 Ibex 800 T. S

- Protects the fog lights from the impact of road debris while riding on and off-road

 • Added style while functioning to guard the lights
- from damage
- Laser-cut stainless steel, painted black

6WWV-808100-5000 \$69.99 MSRP



TOP CASE, 39L Fits MY22 and later 650 ADVentura

- Matching top case to complement factory panniers
 Fits a full-face helmet, or 39L of cargo
- Fully waterproof
- Passenger backrest included
 Requires COMT60ST Rear Luggage Rack

D0B39106 \$199.99 MSRP



REAR LUGGAGE RACK Fits MY22 and later 650 ADVentura

- Allows for more storage space or the option to mount a top case (D0B39106) for touring
- Factory fit and easy install with only four bolts under the seat
- Heavy-duty steel construction, powder-coated

COMT60ST \$149.99 MSRP



- Perfect-fit soft bag inserts for factory panniers
 Leave the panniers on the bike, and take the bag with you with the included shoulder strap
 Sold individually

XOIB36 \$55.99 MSRP











Fits MY22 and later 700CL-X

- Optional brown color for a distinctive look and feel
- Smooth leather seat cover
- Exact replacement of stock black seat



SEAT, TALL

Fits MY22 and later 700CL-X

- 1" (25mm) taller than stock seat
- Diamond pattern and taller height for improved rider comfort
- Synthetic seat cover material, available in brown or black

Brown - 6GUV-807200-6000 Black - 6GU#-807100-6000 \$199.99 MSRP



SEAT, PASSENGER

Fits MY22 and later 700CL-X Sport • Rear passenger seat replaces the stock seat

- cowling on the CL-X Sport
- Matching material, stitching, and style to the rider seat
- No tools required for installation

6GUV-807100-7000



CHAIN GUARD

\$129.99 MSRP

Fits MY22 and later 700CL-X, 700CL-X Sport

- Aluminum and stainless-steel construction
- Enhanced chain protection for the bike and rider

 Adjustable length and milled "X" logo 6GUV-801700-6000




RADIATOR GUARD

Fits MY22 and later 700CL-X, 700CL-X Sport

- High quality anodized aluminum and
- Protects the radiator from rocks and other debris
- Retro design elements to complement the CL-X

6GUV-803000-6000 \$129.99 MSRP



SIDE STAND ENLARGER

Fits MY22 and later 700CL-X, 700CL-X Sport

- Made with CNC aluminum and stainless steel
- Increase the footprint of the side stand and improve the stability of the bike when parking on loose surfaces or hot asphalt

6GUV-802100-6000 \$39.99 MSRP



BAR-END MIRRORS Fits MY22 and later 700CL-X, 700CL-X Sport


- Aviation-grade 6061 aluminum, precision CNC
 Spherical glass has a wide field of view and great adjustability
- Can be mounted vertically or upside down, based on preference
- Sold as a pair

6GUV-808300-6000 \$149.99 MSRP



450SS ACCESSORIES





RADIATOR GUARD Fits MY23 450SS

- Quickly and easily installs on the radiator for added style and protection
- Protects the cooling fins against road debris
- Detachable for easy cleaning

6AQV-801000-1000 \$39.99 MSRP



TALL WINDSHIELD. TINTED Fits MY23 450SS

- Wider and taller coverage, providing better wind protection and comfort for the rider
- Sport look and tinted color
- Direct replacement of stock windshield

6AQV-801010-1000 \$99.99 MSRP



SEAT COWL Fits MY23 450SS

- Racing style seat cowl replaces the passenger seat
- Lightweight design and built-in rear cushion for the rider for an aggressive and secure stance on the motorcycle

6AQV-801100-1000 (Nebula Black - White) \$149.99 MSRP 6AQV-801200-1000 (Zircon Black - Grey) \$149.99 MSRP



• Protects the front and rear axles and wheel

- components from damage with slider head and a through-axle mounting solution
- Easy to install and adds to the racing style
- Front is double-sided, rear is one-sided Made with stainless steel hardware and POM

6AQV-802400-1000 (Front) \$49.99 MSRP 6AQV-802500-1000 (Rear) \$39.99 MSRP



REARSETS, SILVER

GP-style shifting

CNC aluminum, anodized silver

6AQV-802200-1000 (LH) \$199.99 MSRP

6AQV-802300-1000 (RH)

\$199.99 MSRP

Adjustable rearsets are sport performance and

function in one package

Foot peg height is adjustable in three positions to rider preference and comfort

Provides a more aggressive riding stance and race style for the serious rider

Brake and shift levers have multiple positions

available, while the shifter is also reversible for

Fits MY23 450SS



LEVERS, SILVER Fits MY23 450SS

- Precision-adjustable brake and clutch levers, easier pull with more leverage that puts the controls within anyone's reach
- Folding ends to help avoid damage to the lever
- Anodized silver, aluminum construction

6AQV-802000-1000 (Brake Lever) \$74.99 MSRP 6AQV-803000-1000 (Clutch Lever) \$74.99 MSRP



- Locates convenient USB-C and USB-A power ports into the dash of the motorcycle for charging a phone or other devices
- Provides 5V/3A, 9V/2A, and 12V/1.5A power

\$39.99 MSRP



LEVER PROTECTORS, SILVER Fits MY23 450SS

- Race-style clutch and brake lever protectors to avoid damage to the levers or unintended use of the controls
- CNC aluminum and glass-filled nylon construction

6AQV-802110-1000 (LH) \$49.99 MSRP 6AQV-803110-1000 (RH) \$49.99 MSRP



TALL SEAT Fits MY23 450SS

- Improved ergonomics for taller riders or better comfort on longer rides
- Increased grip with comfortable seat cover material

• .8" (20mm) taller than stock seat

6AQV-807100-4000 \$149.99 MSRP



USB CONNECTOR, TYPE-C Fits MY23 450SS

- Plug-and-play installation with included wiring on the motorcycle, just plug in and go

6AQV-804000-1000



LOW SEAT Fits MY23 450SS

- Improved ergonomics and comfort for shorter riders or riders who would like to get their feet more firmly on the ground when stopped
- Increased grip with comfortable seat cover material • .4" (10mm) shorter than stock seat

6AQV-807200-4000 \$149.99 MSRP



300SS ACCESSORIES





LEVERS, SILVER Fits MY22 and later 300SS, 300NK

- Adjustable brake and clutch levers, easier and lighter pull that puts the controls within anyone's reach
- Anodized silver, aluminum construction
- Easy and fast installation, sold as a pair

6KM6-802200-8000 \$149.99 MSRP



TINTED WINDSHIELD, TALL Fits MY22 and later 300SS

- Wider and taller coverage, providing better wind protection for the rider
- Sport look and tinted color
- Direct replacement of stock windshield

6KMV-805200-8000-10 \$99.99 MSRP



LEVER PROTECTORS, SILVER Fits MY22 and later 300SS

- Race-style clutch and brake lever protectors to avoid damage to the levers or unintended use of the controls
- CNC aluminum and glass-filled nylon construction
- Sold as a pair

6KMV-802100-8000 \$79.99 MSRP



SEAT, TALL Fits MY22 and later 300SS

- 1" (25mm) taller than stock seat Improved rider comfort with cushioned design
- and taller height
- Synthetic seat cover material

6KM#-807100-8000 \$149.99 MSRP





TANK PAD Fits all models

- Modular 3-piece tank pad gives the motorcycle a unique and customizable look
- Protects the tank and paint from dings and scratches
- Premium rubber material, CFMOTO logo, adhesive backing will not damage paint

6AQV-802600-1000 \$29.99 MSRP



E-10P PIN SYSTEM TANK BAG

- Fits all models except Papio

 Quick-fit tank bag that attaches to the motorcycle safely and easily
- 5-liter capacity
- Fast installation and four positions to fit your bike
 Included security strap and shoulder strap
- *Requires PIN System for Tank Bags (X0282PS)

XOSE10P \$135.99 MSRP



PIN SYSTEM FOR TANK BAGS Fits all MY22 and later motorcycles except Papio

- Developed specifically for CFMOTO motorcycles to mount PIN system tank bags like the E-10P
- Replaces 3 fuel cap bolts with discrete 'pins' that remain in place when you remove the tank bag
- Simple and unobtrusive method for safely securing the tank bag without modifying or
- damaging the motorcycle

 Compatible with any PIN system tank bag by SHAD

X0282PS \$29.99 MSRP







CFMOTO RIDE APP. THE ULTIMATE DIGITAL GARAGE.



RIDE

This app makes riding more fun, and you a better, safer rider. There's tons of info. From navigation details to riding records to diagnostics. Self Check is a systems scan of your entire motorcycle anytime, anywhere. My Ride shows details of every ride: total mileage, top speed, acceleration, cornering stats, even braking data. This is the information professional riders use to sharpen their skills. Now you'll use it to have more fun. There's even Vehicle Seek, the anti-theft feature that locates your vehicle in the event it's stolen. Download CFMOTO RIDE free from the App Store.









2-cylinder inline, 4-stroke, liquid-cooled, DOHC

6-speed, wet, multi-plate, CF-SC slipper clutch

650 ADVENTURA

83mm × 60 mm (3.25" x 2.3")

Nebula White, Athens Blue

60 hp @ 8750 rpm

Bosch® EFI

41.3 ft-lb @ 7000 rpm



IBEX 800 T IBEX 800 S



2-cylinder inline, liquid-cooled, EFI, 8 valves, DOHC	2-cylinder inline, liquid-cooled, EFI, 8 valves, DOHC
799cc	799cc
88mm × 65.7mm (3.5" x 2.6")	88mm × 65.7mm (3.5" x 2.6")
94 hp @ 9000 rpm	94 hp @ 9000 rpm
56.8 ft-lb @ 7500 rpm	56.8 ft-1b @ 7500 rpm
Bosch® EFI	Bosch® EFI
6-speed, wet, multi-plate, CF-SC slipper clutch	6-speed, wet, multi-plate, CF-SC slipper clutch

modes, cruise control, adjustable windscreen, heated grips, heated seat, quickshifter, USB port, 12-volt DC

Twilight Blue

DIMENSIONS

POWER Engine

Displacement Bore x Stroke

Max Power

Max Torque

Fuel System

Transmission

COLORS

LxWxH	85" x 33" x 52"	88" x 34" x 50"	88" x 34" x 50"
Wheelbase	55.7"	60.3"	60.3"
Seat Height	33"	32.5"	32.5"
Fuel Capacity	4.75 gal.	5 gal.	5 gal.
Curb Weight	480 lbs.	509 lbs.	509 lbs.

CHASSIS & BRAKES			
Suspension	Front: KYB upside down fork, rebound adjustable	Front: KYB 160mm upside down fork, preload, compression & rebound adjustable	Front: KYB 160mm upside down fork, preload, compression & rebound adjustable
	Rear: KYB offset cantilever, rebound and preload adjustable	Rear: KYB 150mm single shock, preload & rebound adjustable	Rear: KYB 150mm single shock, preload & rebound adjustable
Brakes	Front: J.Juan 300mm dual disc, 2-piston caliper	Front: J.Juan 320mm dual disc, radial mount 4-piston caliper	Front: J.Juan 320mm dual disc, radial mount 4-piston caliper
	Rear: J.Juan 240mm dual disc, single-piston floating caliper	Rear: J.Juan 260mm single disc, double-piston floating caliper	Rear: J.Juan 260mm single disc, double-piston floating caliper
ABS & CBS	Continental ABS, dual-channel	Standard ABS and cornering ABS	Standard ABS and cornering ABS
Rim (Front/Rear)	3.5 x 17/4.5 x 17 MT Aluminum alloy	19"/17" Aluminum alloy	19"/17" Spoked aluminum
ADDITIONAL FEATURES	LED headlights, taillights, and signal lights; LCD display, hard-side panniers, adjustable windscreen	LED headlights, taillights, signal lights and fog lights; 7" TFT display with Bluetooth and CFMOTO Ride App connectivity, electronic throttle, sport and rain	LED headlights, taillights, signal lights and fog light 7"TFT display with Bluetooth and CFMOTO Ride App connectivity, electronic throttle, sport and rain ride

ride modes, cruise control, adjustable windscreen

Nebula Black, Twilight Blue







300NK	

POWER	

TOTTER			
Engine	Single cylinder, 4-stroke, air-cooled, vertical	Single-cylinder, liquid-cooled, DOHC, 4 valves	Single-cylinder, liquid-cooled, DOHC, 4 valves
Displacement	126cc	292cc	292cc
Bore x Stroke	57mm × 49.4mm (2.2" x 1.9")	78mm × 61.2mm (3" x 2.4")	78mm × 61.2mm (3" x 2.4")
Max Power	9.4 hp @ 8500 rpm	29 hp @ 8750 rpm	29 hp @ 8750 rpm
Max Torque	6.1 ft-lb @ 6500 rpm	18.7 ft-lb @ 7250 rpm	18.7 ft-lb @ 7250 rpm
Fuel System	EFI	Bosch® EFI	Bosch® EFI
Transmission	6-speed	6-speed, wet, multi-plate, CF-SC slipper clutch	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS

LxWxH	68" x 30" x 39"	79" x 29.5" x 42.5"	78" x 30.7" x 42"
Wheelbase	48"	53.5"	53.5"
Seat Height	30.5"	30.7"	31.2"
Fuel Capacity	1.9 gal.	3.2 gal.	3.3 gal.
Curb Weight	251 lbs.	364 lbs.	333 lbs.

CHASSIS & BRAKES

CHASSIS & BRAKES			
Suspension	Front: Telescopic front suspension	Front: Upside down fork, hydraulic damping	Front: Upside down fork, hydraulic damping
	Rear: Central monoshock	Rear: Mono suspension, center aligned	Rear: Mono suspension, center aligned
Brakes	Front: 210mm single disc, 2-piston caliper	Front: 292mm single disc, 4-piston caliper	Front: 292mm single disc, 4-piston caliper
	Rear: 190mm single disc, single-piston floating caliper	Rear: 220mm single disc, single-piston floating caliper	Rear: 220mm single disc, single-piston floating caliper
ABS & CBS	N/A	Continental ABS, dual channel	Continental ABS, dual channel
Rim (Front/Rear)	2.75 x 12 MT/3.5 x 12 MT Light alloy	3 x 17/3.5 x 17 MT Aluminum alloy	$3 \times 17/3.5 \times 17$ MT Aluminum alloy
ADDITIONAL FEATURES	LED headlights, taillights and signal lights; LCD display	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth and CFMOTO Ride App connectivity
COLORS	Galaxy Grey, Lemon Green	Ghost Grey, Nebula Black	Athens Blue, Nebula Black









15	n	22	
70	u	JJ	

| 2-cylinder inline, 4-stroke, liquid-cooled, DOHC |
|--|--|--|--|
| 450cc | 649cc | 693cc | 693cc |
| 77mm × 55.2mm (3" × 2.2") | 83mm × 60mm (3.25" x 2.3") | 83mm × 64mm (3.25" x 2.5") | 83mm × 64mm (3.25" x 2.5") |
| 50 hp @ 9500 rpm | 60 hp @ 8750 rpm | 74 hp @ 8500 rpm | 74 hp @ 8500 rpm |
| 28.8 ft-lb @ 7600 rpm | 41.3 ft-lb @ 7000 rpm | 50.2 ft-lb @ 6500 rpm | 50.2 ft-lb @ 6500 rpm |
| Bosch® EFI | Bosch® EFI | Bosch® EFI | Bosch® EFI |
| 6-speed, wet, multi-plate, CF-SC slipper clutch |
| | | | |

700CL-X

79" x 29.5" x 39"	83" x 32" x 39"	83" x 35" x 47"	83" x 31" x 45"
53.5"	55.7"	56.5"	56.5"
31"	30.7"	31.5"	31.5"
3.7 gal.	4.5 gal.	3.4 gal.	3.4 gal.
370 lbs.	454 lbs.	432 lbs.	451 lbs.

Front: Upside down fork	Front: KYB upside down fork, rebound adjustable	Front: KYB 41mm upside down fork, preload, compression & rebound adjustable	Front: KYB 41mm upside down fork, preload, compression & rebound adjustable
Rear: Multi-link suspension	Rear: KYB offset cantilever, rebound and preload adjustable	Rear: KYB link-mounted single shock, progressive rate, preload & rebound adjustable	Rear: KYB link-mounted single shock, progressive rate, preload & rebound adjustable
Front: Brembo® M40 320mm single disc radially mounted 4-piston caliper	Front: J.Juan 300mm dual disc, 2-piston caliper	Front: J.Juan 320mm single disc, radially mounted 4-piston caliper	Front: Brembo® Stylema 300mm dual disc, radially mounted 4-piston caliper
Rear: 220mm single disc, single-piston floating caliper	Rear: J.Juan 240mm dual disc, single-piston floating caliper	Rear: J.Juan 260mm single disc, floating 2-piston caliper	Brembo® Stylema 260mm single disc, radially mounted 2-piston caliper
Continental ABS	Continental ABS, dual channel	Continental ABS, dual channel	Continental ABS, dual channel
$3.0 \times 17/4.0 \times 17$ MT, Aluminum alloy	3.5 x 17/4.5 x 17 MT Aluminum alloy	$3.5 \times 17/4.5 \times 17$ MT Aluminum alloy	$3.5 \times 17/4.5 \times 17$ MT Aluminum alloy
LED headlights, taillights, and signal lights; 5"TFT display with Bluetooth and CFMOTO Ride App connectivity	LED headlights, taillights, and signal lights; 5"TFT display with Bluetooth and CFMOTO Ride App connectivity	LED headlights, taillights, and signal lights; LCD display, electronic throttle, Eco and Sport ride modes, one-touch cruise control, traction control	LED headlights, taillights, and signal lights; LCD display, electronic throttle, Eco and Sport ride modes, bar-end mirrors, one-touch cruise control
Nebula Black, Zircon Black	Nebula White, Nebula Black	Nebula Black, Zephyr Blue	Velocity Grey, Nebula White