




TOHATSU

Feel the Wind™

**OUTBOARD
MOTORS
2026
CANADA**

OUR MISSION

The boat is a kindred spirit to the sea, the river, and the lake. Boats immerse you in nature and navigate you to unforgettable experiences. And the outboard motor helps make all of this possible.

Outboard motors are about a whole lot more than just the specs. A truly great motor delivers it all—performance, safety, and the ultimate ease of use. That’s why we never stop asking ourselves the essential questions about what makes a great engine. We’ve been doing that since 1922, when aviation engineer Masuzo Takata founded Tohatsu.

Time and again, Tohatsu innovations have made waves that change the world. Take, for example, the Tohatsu motorcycle, which dominated the industry with its compact engine. Or Tohatsu outboard motors, built with our one-of-a-kind direct injection technology, which has revolutionized environmental performance.

We are uncompromising in our pursuit of outboard motors that are both durable and as light as possible. We pursue the ultimate in quality to deliver an inspirational engine experience. This is our unwavering promise: to deliver a more refined and stimulating boating experience.

Simpliq™
Technology

We aim to deliver the ultimate boating experience by providing outboard motors that are simple, easy to use and of outstanding quality. Simpliq™ Technology embodies the Tohatsu technological philosophy. Named for its integration of simplicity, interface and quality, Simpliq™ Technology is the result of continuous technological innovation fueled by the pursuit of nothing less than the very best.

**BACKS
YOU
UP™**

Our job begins by understanding our customer's needs. We spare nothing to bring ingenuity and innovation to delivering safer, more comfortable boating for our customers. We provide our customers with personal support for their Tohatsu outboard motors to ensure the best boating experience.

LIMITED WARRANTY
5
YEAR
TOHATSU

Tohatsu 5 year limited warranty offers the best standard warranty in the industry. It offers a full 5 years of peace of mind to all recreational users regardless of the amount of use on the motor. The Tohatsu philosophy is BACKS YOU UP™ and that is made possible with the best dealer network to offer service and warranty work if ever needed. This philosophy is accomplished through the best coverage and the best support on the water. For a dealer near you, go to the dealer locator on the website or call 469-771-3740 to find the closest dealer to you.

OUR HISTORY

Tohatsu Corporation, a pioneer in outboard engine manufacturing, will proudly celebrate 70 years of outboard engine production in 2026.

Since the first mass-produced “OB” model debuted in 1956, the company has delivered more than 5 million reliable outboard engines to boaters across the world, supporting countless adventures along the way.

Driven by passion and guided by customer needs, Tohatsu Corporation is dedicated to delivering a smarter, more exciting boating experience—elevating every moment on the water.



OUR LOGOTYPE



The Tohatsu Blue Wings evokes the image of the sea hawk, a bird that soars over the oceans of the world. The circle represents the sea. The sea hawk’s wings which transcend it symbolize Tohatsu innovation, the pioneering ideas that inspire action that transcends the conventional.

OUR TAGLINE


Feel the Wind™

Wind is the flow of life. At times, it can even change the world. We want people everywhere to feel the exhilarating wind coming off the wings of Tohatsu. We pour our passion into every detail to provide people around the world with a smarter, more exciting boating experience. See it. Hear it. Feel the wind.

OUR DESIGN

TOHATSU DESIGN PHILOSOPHY

Based on Tohatsu’s mission, to deliver a smarter and more exciting boating experience. Tohatsu Design Philosophy for marine products consists of “Affordance”, “Edgy” and “Static”. The above 3 elements are the key components of Tohatsu Design Platform.



AFFORDANCE
Intuitively clear as it is a conversation between things and persons Organized elements and thoughtful comfortability



EDGY
Narrowing peak for impressive details Aesthetic appreciation that fits the times



STATIC
Controlled and calm appearance that harmonize with the nature environment Genuine expression with simplicity and efficiency

4 STROKE

Boating experience for all lifestyles



MID-RANGE SERIES

NEW

NEW MFS150
150 hp

Power Meets Efficiency

The new MFS150 is built on the trusted foundation of the MFS140 and enhanced with refinements that boost overall efficiency. Its class-leading lightweight design, impressive fuel economy, and best in class power-to-weight ratio provide reliable performance and extended hours on the water. When power meets efficiency, you get strength without compromise.



Counter-Rotation

MFS75/90/115/140
75 - 140 hp

The MFS75/90/115/140 design is built on our best-selling models the MFS40/50/60 and the MFS9.9/15/20.

The legacy of our top performing and most reliable engines has been passed on, with a dynamic design and sophisticated details, to our MFS75/90/115/140 4-stroke outboard with industry-first innovative features and characteristics.




Counter-Rotation

TECHNOLOGY


LIGHTEST WEIGHT AND BEST POWER TO WEIGHT RATIO

Based on the MFS140 platform, our flagship model now delivers 150 horsepower. Innovations like a resin intake manifold help reduce overall weight, resulting in the lightest engine in its class and setting a new standard for power-to-weight performance.



SUPERIOR FUEL ECONOMY


The MFS150 achieves outstanding fuel efficiency across the full RPM range through advanced technologies, including an oxygen sensor that optimizes combustion, a resin intake manifold that reduces airflow resistance, and a knock sensor that provides precise control.



SMOOTH OPERATION


A new standard set for a more exciting boating experience by Simplicq™ Technology.

With its finely-tuned ECU programming, MFS75/90/100/115/140/150 are designed to improve acceleration when needed in order to get the boat to plane quicker. When you throttle to wide open, the ECU recognizes it and ignites in all four cylinders at the same time. Simultaneously, the ECU optimizes and supplies adequate air & fuel which makes air/fuel mixture more suitable for rapid acceleration to generate higher torque. The higher the torque you have, the stronger the acceleration you will get, resulting in enhanced hole shots and thus, quicker planing. Also, Upper and Lower Mounts, and the Gear Case are optimized for direct steering response & maneuverability, and greater stability.




TOCS (Tohatsu Onboard Communication System) offers communication between standard onboard electric devices and the outboard by simple plug and play connections.

4-2-1 PERFORMANCE TUNED EXHAUST



- #1 The length of exhaust passage for each cylinder is equal length to promote best performance throughout the entire RPM range.
- #2 The exhaust gas from cylinders #1 and #4 combine to one and that of cylinders #2 and #3 combine to one.
- #3 Those two passages merge to create the best exhaust flow by creating extra suction to help pull the exhaust from the engine.
- #4 This design eliminates the interference of exhaust gas compared to a regular 4 to 1 exhaust manifold.
- This is the first outboard motor to embrace this industry leading design.

Scan for video ▶▶▶



MFS75/90/115/140/150 have a unique SOHC-4V design in its class where competitors are either SOHC-2V or DOHC-4V. Spark plugs are strategically placed in the center of the each combustion chamber for the most efficient combustion with optimal heat conduction which results in strong running and fuel efficiency.



Idling and trolling speed can be adjusted by pressing the key switch on your remote control box or multi-function tiller handle. (from 650 to 850 RPMs at 5-steps)

QUIETNESS

With the even-length Intake Manifold, 4-2-1 Performance Tuned Exhaust, and fine-tuned ECU, MFS75/90/115/140/150 provide exhilarating and performance-inspired engine sound. Also within the large capacity Idle Port, sounds reflect off each other to dampen the exhaust flow which contributes to the lowest sound at idle.



Counter-Rotation
The combination of standard and counter rotation models improves maneuverability and stability in twin MFS140/150 applications.



MFS40/50/60

40 - 60 hp

With a starting weight of 209 pounds, MFS40/50/60 is the lightest in its class, offering exceptional acceleration and power to weight ratio. The optimized gear case includes a lower gear ratio for improved hole shot and top end speed.



MFS25/30

25 - 30 hp

We have achieved the lightest weight in its class and improved reliability, without sacrificing performance. The MFS25/30D is designed for a wide variety of applications, and is available in multiple configurations to fit your boating needs.



TECHNOLOGY



SOHC with unique 9-Valve Design with roller rocker arms provide minimal friction offering quicker throttle response more durable against wear and tear.
*MFS60A only



Multi-Function Tiller Handle (Option)
Offering smooth control and easy operation, with key switch, stop switch, adjustable idle speed control, big-shift handle, and tilt & trim switch on twist throttle grip end.



Lightest weight in its class, starting at 209 lbs.



Outstanding fuel economy, without sacrificing performance.



Idling and trolling speed can be adjusted by pressing the key switch on your remote control box or multi-function tiller handle. (from 650 to 950 RPMs)



High output alternator produces 21 amp, making it one of the largest capacity charging system in its class.




TOCS (Tohatsu Onboard Communication System) offers communication between standard onboard electric devices and the outboard by simple plug and play connections.



TECHNOLOGY

Lightest weight 3-cylinder 25/30hp


MFS25/30D is the lightest in its class. By redesigning the crankshaft and intake manifold, we have reduced the weight of each component by 37% and 48% respectively. With a total weight reduction of 30lbs, the MFS25/30D is 19% lighter than the previous version.



Tohatsu's newly designed gear case has been given a more torpedo-like shape for optimal hydrodynamic flow, reducing water drag and improving performance - from planing to top end speed. A gear ratio of 2.17:1 optimizes low end torque and the ability to turn a wider variety of propellers for many boating applications.



Advanced Battery-less Electronic Fuel Injection (EFI) for smoother operation, easier starting and greater fuel efficiency in any condition.



Idling and trolling speed can be adjusted by pressing the key switch on your remote control box or multi-function tiller handle. (from 750 to 1050 RPMs)



TOCS (Tohatsu Onboard Communication System) offers communication between standard onboard electric devices and the outboard by simple plug and play connections.



MFS9.9/15/20

9.9 – 20 hp

These compact yet powerful engines have all the features you would expect to see on larger outboards such as battery-less EFI technology, multi-function tiller handle*, and a large displacement providing outstanding power – all while maintaining lightest in its class, quiet operation, and ease of portability.

*Tiller models only



MFS8/9.8

8 – 9.8 hp

Utilizing industry-first, battery-less EFI technology, the MFS8/9.8C are the lightest outboards in their class along with a large displacement making outstanding power. Those advantages along with ultra-quiet operation makes these models the best choice in any application.



TECHNOLOGY



Sleek design with two color options: Aqua Marine Blue and Beluga White.



Multi-function tiller handle offers the stop switch, front shift, friction adjusting screw and power tilt switch (PTS: on power tilt models only) integrated into the tiller handle for convenience.




Lightest weight in its class and compact design for easier maintenance.



A high quality, easy-to-remove and drain water & fuel separator that has a red ring that floats to identify if water is in the fuel system.



Advanced battery-less Electronic Fuel Injection (EFI) for smoother operation, easier starting and greater fuel efficiency in any condition.



VST (Vapor Separator Tank) has been designed to integrate the high pressure fuel feed pump and fuel cooler inside the VST, making it a very compact lightweight integrated fuel system. This contributes to reducing the weight and offering ease of maintenance.



TECHNOLOGY



Designed for a variety of applications MFS9.8C ultra-long models are equipped with a high thrust 4-blade propeller and 7amp charging system.



Power tilt available on certain models.



Lightest weight in its class, starting at just under 85 lb.



A high quality, easy-to-remove and drain water & fuel separator that has a red ring that floats to identify if water is in the fuel system.



Advanced battery-less Electronic Fuel Injection (EFI) for smoother operation, easier starting and greater fuel efficiency in any condition.



MFS4/6

MFS6 Sail Pro

4 – 6 hp

These portable best-sellers have been upgraded by optimized top and bottom cowls based on Tohatsu’s Design Philosophy for marine products with ergonomically designed front and back carrying handles. Now you can store your engine in 3 different positions without worrying about oil spillage.
 *Please refer to owner's manual for storage and transportation guidelines.



MFS2.5/3.5

2.5 – 3.5 hp

These portable best-sellers have been upgraded with optimized top and bottom cowls based on the Tohatsu Design Philosophy for marine products of Simpliq™ with ergonomically designed front and back carrying handles. Now you can store your engine in 3 different positions without worrying about oil spillage.
 *Please refer to owner's manual for storage and transportation guidelines.



TECHNOLOGY




MFS6 comes standard with a 1.15L internal fuel tank, 12L external fuel tank and primer bulb assembly.



Front mounted shift lever for forward-neutral-reverse is an industry first in its class.



Ergonomically designed large front & back carrying handles that allow easier carry and transportation with one handle positioned slightly below the other.



3-way storage positions (port, front, and starboard side down) without worrying about oil spillage.
 *Please refer to owner's manual for storage and transportation guidelines.



Sail Pro model is designed specifically for sail boaters. This outboard is available in a "long" and "Ultra-long" shaft with high thrust propeller and 60W(12V, 5A) charging system.

Available color options: Aqua Marine Blue: MFS4, Beluga White: MFS6




TECHNOLOGY



Top and bottom cowls are designed based on Tohatsu’s Design Philosophy of marine products; Affordance, Edgy and Static.



Ergonomically designed large front & back carrying handles that allow easier carry and transportation with one handle positioned slightly below the other.



3-way storage positions (port, front, and starboard side down) without worrying about oil spillage.
 *Please refer to owner's manual for storage and transportation guidelines.



Forward-neutral shifting with 360° steering.



JET DRIVE SERIES

NEW MFS65/80/100JET 65 - 100 hp

The MFS65/80/100 Jet is ideal for shallow and rugged water ways. These light weight and powerful outboards are based off the popular MFS90/115/140, maintaining the same proven compact and lightweight design.

At 414.5 lbs the MFS100 Jet is the lightest in its class.




MFS25/35/40JET 25 - 40 hp


The MFS25/35/40 Jet is ideal for shallow and rugged water ways. These light weight and powerful outboards are based off the popular MFS40/50/60, maintaining the same proven compact and lightweight design.



TECHNOLOGY




MFS65/80/100 Jet have a unique SOHC-4V design in its class where competitors are either SOHC-2V or DOHC-4V. Spark plugs are strategically placed in the center of each combustion chamber for the most efficient combustion with optimal heat conduction which results in strong running and fuel efficiency.



QUIETNESS

With the even-length Intake Manifold, 4-2-1 Performance Tuned Exhaust, and fine-tuned ECU, MFS65/80/100 Jet provide exhilarating and performance-inspired engine sound. Also within the large capacity idle port, sounds reflect off each other to dampen the exhaust flow which contributes to the lowest sound



Idling and trolling speed can be adjusted by pressing the key switch on your remote control box or multi-function tiller handle. (from 650 to 850 RPMs at 5-steps)



Light Weight

Ideal for shallow and rugged waterways. Explore the hard to reach places where you may be limited with a propeller driven outboard.



Multi-Function Tiller Handle (Option)
Offering smooth control and easy operation, with key switch, stop switch, adjustable idle speed control, big-shift handle, and tilt & trim switch on twist throttle grip end.

MFS100 Jet is the lightest weight in its class.



TOCS (Tohatsu Onboard Communication System) offers communication between standard onboard electric devices and the outboard by simple plug and play connections.



TECHNOLOGY



SOHC with unique 9-Valve Design with roller rocker arms provide minimal friction offering quicker throttle response more durable against wear and tear.
*MFS40JET only



Designed for compact control, idling and trolling speed can be adjusted by pressing the key switch. (from 650 to 950 RPMs)



Ideal for shallow and rugged waterways. Explore the hard to reach places where you may be limited with a propeller driven outboard.



Light Weight

Lightest weight in its class.



Outstanding fuel economy, without sacrificing performance.



Multi-Function Tiller Handle (Option)
Offering smooth control and easy operation, with key switch, stop switch, adjustable idle speed control, big-shift handle, and tilt & trim switch on twist throttle grip end.



TOCS (Tohatsu Onboard Communication System) offers communication between standard onboard electric devices and the outboard by simple plug and play connections.





GENUINE TOHATSU PARTS
AND ACCESSORIES



Control Boxes

Our Side, Flush, Top Single, and Top Twin Mount control boxes are all designed to provide remote throttle and shift control for Tohatsu outboards. Tohatsu offers a wide range of control boxes, mounting kits, and remote conversion kits to accommodate almost any application. For a complete list of kits and options, please contact your local Tohatsu dealer.

Lineup

- Side Mount Control
- Flush Mount Control
- Single Top Mount (Binnacle) Control
- Dual Top Mount (Binnacle) Control



TOCS 4.3 inch LCD Display

The TOCS (Tohatsu Onboard Communication System) 4.3 inch LCD Display connects to the CAN bus and communicates directly with the engine's ECU. Engine data, fault codes and alarms are displayed on the LCD display. Fits a standard 3 3/8" (85mm) instrument dash hole which makes this display the perfect drop-in replacement for your current tachometer.



TOCS 3 inch LCD Display

The TOCS Digital Tachometer features touch screen display, chrome bezel, fog and scratch resistant coating, plug & play connectors and is LED back-lit for easy viewing at night/dusk. A user-friendly, intuitive design makes the menu easy to navigate. Engine data, fault codes and alarms are displayed on the LCD display and are visible even in direct sunlight. There are various screens available to view. Gauge has swipe through functionality to access the different screens.



Analog Gauges

A variety of Tohatsu gauges are available through your local dealer; hour meters, volt meters, water pressure meters, GPS speedometers, tilt/trim gauges, and tachometers. Manufactured to Tohatsu's precision standards.



Multi Function Tiller


The multi-function tiller handle features an ergonomically designed shift lever for easy and convenient shifting as well as a longer throttle grip with 110 degrees rotation for easier maneuverability. All controls on the multi-function tiller are conveniently located on the handle for easy access and control. More specifically, the gear shift, throttle grip with PTT switch, safety lanyard cord, and electric start key switch are all integrated in the tiller handle. Available for MFS25-140 and all Jet models.







Key Switch Panels

The new main switch and stop switch panels are now separated, allowing for vertical or horizontal installation to fit any boat console size or space. Panels have been designed to conceal mounting hardware, providing a cleaner appearance. Available in single or dual applications.

SPECIFICATIONS

	MFS SERIES												
	MFS150	MFS140	MFS115	MFS90	MFS75	MFS60	MFS50	MFS40	MFS30	MFS25	MFS20	MFS15	MFS9.9
Model													
No.of Cylinder	4					3					2		
Output	150 hp (110.3 kw)	140 hp (103.0 kw)	115 hp (84.6 kw)	90 hp (66.2 kw)	75 hp (55.2 kw)	60 hp (44.1 kw)	50 hp (36.8 kw)	40 hp (29.4 kw)	30 hp (22.1 kw)	25 hp (18.4 kw)	20 hp (14.7 kw)	15 hp (11 kw)	9.9 hp (7.3 kw)
Displacement	121.6 cu in (1,995 cm³)					52.8 cu in (866 cm³)			30.5 cu in (500 cm³)		20.3 cu in (333 cm³)		
Bore x Stroke	3.30 x 3.55 in (84 x 90 mm)					2.76 x 2.95 in (70 x 75 mm)			2.4 x 2.25 in (61 x 57 mm)		2.4 x 2.24 in (61 x 57 mm)		
Max. RPM Range	5,500 – 6,200 r/min	5,150 – 5,850 r/min				5,000 – 6,000 r/min			5,500 – 6,500 r/min	5,000 – 6,000 r/min	5,400 – 6,100 r/min		
Fuel Induction System	SOHC EFI												
Starting	Electric								Electric & Manual or Manual				
Control Type	Remote Control or Tiller Handle												
Gear Ratio	2.08:1								2.17:1		2.15:1		
Propeller Rotation	Standard-rotation or Counter-rotation		Standard-rotation										
Propeller Selection Range	9" – 21"					7" – 17"			8" – 14"		6" – 13"		
Transom Height	20", 25"			20"		15", 20", 25"	15", 20"			15", 20", 25"		15", 20"	
Weight*	392 lbs (178 kg)					216 lbs (98 kg)	213 lbs (96.5 kg)		128 lbs (58 kg)		95 lbs (43 kg)		
Alternator Output	12V, 492W, 41A					12V, 252W, 21A			12V, 210W, 17.5A		12V, 144W, 12A		
Color Option***	AQ & BW				AQ	AQ & BW						AQ	

Specifications are subject to change without notice.
*Weight Specification is based on the lightest version. **Alternator on Certain Models ***AQ: Aqua Marine Blue, BW: Beluga White

	MFS SERIES						JET DRIVE SERIES						
Model	MFS9.8	MFS8	MFS6 MFS6 – Sail Pro	MFS4	MFS3.5	MFS2.5	MFS100 Jet	MFS80 Jet	MFS65 Jet	MFS40 Jet	MFS35 Jet	MFS25 Jet	
													
No.of Cylinder	2		1				4			3			
Output	9.8 hp (7.2 kw)	8 hp (5.9 kw)	6 hp (4.4 kw)	4 hp (2.9 kw)	3.5 hp (2.6 kw)	2.5 hp (1.8 kw)	Jet Power 100 hp (73.5 kw)	Jet Power 80 hp (58.8 kw)	Jet Power 65 hp (47.7 kw)	Jet Power 40 hp (29.4 kw)	Jet Power 35 hp (25.7 kw)	Jet Power 25 hp (18.4 kw)	
Displacement	12.8 cu in (209 cm³)		7.5 cu in (123 cm³)		5.2 cu in (86 cm³)		121.6 cu in (1,995 cm³)			52.8 cu in (866 cm³)			
Bore x Stroke	2.17 x 1.73 in (55 x 44 mm)		2.3 x 1.75 in (59 x 45 mm)		2.15 x 1.4 in (55 x 36 mm)		3.30 x 3.55 in (84 x 90 mm)			2.76 x 2.95 in (70 x 75 mm)			
Max. RPM Range	5,300 – 6,200 r/min		5,000 – 6,000 r/min	4,500 – 5,500 r/min	5,000 – 6,000 r/min	4,500 – 5,500 r/min	5,150 – 5,850 r/min			5,000 – 6,000 r/min			
Fuel Induction System	SOHC EFI		OHV Carb.				SOHC EFI						
Starting	Electric & Manual or Manual		Manual				Electric						
Control Type	Remote Control or Tiller Handle	Tiller Handle					Remote Control or Tiller Handle						
Gear Ratio	2.08:1		2.15:1				1:1						
Propeller Rotation	Standard-rotation												
Propeller Selection Range	5" – 9"		6" – 9"		4.5" – 7"		-						
Transom Height	15", 20", 25"	15", 20"	15", 20" 20", 25" – Sail Pro	15", 20"		15"	25"			20"			
Weight*	85 lbs (38.5 kg)		57 lbs (26 kg) 59 lbs (26.5kg) – Sail Pro		41 lbs (18.5 kg)		414 lbs (188 kg)			231 lbs (105 kg)	228 lbs (103.5 kg)		
Alternator Output	12V, 84W, 7A		12V, 60W, 5A** 12V, 60W, 5A – Sail Pro	12V, 60W, 5A**	N/A		12V, 492W, 41A			12V, 252W, 21A			
Color Option***	AQ & BW	AQ	BW	AQ						AQ & BW		AQ	

Specifications are subject to change without notice.
*Weight Specification is based on the lightest version. **Alternator on Certain Models ***AQ: Aqua Marine Blue, BW: Beluga White



Feel the Wind™



Check out our brand at
www.tohatsuamerica.com Let's get Social



2026 (CA)
©TOHATSU CORPORATION PRINTED IN JAPAN