





# #DARETOEXPLORE WITH HIGHFIELD...

Highfield's state-of-the-art production facility is located in Weihai, China. Under European management, Highfield Boats has a rigging facility in the USA with support offices in Michigan and the European head office based in France.

With around 52,000 boats delivered globally since the brand's beginning in 2011, Highfield Boats is now the world's number one in the RIB tender sector and a global player in the 5 metres + sector. Performance and strength have always been at Highfield's core. The brand has focussed on these two key values above anything else. Highfield's hulls are dry-riding, very seaworthy and always over-built.

Their reputation for durability is now world-renowned. The heavy-duty approach to design and build allows both leisure and commercial owners to have the confidence needed to go that extra mile and to tackle conditions avoided by many others. As such, Highfield has been chosen time and again as the support boat of choice for prestigious events worldwide, with fleets up to 50 strong. From Vendee Globe to the Invictus Games, Pan Am Games, Extreme Sailing Series, ORC Championships, TP52, The Route Du Rhum & the olympic games.

Sustainability is also a huge part of Highfield's DNA. All of the hulls and structures are built in aluminium, which is infinitely recyclable. In addition, Highfield powder coat in an enclosed area to ensure that their footprint remains low from the beginning of the manufacturing process through to the end of each product's life. With now over 48 distributor countries and a worldwide dealer network, Highfield owners can be confident any support they need will always be on hand.




# **CONTENTS**

<b>Brand Timeline</b>	4-7
#highfieldfamily	8-11
Ultralite Range	12-13
lassic Range Overview	14-15
Classic 260 & 290	16-17
Classic 310 & 340	18-19
Classic 360 & 380	20-21
Classic 400	22-23
Classic 420 & 460	24-25
Classic Console Options	26-27
eJET 330	28-29
Sport Range Overview	30-31
Sport 300, 330 & 360	32-33
Sport 390 - 460	34-35
Sport 520	36-37
Sport 560	38-39
Sport 600	40-41
Sport 660	42-43
Sport 700	44-45
Sport 760	46-47
Sport 800	48-49
Sport 900	50-51
Patrol Range Overview	52-53
Patrol 420 & 460	54-55
Patrol 500	56-57
Patrol 540	58-59
Patrol 600	60-61
Patrol 660	62-63
Patrol 700	64-65
Patrol 760	66-67
Patrol 860	68-69
Factory Processes	70-71
,	

**Highfield Supports** Highfield enters Brand created with an Distributor **Highfield Boats** Highfield Boats supenters into an the smallest Australian design and group grows, first Pan Am games in plies 50 security RIBs the suppor expertise, French/ vessels into the Distributor meeting Toronto alliance with to the Vendee Globe for TP52 rac Chinese ownership. takes place in **Honda Marine** 1100 Nautical Mile Organisation for the start and finish of "Round Ireland Challenge" First boat show in throughout Key EU markets La Rochelle. LA ROCHELLE NHIG! 112 113 2011







#### THE

Itralite Range are single deck dinghies, created always keeping weight in mind. Their light weight make them a real alternative for those who may have chosen a soft bottom tender in the past but would prefer a hard hull for its performance. Ultralite tenders are roomy and strong, yet light and easy to transport.

These little boats can be launched and recovered by a single man and are easy to be transported on a roof rack. The Ultralite's are made of 2.5mm thick powder coated marine grade aluminium for the hull and 1100 Dtex fabric for the inflatable tube.

# BECAUSE WEIGHT DOES MATTER

#### **2025 COLOUR SCHEMES**










DG-G LG-W W-

# ULTRALITE RANGE







#### THE

lassic Range offers extra levels of comfort in this double deck hulled dinghy that will keep your feet dry. The hulls of the Classics are built of 2.5mm thick powder coated marine grade aluminium. The tubes are made of 1100 Dtex coated fabric.

The high quality finish and luxury look belies the fact that this range of tenders has been designed to work hard. A durable aluminium hull coupled with full length keel guards make these ideal for those beach-hopping days with friends and family.

The optional FCT console or GT console options allow forward steering control for increased comfort and greater ease of navigation.

These options offer a more luxurious tender experience whilst still keeping the weight down.

The large weight savings achieved compared to equivalent GRP tenders means you'll enjoy impressive performance with smaller engines, all combined with excellent payload capacities

### **2025 COLOUR SCHEMES**

#### OPEN TENDER







GT CONSOLE OPTION




FCT CONSOLE OPTION





CLASSIC 260 & 290





ORCA® Hypalon or PVC tube Welded seams (PVC)

Flush mount non-return valves

High tensile chromated & powder coated aluminum hull

Bow locker (Fit 24L fuel tank)

Integrated transom supports

Removable seat Bow cushion

Lifting points and towing eyes Tow bridle points

Brushed foam teak finish deck Heavy duty rubbing strake Full length keel guard

Tank strap kit Under seat bag

Highfield dry bag Foot pump

Oars Repair kit

**OPTIONAL EXTRAS** 

FRP Bow Step Molded bow cleat Boat cover Classic Jockey Console (CL290) Our two smallest Classic tenders. Compact & able to carry up to 4 people. Agile & strong offering a good payload whilst remaining lightweight & super manageable making ideal for those short trips from ship to shore. The aluminium hull offers peace of mind when exploring the coastline around your ancorage.

	(1)	260	(1290	
OVERALL LENGTH	260cm	8′6″	290cm	9′6
INTERNAL LENGTH	176cm	5′9″	206cm	6′9″
OVERALL WIDTH	170cm	5′7″	170cm	5′7″
INTERNAL WIDTH	79cm	2′7″	79cm	2′7″
DEADRISE	10.5°		15°	
TUBE DIAMETER	44cm	17"	44cm	17"
NUMBER OF AIR CHAMBERS	3		3	
MAXIMUM LOAD	360kg	794lbs	480kg	1058lbs
MAXIMUM PEOPLE	3+1		4	
BOAT WEIGHT*	54kg	119lbs	59kg	130lbs
MAXIMUM POWER	15hp		20hp	
ENGINE SHAFT	S	5	;	5
DESIGN CATEGORY	C		(	2



CLASSIC 310 & 340





ORCA® Hypalon or PVC tube Welded seams (PVC)

Flush mount non-return valves

High tensile chromated & powder coated aluminum hull Bow locker (Fit 24L fuel tank)

Integrated transom supports

Removable seat

Bow cushion

Lifting points and towing eyes Tow bridle points

Brushed foam teak finish deck Heavy duty rubbing strake

Full length keel guard Tank strap kit

Under seat bag Highfield dry bag

Foot pump, oars, repair kit

#### **OPTIONAL EXTRAS**


FRP/Nylon Bow Step Molded bow cleat Boat cover

For many owners, these models hit the 'just right' sweet spot in the middle of the range. The aluminium hull features 3 lifting points & a bow locker and fuel tank storage comes as standard. From the Classic 310 & up the FCT8 console becomes an available optional extra making this model the perfect all-rounder.

	٠,	,··-	(-)1-	
OVERALL LENGTH	310cm	10′2″	340cm	11′2″
INTERNAL LENGTH	226cm	7′5″	247cm	8′1″
OVERALL WIDTH	170cm	5′7″	170cm	5′7″
INTERNAL WIDTH	79cm	2′7″	79cm	2′7″
DEADRISE	15°		15°	
TUBE DIAMETER	44cm	17"	44cm	17"
	3		3	
NUMBER OF AIR CHAMBERS	3	3	3	3
NUMBER OF AIR CHAMBERS MAXIMUM LOAD	511kg	1127lbs	551kg	1215lbs
		1127lbs		1215lbs
MAXIMUM LOAD	511kg	1127lbs	551kg	1215lbs
MAXIMUM LOAD MAXIMUM PEOPLE	511kg	1127lbs 5 137lbs	551kg	1215lbs 3 157lbs
MAXIMUM LOAD  MAXIMUM PEOPLE  BOAT WEIGHT**	511kg 5 62kg	1127lbs 5 137lbs hp	551kg 6 71kgs 25	1215lbs 3 157lbs



CLASSIC 360 & 380





ORCA® Hypalon or PVC tube Welded seams (PVC)

Flush mount non-return valves

High tensile chromated & powder coated aluminum hull Bow locker (Fit 24L fuel tank)

Integrated transom supports

Removable seat
Bow cushion

Lifting points and towing eyes

Tow bridle points
Brushed foam teak finish deck
Heavy duty rubbing strake
Full length keel guard

Tank strap kit

Under seat bag Highfield dry bag

Foot pump, oars, repair kit

#### **OPTIONAL EXTRAS**

Console Options\*

FRP/Nylon Bow Step Molded bow cleat

\* see page 20

These models combine an impressive payload with great handling. Looking to explore at further? The 2 console options - the FCT8 & the GT - offer additional luxury & functionality, perfect for longer distances. Front locker & fuel tank storage as standard mean plenty of room for all the kit you need for your time on the water.


	(L)	360	(1380	
OVERALL LENGTH	360cm	11′10″	380cm	12′6″
INTERNAL LENGTH	267cm	8′9″	287cm	9′5″
OVERALL WIDTH	170cm	5′7″	170cm	5′7″
INTERNAL WIDTH	79cm	2′7″	79cm	2′7″
DEADRISE	15°		15°	
TUBE DIAMETER	44cm	17"	44cm	17"
NUMBER OF AIR CHAMBERS	3		3	
MAXIMUM LOAD	561kg	1237lbs	637kg	1404lbs
MAXIMUM PEOPLE	6		7	
BOAT WEIGHT**	75kg	165lbs	83kg	183lbs
BOAT WEIGHT** MAXIMUM POWER	75kg 30		83kg 30	
-		hp		hp

boat only











ORCA® Hypalon or PVC tube Welded seams (PVC) Flush mount non-return valves

High tensile chromated & powder coated aluminum hull Bow locker (Fit 24L fuel tank)

Integrated transom supports
Removable seat

Bow cushion

Lifting points and towing eyes

Tow bridle points

Brushed foam teak finish deck Heavy duty rubbing strake Full length keel guard

Tank strap kit Under seat bag

Highfield dry bag

Foot pump, oars, repair kit

#### **OPTIONAL EXTRAS**


FRP/Nylon Bow Step Molded bow cleat Boat cover

Specifically designed to fill the need for a larger lux-ury tender, that remains lightweight enough to hang on the back of a catamaran. All of the benefits of our other classic models including the choice of keeping your tender as an open boat or opting for our GT console. Additional roll bar at this size even makes this tender perfect for enjoying watersports!

OVERALL LENGTH	396cm 13'		
INTERNAL LENGTH	291cm 9'6"		
OVERALL WIDTH	197cm 6′5″		
INTERNAL WIDTH	91cm 3′1″		
DEADRISE	20°		
TUBE DIAMETER	47cm	18.5″	
NUMBER OF AIR CHAMBERS	4		
MAXIMUM LOAD	878kg 1936lb		
MAXIMUM PEOPLE	8		
BOAT WEIGHT*	147kg	324lbs	
MAXIMUM POWER	50hp		
ENGINE SHAFT	S	5	
DESIGN CATEGORY	C		







## STANDARD FEATURES ORCA® Hypalon or PVC tube

Flush mount non-return valves

Welded seams (PVC)

High tensile chromated & powdercoated aluminum hull Self-draining deck Bow locker Console & Seat Carbon dash for console FRP Bow Step & bow cushion Integrated transom supports Lifting points and towing eyes Tow bridle points Brushed foam teak finish deck Heavy duty rubbing strake Full length keel guard Tank strap kit Highfield dry bag Foot pump, oars, repair kit

#### **OPTIONAL EXTRAS**

Electrical packs for boat & console


Roll bar Boat cover As the largest models in the Classic lineup these boats offer plenty of space to tailor the model to your requirements - whether you're looking for an open tender with a huge kit carrying capacity or a small console dayboat. With a large payload, these roomy models are ready for all the family to jump aboard & #daretoexplore!

	(1420		(L460		
OVERALL LENGTH	421cm	13′10″	459cm	15′1″	
INTERNAL LENGTH	317cm	10′5″	353cm	11′7″	
OVERALL WIDTH	210cm	6′11″	211cm	6′11″	
INTERNAL WIDTH	105cm	3′5″	105cm	3′5″	
DEADRISE	20°		2	0°	
TUBE DIAMETER	47cm	19"	47cm	19"	
NUMBER OF AIR CHAMBERS	4		5		
MAXIMUM LOAD	823kg	1814lbs	944kg	2081lbs	
MAXIMUM PEOPLE	8		ç	9	
BOAT WEIGHT*	204kg	450lbs	238kg	525lbs	
MAXIMUM POWER	60hp		80	hp	
ENGINE SHAFT	ι		ı	L	
FUEL TANK (LITRES)	40	Ol	4	01	
			1		

DESIG boat only











The FCT console package is a perfect addition to any Classic 310 up to Classic 380 model giving you an additional level of comfort and enjoyability for your day on the water. The rear bench seat with high backrest and closed cell foam cushions which won't hold water, are perfect for a comfortable day exploring. The console helm is an open style design giving you unprecedented legroom in a boat of its size while a carbon dash with LED switches and branded steering wheel add a dash of style. An electrical package including led flush mounted switch panel, navigation lights and bilge pump are all standard.

WEIGHT: 36kg / 80lbs (APA(ITY: 1001 / 3.5 cu ft





## GT CONSOLE

The NEW "Grand Tour" GT version console option combines lightweight and performance of the Classic line but with more comfort and styling from the luxury Sport boats for a perfect combination of releability and styling. The Classic GT is available for CL340 and up, turning the Classic into an easy handling runabout, perfect for having fun when you've anchored for lunch.

CONSOLE WEIGHT: 25.5kg / 56lbs FOLDING SEAT WEIGHT: 20kg / 45lbs





Introducing the Highfield eJET330 powered by Zerojet's MKII Jet drive system.

As well as the general benefits of electric over combustion (no petrol or diesel emissions, less noise, fewer moving parts and less maintenance, and a faster start), there are several benefits for electric jets when compared to electric outboards:

- $\cdot$  No exposed propeller for safer use in the water and safer swimming.
- · With no outboard, the low profile means your RIB beaches easily and skims over shallow ecosystems.
- · The compact profile also makes it better to stow and store in smaller spaces.
- · The ZeroJet jet pump and compact electric motor weigh 50% less than a comparable outboard motor.




OVERALL LENGTH	336cm	11′	
INTERNAL LENGTH	201cm 6'6"		
OVERALL WIDTH	174cm 5′7″		
INTERNAL WIDTH	86cm	2′8″	
DEADRISE	15°		
TUBE DIAMETER	43cm	17"	
NUMBER OF AIR CHAMBERS	4		
MAXIMUM LOAD	400kg	882lbs	
MAXIMUM PEOPLE	5		
BOAT WEIGHT	179kg	395lbs	
POWER	24.1hp/18kw		
DESIGN CATEGORY	C		











#### THE

Sport range of high quality boats offers a choice from 3 metres up to 9 metres and combines all of our hull design expertise with an interior that you demand. Nothing has been sacrificed in the design of this range. Top quality materials are the hallmark of what we do and we have not compromised.

Hull deadrise angles ranging from 20 degrees on the 3 metre going through to a huge 26 degrees on the 600 and up will give you assurance in the toughest conditions. The additions such as EVA teak throughout, superb diamond stitched upholstery, fridges, showers and bathing platforms on our larger models will allow you to enjoy each day to the maximum.

With the impermeable qualities of our aluminium hulls there's no need to worry about gelcoat chips, or putting the boat on a beach or trailer. All Highfield Sport RIBs are easy to tow, launch and recover due to their light weight and integrated davit lifting eyes. Your Sport will not delaminate or absorb water over time, retaining the same agile performance in 10 years time as the day you collected it.

The Highfield Boats Sport range offers the very best solution for your requirement. Low weight garage tender or runabout, through to an offshore mile crunching cruiser.

# 2025 COLOUR SCHEMES



















- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves - High tensile chromated &
- powder coated aluminum hull
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyes Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit - Electrical pack for boat & console
- Carbon dash for console
- Steering wheel
- Mechanical steering system


- Boat cover
- Sundeck (330 up)
- Tow post (330 up)

These models offer you enough room to carry everything you need for a day on the water whilst still being small enough to sit on the back of most cruisers. Nimble but with enough room to carry everything you need for a day on the water. The optional sundeck & tow post add to both the practicality and the luxury feel of these models.

	SP	300	SP	330	SP	360
OVERALL LENGTH	300cm	9′10″	336cm	11′	362cm	11'11"
INTERNAL LENGTH	180cm	5′11″	204cm	6′8″	236cm	7′9″
OVERALL WIDTH	183cm	6′	182cm	6′	184cm	6′
INTERNAL WIDTH	84cm	2′9″	90cm	2′11″	92cm	3′
DEADRISE	20	20° 20° 20°		20°		0°
TUBE DIAMETER	43cm	17"	43cm	17"	43cm	17″
NUMBER OF AIR CHAMBERS	3	3	;	3		3
MAXIMUM LOAD	464kg	1023lbs	549kg	1211lbs	634kg	1398lbs
MAXIMUM PEOPLE	4	4		5	(	6
BOAT WEIGHT*	175kg	385lbs	199kg	439lbs	215kg	474lbs
MAXIMUM POWER	30	hp	30	hp	40	)hp
ENGINE SHAFT	L	-	ا	L	ا	L
FUEL TANK (LITRES)	N,	/A	3	0l	3	Ol







#### **STANDARD FEATURES**

- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves - High tensile chromated &
- powder coated aluminum hull
- Self-draining deck (SP420 up)
- Integrated rear seat with cushion
- Integrated transom supports
   Lifting points and towing eyes
   Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump & repair kit
- Electrical pack for boat & console
- Carbon dash for console
- Steering wheel
- Mechanical steering system

#### **OPTIONAL EXTRAS**

Boat cover

- Sundeck
- Tow post
- Roll bar
- Forward arch


If you need a high-capacity luxury tender for your larger motor cruiser or catamaran, these models fits the bill. Spacious with ample storage yet still light & nimble – a true allrounder. Want to go further? These little boats are perfect for those days you #dareto-explore the coastline around you. Optional extras such as the tow post or roll bar means these little pocket rockets can be used for family water sports, whilst the sundeck promises relaxation.

	SP?	390	S.P.	420	SP4	60
OVERALL LENGTH	390cm	12′10″	424cm	13′11″	460cm	15′1″
INTERNAL LENGTH	250cm	8′2″	272cm	8′11″	291cm	9′7″
OVERALL WIDTH	192cm	6′4″	205cm	6′9″	209cm	6′10″
INTERNAL WIDTH	92cm	3′	108cm	3′7″	108cm	3′7″
DEADRISE	20	O°	20°		20°	
TUBE DIAMETER	47cm	19"	47cm	19″	47cm	19"
NUMBER OF AIR CHAMBERS	3	3	4	4	į	5
MAXIMUM LOAD	716kg	1579lbs	791kg	1744lbs	912kg	2011lbs
MAXIMUM PEOPLE	7	7 8		3	ç	?
BOAT WEIGHT*	226kg	498lbs	309kg	6811bs	332kg	732lbs
MAXIMUM POWER	60	hp	70hp		70hp	
ENGINE SHAFT	L		ا	L	ı	
FUEL TANK (LITRES)	30	Ol	5	5l	5	5l

\* boat & console only









OVERALL LENGTH	586cm 19'3''		
INTERNAL LENGTH	397cm 13'1"		
OVERALL WIDTH	250cm 8′3′′		
INTERNAL WIDTH	131cm	4′3′′	
DEADRISE	24°		
TUBE DIAMETER*	52cm	20′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1375kg 3031lbs		
MAXIMUM PEOPLE	12		
BOAT WEIGHT**	682kg	1502lbs	
MAXIMUM POWER	115hp		
ENGINE SHAFT	XL		
FUEL TANK	10	151	
DESIGN CATEGORY	(		

WHIGHFIELD

\*smaller tube diameter available \*\* boat, console, standard seating & sundeck only

#### - ORCA® Hypalon or PVC tube - Welded seams (PVC) - Hydraulic steering system & steering

STANDARD FEATURES

powder coated aluminum hull

- Lifting points and towing eyes - Brushed foam teak finish deck - Heavy duty rubbing strake

- Integrated rear seat with cushion - Integrated transom supports

- Foot pump & repair kit
- Electrical pack for boat & console

**OPTIONAL EXTRAS** 

- Carbon dash for console - Platform with ladder

- Self-draining deck

- Keel guard - Highfield dry bag

- Roll bar - Sundeck - Cooler bag

- Boat cover - Sunshade - Fabric T-Top


- Flush mount non-return valves - High tensile chromated &

**%HIGHFIELD** 

OVERALL LENGTH	586cm	19′3′′
INTERNAL LENGTH	397cm	13′1″
OVERALL WIDTH	250cm	8′3′′
INTERNAL WIDTH	131cm	4′3′′
DEADRISE	2	4°
TUBE DIAMETER*	52cm	20′′
NUMBER OF AIR CHAMBERS		5
MAXIMUM LOAD	1375kg	3031lbs
MAXIMUM PEOPLE	1	2
BOAT WEIGHT**	682kg	1502lbs
MAXIMUM POWER	118	5hp
ENGINE SHAFT	Х	(L
FUEL TANK	10	)5l
DESIGN CATEGORY		2









- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Hydraulic steering system & steering wheel
- Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyes - Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump & repair kit
   Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder
- Sundeck Roll bar Shower kit
- Cooler bag

- FRP T-Top


- Sunshade

This pocket-sized family offshore RIB offers exceptional value alongside great capability. For those days at anchor, the spacious sundeck is a great space for relaxing whilst the swim platforms along with the shower kit as standard is a great addition after those cooling sea swims. If the going gets rougher, the 26 degree deadrise hull gives you confidence to get you home safely (and comfortably).

	<i>"</i>	
626cm	20'6''	
445cm	14'6"	
249cm	8′2′′	
129cm	4′2′′	
26°		
40-56cm	16-22''	
6		
1580kg	3483lbs	
14		
630kg	1389kg	
150hp		
XL		
14	01	
C 1401		
	445cm 249cm 129cm 20 40-56cm 6 1580kg 1 630kg 150 X	

\*smaller tube diameter available \*\*boat, console, standard seating, sundeck & platform only







- ORCA® Hypalon or PVC tube
- Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Hydraulic steering system & steering
- Self-draining deck
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyesBrushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard

- Highfield dry bag
   Foot pump & repair kit
   Electrical pack for boat & console
- Carbon dash for console - Platform with ladder
- Sundeck
- Roll bar
- Shower kit Cooler bag


- Sunshade FRP T-Top

Our mid-sized family RIB with its super deep-v hull & 140I fuel tank will allow you to #daretoexplore further with confidence. With enough seating for all the family, the SP660 offers more than enough space to relax and entertain, whilst still being a managea-ble size for slipping & towing.

<del>_</del>			
OVERALL LENGTH	665cm	21′10′′	
INTERNAL LENGTH	475cm	15′7′′	
OVERALL WIDTH	256cm	8′5′′	
INTERNAL WIDTH	132cm	4′3′′	
DEADRISE	26°		
TUBE DIAMETER	40-56cm	16-22′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1630kg	3594lbs	
MAXIMUM PEOPLE	14		
BOAT WEIGHT*	781kg	1721lbs	
MAXIMUM POWER	200hp		
ENGINE SHAFT	XL		
FUEL TANK	1401		
DESIGN CATEGORY	С		

sundeck & platform only







- ORCA® Hypalon
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull - Self-draining deck
- Hydraulic steering system & steering
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyesBrushed foam teak finish deck
- Heavy duty rubbing strake

- Keel guard Highfield dry bag Foot pump & repair kit
- Electrical pack for boat & console
- Carbon dash for console
- Platform with ladder
- Sundeck Roll bar
- Shower kit
- Cooler bag

- Sunshade
- Windlass
- FRP T-Top


The SP700 is a boat that's equally at home relaxing at anchor or when the weather gets up. The 26-degree deadrise hull eat the chop and keeps you & your family dry & secure in all conditions. This model also introduces the option to add a windlass, making those times relaxing at anchor stress-free.

699cm	22′11′′	
478cm	15′8″	
293cm	9′7′′	
170cm	5′7′′	
26°		
58cm	23′′	
6		
1630kg	3594lbs	
14		
1023kg	2255lbs	
250hp		
XL		
2851		
С		
	478cm 293cm 170cm 20 58cm 6 1630kg 1 1023kg 250 X	

\*boat, console, standard seating, sundeck & platform only









- ORCA® Hypalon
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Self-draining deck
- Hydraulic steering system & steering
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyesBrushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bagFoot pump & repair kitElectrical pack for boat & console
- Carbon dash for console
- Platform with ladder
- Sundeck - Roll bar
- Shower kit
- Fridge Table


- Sunshade
- Windlass
- FRP T-Top

Our flagship single-engine RIB with huge offshore capability & an incredibly spacious family friendly layout. The massive sundeck & rear seating make for a social space and the integrated fridge allows you to enjoy that to the full. Shade has never been better as the optional T-Top features inbuilt storage, speakers & LED lighting.

speakers a LLD lightnig.			
OVERALL LENGTH	777cm	25'6"	
INTERNAL LENGTH	590cm	19′4″	
OVERALL WIDTH	295cm 9'8''		
INTERNAL WIDTH	169cm	5′7′′	
DEADRISE	26°		
TUBE DIAMETER	58cm 23''		
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1820kg 4012lb		
MAXIMUM PEOPLE	16		
BOAT WEIGHT*	1108kg	2443lbs	
MAXIMUM POWER	300hp		
ENGINE SHAFT	XL		
FUEL TANK	250l		
DESIGN CATEGORY	С		

\*boat, console, standard seating, sundeck & platform only







- ORCA® Hypalon

- Flush mount non-return valves

- High tensile chromated & powder coated aluminum hull

- Self-draining deck

- Steering wheel

- Integrated rear seat with cushion

- Integrated transom supports

- Lifting points and towing eyes - Brushed foam teak finish deck

- Heavy duty rubbing strake

- Keel guard

- Highfield dry bag

- Foot pump & repair kit
- Electrical pack for boat & console

- Carbon dash for console

- Platform with ladder

- Sundeck

- Shower kit - Fridge

- Table

- FRP T-Top

- Tow post - Windlass

**OPTIONAL EXTRAS** 

- Sunshade


Featuring multiple seating configurations, there is room for all your friends & family. The sundecks forward & aft promise afternoons of true relaxation whilst you enjoy your picnic chilled by the onboard fridge. Other luxury features as standard such as the windlass & T-Top with inbuilt storage, speakers and LED lighting elevate your experience even further.

OVERALL LENGTH	812cm	26′8″	
INTERNAL LENGTH	635cm	20′10″	
OVERALL WIDTH	291cm	9'6"	
INTERNAL WIDTH	169cm	5′6″	
DEADRISE	26°		
TUBE DIAMETER	58cm	23′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	2025kg	4464lbs	
MAXIMUM PEOPLE	15		
BOAT WEIGHT*	1120kg	2469lbs	
MAXIMUM POWER	2*200hp		
ENGINE SHAFT	XL		
FUEL TANK	2501		
DESIGN CATEGORY	С		

Notes: \*boat, console, standard seating, table & tow post only









#### STANDARD FEATURES

- ORCA® Hypalon
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Self-draining deck
- Steering wheel
- Integrated rear seat with cushion
- Integrated transom supports
- Lifting points and towing eyes Brushed foam teak finish deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump & repair kit
- Electrical pack for boat & console
- Carbon dash for console - Platform with ladder
- Sundeck
- Shower kit
- Fridge
- Table
- Fabric T-Top
- Tow post
- Windlass

#### **OPTIONAL EXTRAS**

- Sunshade

Our largest cruising RIB offers massive internal space for all of your family & friends - with a max crew of 19 no one need be left behind! The huge 380l fuel tank means you can truly #daretoexplore further & the multitude of internal storage options offers space for all the kit you could want for your adventures. With power options up to 600hp this model is a real head turner.

912cm	29′11″	
699cm	22′11″	
310cm	10′2′′	
184cm	6′	
26°		
58cm	23′′	
6		
2405kg	5302lbs	
19		
1780kg	3924lbs	
2 x 300hp		
XL		
3801		
C or B		
	699cm 310cm 184cm 20 58cm 6 2405kg 1 1780kg 2 x 30 X	

\*boat, console, standard seating, table & tow post only












atrol range of commercial quality RIBs are designed to work both excellently as a long distance family cruiser or a hardcore work boat. Built to withstand the toughest of conditions.

The hull is built from 5083 aluminium plates with 6 and 10mm stringers. With their super deep V, wide chines and large diameter tube, they offer high manoeuvrability, high safety and a soft dry ride even in the roughest conditions.

The range offers something for almost every requirement, from Sailing club support to Police and Rescue applications.

The Patrol boats carry large loads and plane quickly and easily with little horse-power. For charter boat and commercial operators, the modular set-up option means that we can build a layout that suits your needs. These boats are ideal pursuit craft or work boats and can be configured with different seating and console options.

With MCA rating & commercial coding available, the Patrol range is perfect for commercial chartering or working offshore too. When safety, toughness & reliability really matter, the Patrol range should be your first port of call.



025 COLOUR SCHEME









ODE B\_B\_B

DG-G-DG


LG-W-DG

O-G-DG

R-B-









- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valves

- High tensile chromated & powder coated aluminum hull

- Integrated transom supports

- Self-draining deck - Steering wheel

- Integrated under-deck fuel tank

- Lifting points and towing eyes

- Tow bridle points

- Anti-slip deck

- Heavy duty rubbing strake - Keel guard

- Highfield dry bag

- Foot pump, oars, repair kit

- Carbon dash

- Electrical pack for console - Electrical pack for boat

- Transom ladder


# - Mechanical steering system OPTIONAL EXTRAS

- Console & seat options

- Rear tow post - Roll Bar - Suspension seat with shock

	PA420		PA460	
OVERALL LENGTH	421cm	13′10″	459cm	15′1″
INTERNAL LENGTH	317cm	10′5″	353cm	11′7″
OVERALL WIDTH	210cm	6′11″	211cm	6′11″
INTERNAL WIDTH	105cm	3′5″	105cm	3′5″
DEADRISE	20	)°	20°	
TUBE DIAMETER	47cm	19"	47cm	19″
NUMBER OF AIR CHAMBERS	4		5	
MAXIMUM LOAD	885kg	1951lbs	1040kg	2293lbs
MAXIMUM LOAD MAXIMUM PEOPLE	885kg 8			2293lbs 9
MAXIMUM PEOPLE	8	556lbs	290kg	9
MAXIMUM PEOPLE BOAT WEIGHT*	252kg	556lbs	290kg	639lbs





#### STANDARD FEATURES

- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Mechanical steering systemSteering Wheel
- Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake - Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Electrical pack for console - Electrical pack for boat
- Transom ladder
- Bow cushion

#### **OPTIONAL EXTRAS**


- Console & seat options
- Rear tow post Roll Bar
- Suspension seat with shock

The Patrol 500 offers a larger console & the chance to customise the layout to your needs with a choice between bolster and jockey seats, or even an opt for our suspension shock seating. 100hp of power makes this the perfect small workhouse & the optional dive rack adds to this model's capacity for adventure.

500cm	16'5"	
3000111		
416cm	13′8′′	
228cm	7′6′′	
120cm	3′11′′	
24°		
52cm	20′′	
6		
1135kg	2502lbs	
10		
441kg	972lbs	
100hp		
L		
901		
С		
	228cm 120cm 24 52cm 6 1135kg 1 441kg 100 L	

<sup>\*</sup> boat, console & standard seating only







- ORCA® Hypalon or PVC tube Welded seams (PVC)
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supportsSelf-draining deck
- Mechanical steering system
- Steering wheel
- Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit - Carbon dash
- Electrical pack for console
- Electrical pack for boat
- Transom ladder
- Bow cushion

- Console & seat options
- Roll Bar Suspension seat with shock
- Hydraulic steering system

This model gives the best of both worlds: a strong, spacious workhorse whilst still being easy to manoeuvre, slip & tow. The Patrol 540 is equally at home working in a commercial setting as it is as a rugged family cruiser.


OVERALL LENGTH	540cm	17′9′′	
INTERNAL LENGTH	430cm	14′1′′	
OVERALL WIDTH	248cm	8′2′′	
INTERNAL WIDTH	133cm	4'4''	
DEADRISE	24°		
TUBE DIAMETER	52cm	20′′	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1375kg	3031lbs	
MAXIMUM PEOPLE	12		
BOAT WEIGHT*	573.5kg	1264lbs	
MAXIMUM POWER	115hp		
ENGINE SHAFT	XL		
FUEL TANK	105l		
DESIGN CATEGORY	С		
		_	

<sup>\*</sup> boat, console & standard seating only









#### STANDARD FEATURES

- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Steering wheel
- Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Electrical pack for console
- Electrical pack for boat
- Transom ladder Bow cushion

#### **OPTIONAL EXTRAS**

- Console & seat options Roll Bar with ladder Roll Bar
- Suspension seat with shock
- Deck wash Hydraulic Steering System

An incredibly capable RIB, ideal for both family distance cruising or commercial use including teaching, charter & harbour work. The Patrol 600 really is the perfect all-rounder – quick, dry & economical.


BARBUOY≋

617cm	20′3′′	
449cm	14′9″	
258cm	8′6′′	
132cm	4′4′′	
26°		
54cm	21′′	
6		
1580kg	3483lbs	
14		
752kg	1658lbs	
150hp		
XL		
140		
С		
	449cm 258cm 132cm 20 54cm 6 1580kg 1 752kg 150 X	

\* boat, console & standard seating only



PATROL 660









- ORCA® Hypalon or PVC tube Welded seams (PVC)

- Flush mount non-return valves

- High tensile chromated & powder coated aluminum hull

- Integrated transom supports

- Self-draining deck

- Steering wheel

- Integrated under-deck fuel tank

- Lifting points and towing eyes

- Tow bridle points

- Anti-slip deck

- Heavy duty rubbing strake - Keel guard - Highfield dry bag

- Foot pump, oars, repair kit

- Carbon dash

- Electrical pack for console

- Electrical pack for boat

- Transom ladder - Bow cushion

#### **OPTIONAL EXTRAS**

- Console & seat options

- Roll Bar with ladder - Roll Bar

- Suspension seat with shock

- Deck wash


- Hydraulic Steering System


An optional T-Top on the Patrol 660 allows this model to become even more practical by offering more shelter & greater protection from the elements. Room for all your kit, options such a dive rack & deck wash combined with the fact this model is sitting on its world-renowned 26-degree deadrise hull, this is a truly versatile all-weather RIB.

OVERALL LENGTH	651cm	21′4′′	
INTERNAL LENGTH	475cm	15′7″	
OVERALL WIDTH	259cm	8'6''	
INTERNAL WIDTH	135cm	4′5′′	
DEADRISE	26°		
TUBE DIAMETER	54cm	21"	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1535kg	3384lbs	
MAXIMUM PEOPLE	13		
BOAT WEIGHT*	781kg	1721lbs	
MAXIMUM POWER	200hp		
ENGINE SHAFT	XL		
FUEL TANK	1401		
DESIGN CATEGORY	С		

<sup>\*</sup> boat, console & standard seating only









- ORCA® Hypalon

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Steering wheel
- Integrated under-deck fuel tank
- Lifting points and towing eyes
- Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag - Foot pump, oars, repair kit
- Carbon dash
- Electrical pack for console
- Electrical pack for boat
- Transom ladder
- Bow cushion

#### OPTIONAL EXTRAS

- Console & seat options
- Roll Bar with ladder Roll Bar
- Suspension seat with shock
- Dive rack Deck wash
- Hydraulic Steering System


It's long-range fuel tank & wide beam, along with a mod-ular layout that can be customised to suit your needs, make the Patrol 700 a great value, capable allrounder. In addition to plenty of storage for equipment, optional extras such as the T-Top, dive rack or deck wash provide even more functionality to this mid-sized workhorse.

OVERALL LENGTH	699cm	22′11′′	
INTERNAL LENGTH	523cm	17′2″	
OVERALL WIDTH	283cm	9′3′′	
INTERNAL WIDTH	164cm	5′5′′	
DEADRISE	26°		
TUBE DIAMETER	54cm	21"	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1630kg	3594lbs	
MAXIMUM PEOPLE	14		
BOAT WEIGHT*	958kg	2111lbs	
MAXIMUM POWER	250hp		
ENGINE SHAFT	XL		
FUEL TANK	2851		
DESIGN CATEGORY	С		

\* boat, console & standard seating only









- ORCA® Hypalon
- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Self-draining deck
- Steering wheel
- Integrated under-deck fuel tank
- Lifting points and towing eyes - Tow bridle points
- Anti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Electrical pack for console
- Electrical pack for boat
- Transom ladder

#### - Bow cushion **OPTIONAL EXTRAS**

- Console & seat options

- Roll Bar with ladder Roll bar - Suspension seat with shock
- Dive rack Deck wash
- T-TOP XL -Hydraulic steering system


This particular model is the support boat of choice for many offshore sailing teams & events and you can see why... The Patrol 760 is a powerful long-range cruiser that pairs huge storage & functionality with its world-renowned 26 degree deadrise hull, meaning this RIB is able to cope with the most challenging conditions safely & comfortably.

OVERALL LENGTH	764cm	25′1″	
INTERNAL LENGTH	583cm	19′1″	
OVERALL WIDTH	282cm	9′3″	
INTERNAL WIDTH	165cm	5′5″	
DEADRISE	26°		
TUBE DIAMETER	54cm	21"	
NUMBER OF AIR CHAMBERS	6		
MAXIMUM LOAD	1820kg	4012lbs	
MAXIMUM PEOPLE	16		
BOAT WEIGHT*	1020kg	2249lbs	
MAXIMUM POWER	300hp		
ENGINE SHAFT	XL		
FUEL TANK	2851		
DESIGN CATEGORY	C or B		

\* boat, console & standard seating only









- ORCA® Hypalon

- Flush mount non-return valves
- High tensile chromated & powder coated aluminum hull
- Integrated transom supports
- Steering wheel
- Self-draining deck
- Integrated under-deck fuel tank
- Lifting points and towing eyesTow bridle points
- Iow bridle poinAnti-slip deck
- Heavy duty rubbing strake
- Keel guard
- Highfield dry bag
- Foot pump, oars, repair kit
- Carbon dash
- Electrical pack for console
- Electrical pack for boat - Transom ladder
- Bow cushion

#### **OPTIONAL EXTRAS**

- Console & seat options - Roll Bar with ladder - Roll Bar
- Deck wash T-Top XL
- Suspension seat with shock
- Dive rack Hydralic Steering System

Long range tanks, power options up to 600hp & a modular design customised to suit your needs allow the Patrol 860 to be built for performance, family boating or a number of commercial requirements. With a max load of 2.5 tonnes & a passenger limit of 20 there is plenty of room whether it be for equipment, family & friends, commercial crew or customers.

OVERALL LENGTH	870cm	28′6″
INTERNAL LENGTH	631cm	20′8″
OVERALL WIDTH	310cm	10′2′
INTERNAL WIDTH	184cm	6′
DEADRISE	26°	
TUBE DIAMETER	58cm	23′′
NUMBER OF AIR CHAMBERS	6	
MAXIMUM LOAD	2270kg	5004lbs
MAXIMUM PEOPLE	19	
BOAT WEIGHT*	1156kg	2549lbs
MAXIMUM POWER	2 x 300hp	
ENGINE SHAFT	UL	
FUEL TANK	4301	
DESIGN CATEGORY	B or C	

\*boat, console & standard seating only





