

2015 MAVERICK™



STANDARD SPECIFICATIONS

ENGINE 1000R

Type	976 cc, V-twin, liquid-cooled, SOHC, 8-valve (4-valve / cyl)
Bore & Stroke	91 x 75 mm
Fuel Delivery System	iTC™ with EFI and 54 mm Throttle Body, 2 Siemens† VDO injectors
Starting System	Electric
Transmission	CVT, sub-transmission with high, low, park, neutral & reverse. Standard engine braking
Drive Train	Selectable 2WD / 4WD shaft driven with Visco-Lok‡ auto-locking front differential

CHASSIS

Frame	Steel
Cage Type	2-in. (5.1 cm) diameter, high-strength steel, ROPS-approved
Steering Wheel Adjustment	Adjustable tilt steering
Front Suspension Type	Double A-arm
Front Shocks Type	FOX† PODIUM‡ X Performance 2.0 HPG Piggyback shocks with compression and preload adjustments
Front Suspension Travel	14 in. (35.6 cm)
Rear Suspension Type	Torsional Trailing A-arms independent rear suspension (TTA) with sway bar
Rear Shocks Type	FOX PODIUM X Performance 2.0 HPG Piggyback shocks with compression and preload adjustments
Rear Suspension Travel	14 in. (35.6 cm)
Front Brakes	Dual 214 mm ventilated disc brakes with hydraulic twin-piston (27 mm) calipers
Rear Brakes	Dual 214 mm ventilated disc brakes with hydraulic single-piston (32 mm) caliper
Tires / Front	Maxxis Bighorn 2.0† 27 x 9 x 12 in. (68.6 x 22.9 x 30.5 cm)
Tires / Rear	Maxxis Bighorn 2.0 27 x 11 x 12 in. (68.6 x 27.9 x 30.5 cm)
Wheels	Cast-aluminum

WARRANTY

Factory	6 months limited warranty
Extended	B.E.S.T. available from 6 to 30 months

DIMENSIONS

Dry Weight	1,297 lb (588 kg)
L x W x H (in.)	118.8 x 64 x 74.2 in.
L x W x H (cm)	301.7 x 162.5 x 188.5 cm
Wheelbase	84.3 in. (214.1 cm)
Ground Clearance	13 in. (33 cm)
Rear Rack Capacity	200 lb (91 kg) with LinQ™ quick-attach accessory system
Cockpit Storage	Glove box: 4.5 gal (17.2 L) Under driver seat: 3.5 gal (13.1 L) Center console: 0.3 gal (1.3 L)
Fuel Capacity	10 gal (37.8 L)

FEATURES

Instrumentation	Multifunction digital gauge: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, sport mode, ECO™ mode, seat belt and 4 x 4 indicator, diagnostics, clock, auto shut off
Anti-theft System	Digitally Encoded Security System (D.E.S.S.™)
Electrical	Prewired for winch
Lighting	240-W from four 60-W projectors with tail lights / brake light



©2014 Bombardier Recreational Products Inc. (BRP). All rights reserved. ™, ® and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the U.S.A., the products are distributed by BRP US Inc. ‡ Visco-Lok is a trademark of GKN Viscodrive GmbH. † All other trademarks are the property of their respective owners. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Read the side-by-side vehicle (SSV) Operator's Guide and watch the Safety DVD before driving. For your safety: wear a helmet, eye protection and other protective gear. Fasten lateral net and seat belt at all times. Always remember that riding and alcohol/drugs don't mix. SSV is for off-road use only. Never ride on paved surfaces or public roads. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. Never engage in stunt driving and avoid excessive speed. Drive responsibly.



Can-AmOffroad.com

STANDARD FEATURES

MAVERICK

- 101-hp Rotax® 1000R V-Twin engine with high-flow dynamics
- Intelligent Throttle Control (iTC)
- Continuously Variable Transmission (CVT) with Zylon¹-reinforced belt
- Mid-engine layout for mass centralization
- Double A-arm front suspension with 14 in. (35.6 cm) of travel
- Front and rear FOX PODIUM X Performance 2.0 HPG Piggyback shocks
- Torsional Trailing A-arms independent rear suspension (TTA) with 14 in. (35.6 cm) of travel
- 27-in. Maxxis Bighorn 2.0 tires
- 12-in. center-less cast-aluminum wheels

- High-strength, 200-lb (91 kg) multipurpose rear rack with LinQ quick-attach system
- 2-in. (5.1 cm) diameter, high-strength steel, ROPS-approved cage
- Adjustable driver's seat and tilt steering
- Passenger handhold and grab bar

COLOR AND ENGINE OPTIONS

- Yellow / 1000R
- White / 1000R



PACKAGE OPTIONS

MAVERICK X rs DPS™

ADDED FEATURES

- Tri-Mode Dynamic Power Steering (DPS)
- Visco-Lok QE
- Front and rear FOX PODIUM X Performance RC2.5 HPG Piggyback shocks with dual speed compression, rebound and preload adjustments
- 12-in. aluminum beadlock wheels
- Analog / digital gauge
- Custom steering wheel with brushed-aluminum center part
- X-package seat trim and graphics
- Can-Am® Red painted plastic option

COLOR AND ENGINE OPTIONS

- Yellow & Black / 1000R
- White, Black & Can-Am Red / 1000R
- Can-Am Red / 1000R



MAVERICK X xc DPS

ADDED FEATURES

- 60-in. (152.4 cm) overall width
- Tri-Mode Dynamic Power Steering (DPS)
- Visco-Lok QE
- Front and rear FOX PODIUM X Performance 2.0 HPG Piggyback shocks with compression and preload adjustments, 12-in. (30.5 cm) travel
- 12-in. aluminum beadlock wheels
- Analog / digital gauge
- Custom steering wheel with brushed-aluminum center part
- X-package seat trim and graphics

COLOR AND ENGINE OPTIONS

- Yellow & Black / 1000R
- White, Black & Can-Am Red / 1000R



MAVERICK X mr DPS

ADDED FEATURES

- Front and rear FOX PODIUM X Performance RC2.5 HPG Piggyback shocks with dual speed compression, rebound and preload adjustments
- 30-in. Gorilla Axle Silverback¹ tires
- 14-in. ITP¹ SS312 cast-aluminum wheels
- Strategically positioned engine air intake and CVT inlets / outlets
- Tri-Mode Dynamic Power Steering (DPS)
- Visco-Lok QE
- Custom steering wheel with brushed-aluminum center part
- 4,500-lb (2,041 kg) WARN¹ winch with roller fairlead, wired remote control and integrated winch remote storage

- Analog / digital gauge
- Extra low L-gear
- X-package seat trim, graphics and sponsor decals
- Digital Camo water dipped color option

COLOR AND ENGINE OPTIONS

- NEW Digital Camo & Manta Green / 1000R
- Yellow & Black / 1000R



2015 MAVERICK™—GENUINE ACCESSORIES

SPORT ALUMINUM ROOF
Bare aluminum for a durable sporty look.

BAJA STYLE SPARE TIRE HOLDER
Holds your spare tire in place. Fast installation and removal of the tire with specifically designed tie-down strap. Compatible with the Wheel Jack. Helps you change a flat out on the trail. Includes a large base for more stability, even in soft soil.



39" LED LIGHT
Provides intense lighting for extra visibility and a one-of-a-kind look.

4-POINT HARNESS
Our exclusive system offers the safety buckle switch feature and is ROHVA compliant.

HALF WINDSHIELD
Provides extra protection against the elements.



DUNE FRONT BUMPER
Delivers additional heavy-duty protection in extreme conditions.

SPORT ALUMINUM DOORS
Rear hinge opening for easy in and out access.

UNDERBELLY PROTECTION
Aluminum plates to protect your frame from the unexpected.

ROCK SLIDER BAR
Delivers additional protection.



Whether you need them for dune or trail riding, all the accessories are built and designed by BRP to specifically match your vehicle, without compromises, increase comfort and versatility – and give you that unmistakable Can-Am look.

Shop at
store.can-am.brp.com
or at your authorized Can-Am dealer.

can-am



© 2014 Bombardier Recreational Products Inc. (BRP). All rights reserved.™, ® and the BRP logo are trademarks of Bombardier Recreational Products Inc. or its affiliates. In the U.S.A., the products are distributed by BRP US Inc. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features, models or equipment without incurring obligation. Some models depicted may include optional equipment. Read the side-by-side vehicle (SSV) Operator's Guide and watch the Safety DVD before driving. For your safety: wear a helmet, eye protection and other protective gear. Fasten lateral net and seat belt at all times. Always remember that riding and alcohol/drugs don't mix. SSV is for off road use only. Never ride on paved surfaces or public roads. Operator must be at least 16 years old. Passenger must be at least 12 years old and able to hold handgrips and plant feet while seated against the backrest. Never engage in stunt driving and avoid excessive speed.