

UTILITY/ATV/UTV FIT SERIES

TRITON
TRAILERS



FIT852, LTWC1-X, LTWCII, LTWCII-X

STANDARD FEATURES

- Fully Welded, All-Aluminum Frame & Ramp
- Straight And Bi-Fold Ramp Options
- Wide Range Of Accessory Kits
- Flush LED Lighting
- Aluminum Fenders
- Durable 1" Aluminum or Hardwood
- Plank Deck
- Quickslide™ & 360° Carriage Bolt Tie-Down Channels
- Standard & Optional Tie Downs
- Four-Cord Rubber E-Coated Torsion Axle

STANDARD SPECIFICATIONS

TRAILER MODEL	FIT852	FIT864	FIT864-P	FIT1064
Bed Width (in.)	52"	64"	64"	64"
Bed Length (in.)	96"	96"	96"	120"
Deck Type	Aluminum	Aluminum	Hardwood Planks	Aluminum
Tie Downs	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790
Overall Width (in.)	73 3/32"	85 5/32"	85 5/32"	85 5/32"
Overall Length (in.)	134"	134"	134"	158"
Ramp Standard	Straight	Straight	Straight	Straight
Ramp Option	Bifold	Bifold	Bifold	Bifold
Tilt Bed	No	No	No	No
Carrying Capacity w/o Brakes (lb.)	1,818 lb	1,772 lb	1,743 lb	1,723 lb
GVWR w/o Brakes (lb.)	2,200 lb	2,200 lb	2,200 lb	2,200 lb
Carrying Capacity w/ Brakes (lb.)	N/A	N/A	N/A	N/A
GVWR with Brakes (lb.)	N/A	N/A	N/A	N/A
Trailer Weight	382 lb	428 lb	457 lb	477 lb
No. Of Axles	1	1	1	1
Hitch Height (in.)	15 3/4"	15 3/4"	15 3/4"	15 3/4"
Deck Height (in.)	18"	18"	18"	18"
Standard Tires	ST175/80D13C Steel	ST175/80D13C Steel	ST175/80D13C Steel	ST175/80D13C Steel
Tire Upgrade Options	ST175/80D13C Aluminum T08, ST175/80D13C Aluminum Machine Lip, ST175/80R13C Steel, ST175/80R13C Aluminum T08, ST175/80R13C Aluminum Machine Lip	ST175/80D13C Aluminum T08, ST175/80D13C Aluminum Machine Lip, ST175/80R13C Steel, ST175/80R13C Aluminum T08, ST175/80R13C Aluminum Machine Lip	ST175/80D13C Aluminum T08, ST175/80D13C Aluminum Machine Lip, ST175/80R13C Steel, ST175/80R13C Aluminum T08, ST175/80R13C Aluminum Machine Lip	ST175/80D13C Aluminum T08, ST175/80D13C Aluminum Machine Lip, ST175/80R13C Steel, ST175/80R13C Aluminum T08, ST175/80R13C Aluminum Machine Lip
Tongue Jack	Option	Option	Option	Option
Coupler (in.)	2"	2"	2"	2"
Brake Standard	N/A	N/A	N/A	N/A
Brake Options	N/A	N/A	N/A	N/A

FIT1064-P, FIT1072, FIT1072TILT, FIT1272

STANDARD SPECIFICATIONS

TRAILER MODEL	FIT1064-P	FIT1072	FIT1072TILT	FIT1272
Bed Width (in.)	64"	72 1/2"	72 1/2"	72 1/2"
Bed Length (in.)	120"	120"	120"	144"
Deck Type	Hardwood Planks	Aluminum	Aluminum	Aluminum
Tie Downs	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790
Overall Width (in.)	85 5/32"	93 25/32"	93 25/32"	93 25/32"
Overall Length (in.)	158"	158"	158"	182"
Ramp Standard	Straight	Straight	Straight	Straight
Ramp Option	Bifold	Bifold	Bifold	Bifold
Tilt Bed	No	No	Yes	No
Carrying Capacity w/o Brakes (lb.)	1,690 lb	2,472 lb	2,472 lb	2,399 lb
GVWR w/o Brakes (lb.)	2,200 lb	2,995 lb	2,995 lb	2,995 lb
Carrying Capacity w/ Brakes (lb.)	N/A	2,977 lb	2,977 lb	2,909 lb
GVWR with Brakes (lb.)	N/A	3,500 lb	3,500 lb	3,500 lb
Trailer Weight	510 lb	523 lb	523 lb	596 lb
No. Of Axles	1	1	1	1
Hitch Height (in.)	15 3/4"	17"	17"	17"
Deck Height (in.)	18"	19 1/4"	19 1/4"	19 1/4"
Standard Tires	ST175/80D13C Steel	ST205/75D14 Steel	ST205/75D14 Steel	ST205/75D14 Steel
Tire Upgrade Options	ST175/80D13C Aluminum T08, ST175/80D13C Aluminum Machine Lip, ST175/80R13C Steel, ST175/80R13C Aluminum T08, ST175/80R13C Aluminum Machine Lip	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel
Tongue Jack	Option	Yes	Yes	Yes
Coupler (in.)	2"	2"	2"	2"
Brake Standard	N/A	N/A	N/A	N/A
Brake Options	N/A	Electric	Electric	Electric

FIT1281, FIT1281TILT, FIT1281-P, FIT1472

STANDARD SPECIFICATIONS

TRAILER MODEL	FIT1281	FIT1281TILT	FIT1281-P	FIT1472
Bed Width (in.)	80 3/4"	80 3/4"	80 3/4"	72 1/2"
Bed Length (in.)	144"	144"	144"	168"
Deck Type	Aluminum	Aluminum	Hardwood Planks	Aluminum
Tie Downs	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790
Overall Width (in.)	101 29/32"	101 29/32"	101 29/32"	93 25/32"
Overall Length (in.)	182"	182"	182"	206"
Ramp Standard	Straight	Straight	Straight	Straight
Ramp Option	Bifold	Bifold	Bifold	Bifold
Tilt Bed	No	Yes	No	No
Carrying Capacity w/o Brakes (lb.)	2,261 lb	2,261 lb	2,201 lb	2,311 lb
GVWR w/o Brakes (lb.)	2,995 lb	2,995 lb	2,995 lb	2,995 lb
Carrying Capacity w/ Brakes (lb.)	2,766 lb	2,766 lb	2,706 lb	2,816 lb
GVWR with Brakes (lb.)	3,500 lb	3,500 lb	3,500 lb	3,500 lb
Trailer Weight	734 lb	734 lb	794 lb	684 lb
No. Of Axles	1	1	1	1
Hitch Height (in.)	16"	16"	16"	16"
Deck Height (in.)	19 1/4"	19 1/4"	19 1/4"	19 1/4"
Standard Tires	ST205/75D14 Steel	ST205/75D14 Steel	ST205/75D14 Steel	ST205/75D14 Steel
Tire Upgrade Options	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel
Tongue Jack	Yes	Yes	Yes	Yes
Coupler (in.)	2"	2"	2"	2"
Brake Standard	N/A	N/A	N/A	N/A
Brake Options	Electric	Electric	Electric	Electric

FIT1481, FIT1481TILT, FIT1481-P, FIT1481-2

STANDARD SPECIFICATIONS

TRAILER MODEL	FIT1481	FIT1481TILT	FIT1481-P	FIT1481-2
Bed Width (in.)	80 3/4"	80 3/4"	80 3/4"	80 3/4"
Bed Length (in.)	168"	168"	168"	168"
Deck Type	Aluminum	Aluminum	Hardwood Planks	Aluminum
Tie Downs	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790
Overall Width (in.)	101 29/32"	101 29/32"	101 29/32"	102"
Overall Length (in.)	206"	206"	206"	206"
Ramp Standard	Straight	Straight	Straight	Bifold HD
Ramp Option	Bifold	Bifold	Bifold	N/A
Tilt Bed	No	Yes	No	No
Carrying Capacity w/o Brakes (lb.)	2,188 lb	2,188 lb	2,206 lb	N/A
GVWR w/o Brakes (lb.)	2,995 lb	2,995 lb	2,995 lb	N/A
Carrying Capacity w/ Brakes (lb.)	2,693 lb	2,693 lb	2,711 lb	5,875 lb
GVWR with Brakes (lb.)	3,500 lb	3,500 lb	3,500 lb	7,000 lb
Trailer Weight	807 lb	807 lb	789 lb	1,125 lb
No. Of Axles	1	1	1	2
Hitch Height (in.)	16"	16"	16"	16"
Deck Height (in.)	19 1/4"	19 1/4"	19 1/4"	19 1/4"
Standard Tires	ST205/75D14 Steel	ST205/75D14 Steel	ST205/75D14 Steel	ST205/75D14 Steel
Tire Upgrade Options	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel
Tongue Jack	Yes	Yes	Yes	Yes
Coupler (in.)	2"	2"	2"	2 5/16"
Brake Standard	N/A	N/A	N/A	Electric - Front
Brake Options	Electric	Electric	Electric	Electric - Front & Rear

FIT1481-2-P, FIT1681-2, FIT1681-2-P

STANDARD SPECIFICATIONS

TRAILER MODEL	FIT1481-2-P	FIT1681-2	FIT1681-2-P
Bed Width (in.)	80 3/4"	80 3/4"	80 3/4"
Bed Length (in.)	168"	192"	192"
Deck Type	Hardwood Planks	Aluminum	Hardwood Planks
Tie Downs	(4) D-Rings 21790	(4) D-Rings 21790	(4) D-Rings 21790
Overall Width (in.)	102"	102"	102"
Overall Length (in.)	206"	230"	230"
Ramp Standard	Bifold HD	Bifold HD	Bifold HD
Ramp Option	N/A	N/A	N/A
Tilt Bed	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A
Carrying Capacity w/ Brakes (lb.)	5,862 lb	5,785 lb	5,777 lb
GVWR with Brakes (lb.)	7,000 lb	7,000 lb	7,000 lb
Trailer Weight	1,138 lb	1,215 lb	1,223 lb
No. Of Axles	2	2	2
Hitch Height (in.)	16"	16"	16"
Deck Height (in.)	19 1/4"	19 1/4"	19 1/4"
Standard Tires	ST205/75D14 Steel	ST205/75D14 Steel	ST205/75D14 Steel
Tire Upgrade Options	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel	ST205/75R14 Aluminum T08, ST205/75R14 Aluminum Machine Lip, ST205/75R14C Steel
Tongue Jack	Yes	Yes	Yes
Coupler (in.)	2 5/16"	2 5/16"	2 5/16"
Brake Standard	Electric - Front	Electric - Front	Electric - Front
Brake Options	Electric - Front & Rear	Electric - Front & Rear	Electric - Front & Rear

OPTIONS & ACCESSORIES

FIT Series
Spare Tire Carrier
Bifold Ramp
Tire and Wheel Upgrades
Electric Brakes
Wheel Stop Kit
Side Load Ramps
Front Rail Kit
Side Rail Kit
Solid Front Kit

FIT Series
Solid Side Kit
Fence-style Side Kit
Stone Guard Kit
5/16" D-Rings with 3/8" Carriage Bolts Tie Downs
5/16" D-Rings with Quickslide Attachment
3/8" D-Rings with Quickslide Attachment
Flush Tie Downs with Quickslide Attachment
Eyebolt Tie Downs with Quickslide Attachment

ADDITIONAL UTILITY OPTIONS

FIT SERIES ACCESSORIES

Tongue Jack
Quickslide Wheel Chock Kit (N/A Plank Models)
Kit, Carriage Bolt Tie Down - D-Ring 5/16" (2 PCS)
Kit, Quickslide Tie Down - Eyebolt (2 PCS)

FIT 64" SERIES ACCESSORIES

Kit, Wheel Stop 64
Kit, Side Rail 864 (Order with Wheel Stop 22359-64)
Kit, Side Rail 1064 (Order with Wheel Stop 22359-64)
Kit, Solid Front 64
Kit, Solid Front and Fence-Style Side 864

FIT 72" SERIES ACCESSORIES

Kit, Wheel Stop 72
Kit, Side Rail 1072 (Order with Wheel Stop 22359-72)
Kit, Side Rail 1272 (Order with Wheel Stop 22359-72)
Kit, Side Rail 1472 (Order with Wheel Stop 22359-72)
Kit, Solid Front 72
Kit, Solid Front and Fence-Style Side 1072
Kit, Solid Front and Fence-Style Side 1272

FIT 81" SERIES ACCESSORIES

Kit, Wheel Stop 81
Kit, Side Rail 1281 (Order with Wheel Stop 22359-81)
Kit, Side Rail 1481 (Order with Wheel Stop 22359-81)
Kit, Side Rail 1681 (Order with Wheel Stop 22359-81)
Kit, Solid Front 81
Kit, Solid Front and Fence-Style Side 1281
Kit, Solid Front and Fence-Style Side 1481

FIT TILT SERIES ACCESSORIES

Quickslide Tie Down Eyebolt Kit (1 Pair)
Quickslide Tie Down Kit (1 Pair)
3/8" Tie Down Kit (4 PCS)
3/8" D-Ring Tie Down Kit (4 PCS)
Kit, Wheel Stop 81
Wheel Stop Kit, Tilt72 (6" Above Deck)
Spare Tire Carrier Kit
Tall Stone Guard Kit, Tilt72 (Use With #16789)

FIT SERIES ACCESSORIES (CONTINUED)

Kit, Quickslide Tie Down - Flush Mount (2 PCS)
Kit, Quickslide Tie Down - D-Ring 5/16" (2 PCS)
Kit, Quickslide Tie Down - D-Ring 3/8" (2 PCS)
Kit, Spare Tire Carrier

FIT 64" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1064
Kit, Short Solid Front and Side 864
Kit, Short Solid Front and Side 1064
Kit, Tall Solid Front and Side 864
Kit, Tall Solid Front and Side 1064

FIT 72" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1472
Kit, Short Solid Front and Side 1072
Kit, Short Solid Front and Side 1272
Kit, Short Solid Front and Side 1472
Kit, Tall Solid Front and Side 1072
Kit, Tall Solid Front and Side 1272
Kit, Tall Solid Front and Side 1472

FIT 81" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1681
Kit, Short Solid Front and Side 1281
Kit, Short Solid Front and Side 1481
Kit, Short Solid Front and Side 1681
Kit, Tall Solid Front and Side 1281
Kit, Tall Solid Front and Side 1481
Kit, Tall Solid Front and Side 1681

FIT TILT SERIES ACCESSORIES (CONTINUED)

Tall Stone Guard Kit, Tilt82 (Use With #19486)
Tall Single Side Rail Kit, Tilt1072 (Use With #16789)
Tall Single Side Rail Kit, Tilt1282 (Use With #19486)
Tall Single Side Rail Kit, Tilt1482 (Use With #19486)
Side Kit, Tilt1072
Side Kit, Tilt1282 - Includes #18607 Corner Post & 11242 Pockets
Side Kit, Tilt1482 - Includes #18607 Corner Post & 11242 Pockets

ADDITIONAL UTILITY OPTIONS CONTINUED

AUX SERIES ACCESSORIES

Quickslide Tie Down - Eyebolt

Quick Slide Tie Down

Wheel Chock Kit

Quickslide Wheel Chock Kit

3/8" D-Ring Tie Down Kit (4 PCS)

Electric Winch Kit, Hauser (Battery Not Included)

3/8" 5000# Tie Down Kit (2 PCS)

AUX SERIES ACCESSORIES (CONTINUED)

HD Bi-Fold Ramp AUX

Kit, Utility Box AUX

Spare Tire Carrier Kit

HD Long Bi-Fold Ramp w/HD Ramp Arm Kit

Kit, Wheel Stop 81

Kit, HD Twin Ramp (Front Mount) (Use With #19266)

ADDITIONAL LIGHT OPTIONS

DESCRIPTION
Light, 2 1/2" Round Amber Clearance
Light, 2 1/2" Round Red Clearance
Grommet, 2 1/2" Round
Bracket, License Plate Light Kit
Tail Light, Oval
Bracket, License Plate (Plastic)
Light, 2" Round Red Clearance
Grommet, 2" Round
Lens, Side and Tail - LXT/XTV
Reflector, Amber
Light, 2" Round Amber Clearance
Grommet, Rectangle Clearance Light
Light, Rectangle License Plate, Clear
Reflector, Red
Grommet, Oval Tail
Light, Rectangle Clearance, Red
Light, Rectangle Clearance, Amber
Tail Light, RH (LXT/XTV/DOP)
Tail Light, LH (LXT/XTV/DOP)
Reflector, Amber - AUT
Light, ID Bar
Light, 2 1/2" Round Red Clearance - WCII
Grommet, 2 1/2" Closed Black
Amber Clearance Light - WAVE (2015)
Red Clearance Light - WAVE (2015)

DESCRIPTION
Light, Rect. Clearance Red - Enc.
Light, Rect. Clearance Amber - Enc.
Bracket, W/180 Bullet - (07846/07847)
LED Light, 2" Round Clearance, Red
LED Light, 2 1/2" Round Clearance, Red
LED Light, 2 1/2" Round Clearance, Amber
LED Light, Oval Tail Light
Light, Clearance Amber STICKON - LXT
Lens, Amber LXT
LED Light, Clearance - 4" Rec. Red - Enc.
LED Light, Clearance - 4" Rec. Amber - Enc.
LED Light, Clearance - 2 1/2" Rec. Red - Enc.
LED Light, Clearance - 2 1/2" Red - Super 10
LED Light, Clearance - 2" Round, Amber
LED Light, Clearance Rect., Amber
Light, Halogen
Light, Fender Clearance Combo
LED Light, License Plate
LED Light, Round White Flush Mount
LED Tail Light, Bar w/Reflex
LED Marker Light, Bullet Red W/Grom
LED Marker Light, Bullet Amber W/Grom
Tail Light Bar LED - Vault/Enc.
LED, CID Bar
Tail Light Oval LED - WAVE

ADDITIONAL TIRE OPTIONS

DESCRIPTION

Tire & Wheel, 18.5X8C Silver
Tire & Wheel, 20.5X10C Silver
Tire & Wheel, ST175/80D13C Silver
Tire & Wheel, 4.80X8C Silver
Tire & Wheel, 5.30X12C Silver
Tire & Wheel, ST205/75R14 Alum.
Tire & Wheel, 4.80X12C Silver
Tire & Wheel, ST205/75D14 Silver
Tire & Wheel, ST175/80R13D White
Tire & Wheel, 20.5X10E Silver
Tire & Wheel, ST205/75D15C Silver
Tire & Wheel, ST145/R12E Silver

GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized
Tire & Wheel, 5.30X12C Galvanized
Tire & Wheel, 4.80X12C Galvanized
Tire & Wheel, ST145/R12E Galvanized

DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.
Tire & Wheel, ST205/75 R15C White
Tire & Wheel, ST145/R12E Alum.
Tire & Wheel, ST225/75R15E Alum.
Tire & Wheel, ST205/75 R-15 D-5 White
Tire & Wheel, ST205/75R-15 D-5 Alum.
Tire & Wheel, ST175/80R13C Silver
Tire & Wheel, ST175/80R13C Alum (use 09475)
Tire & Wheel, ST205/75R14C Silver
Tire & Wheel, ST225/75R15E White
Tire & Wheel, 20.5X10E Alum. Gun Face
Tire & Wheel, 20.5X10E Alum. Gun Inlay

SPARE PARTS

Spare Tire Mount - U Bolt Style
Spare Tire Carrier
Hardware Kit For #22008 If Not Mounted to Jack
Acorn Lugnut (10/Bag)
Hub Cap End - ABS